


EP HENRY®



HARDSCAPING COLLECTIONS
SOURCEBOOK



What does disruptive technology look like?

In January of 1904, the following appeared in the local newspaper about my great grandfather, E.P. Henry, an early innovator in bringing concrete block to market.

THE WOODBURY DAILY TIMES: CITY NOTES

“Contractor E.P. Henry has a large lot of cement block in his yard on Delaware Street which he has made himself. They are to be used in building a house at Paulsboro. Mr. Henry says that cement houses are the coming structures: that they will outwear brick or stone houses, can be built for about half the price of either of the latter, and are equally as warm in the winter and cool in the summer.”

Concrete block was the beginning of EP Henry Corp. We have always operated for over 115 years under the premise that what made us successful today doesn't ensure our success tomorrow.

Our reputation for innovation is why we were selected to partner with Solidia eight years ago to develop and manufacture a new, planet-friendly concrete. As the next-generation concrete, Solidia pavers are cured with carbon dioxide instead of water, a manufacturing method that reduces water consumption by 80% while forever entrapping harmful CO₂ gases. This innovative process reduces the carbon footprint of concrete by 70% and eliminates efflorescence. The end result is beautiful, high-performing, eco-friendly pavers in that are literally better in every way.

Very few industries have the opportunity to significantly reduce their carbon footprint and effectively combat the effects of global warming. The concrete industry is one of these, and as a company with a history of innovation, we are committed to investing in the future of our industry as well as the health of our planet. In the spring of this year we will launch our Solidia family of products with the intent of ultimately converting our entire product line to Solidia-based concrete. It is expected that Solidia will be available worldwide within 5 years. For many reasons, Inc. Magazine named Solidia the #1 startup to watch in 2020.

From my family to yours,

A handwritten signature in black ink that reads "J.C. Henry".

J.C. Henry III



A Better Concrete For a Better Planet



2020 Innovations

Turn the page to see highlights of our 2020 product lineup.

2020 PRODUCT HIGHLIGHTS



A Better Concrete
For a Better Planet



Find out how Solidia
is changing the way
we make pavers.

Learn More on p.32



EARLY SUMMER 2020

Now our entire
ECO Collection
features Solidia

View Now p.55

EARLY SUMMER 2020

Berkshire Plank Paver

Perfect for contemporary designs or as a border, Berkshire comes in four colors, in five sizes.



p.120



EARLY SUMMER 2020

Trilogy



This 3-piece
modular system
will be available in
both textured and
smooth finishes.



Colorist technology is introduced to the Split Face Wall Collection starting Summer 2020

The Colorist system takes the guesswork out of blending color because the “color recipe” is programmed into the computer that runs the equipment. This advanced technology provides consistent, predictable wall color blends.

Cast Stone Wall Ledgestone Profile

EARLY SUMMER 2020

Our Cast Stone Wall is already the best-selling premium wall system in the industry, providing the look of natural stone at a fraction of the price and time to install. And now, we’re offering Cast Stone Wall in a brand new profile - Ledgestone - to expand its limitless design possibilities even further.



Allegheny



Aztec

Belmont + ColorTech = Premiere Paver Collection

**Enhanced Color.
Advanced Protection.™**

Learn More on p.34

Belmont now includes Caps & Steps in 2020

Belmont Pavers p.43



Belmont Caps p.100



Belmont Steps p.105



TABLE OF CONTENTS

| | | | | | |
|---|-----------|-----------------------------------|-----------|-------------------------------------|------------|
| INSPIRATION | 02 | WALLS | 61 | FINISHING TOUCHES | 94 |
| Galleries | | Cast Stone Wall Collection | | BULLNOSE | 95 |
| PATIOS | 02 | SINGLE SIDED CAST STONE WALL | 63 | BORDERS | 96 |
| POOL DECKS | 06 | DOUBLE SIDED CAST STONE WALL | 65 | EDGES | 99 |
| DRIVEWAYS | 10 | CAST STONE WALL GARDEN WALL | 66 | CAPS | 100 |
| PERMEABLE | 14 | CAST STONE WALL FIRE PIT KITS | 67 | STEPS | 105 |
| WALKWAYS & STEPS | 18 | CAST STONE WALL FACE SHELLS | 68 | KITS | 106 |
| WALLS | 22 | ABOUT CAST STONE WALL | | Fire Pit Kits | |
| CAST VENEER STONE | 28 | PREMIUM PAIRINGS | 69 | CAST STONE WALL SQUARE FIRE PIT KIT | 106 |
| EP Henry – A History of Innovation | | Garden Wall Collection | | CAST STONE STONE ROUND FIRE PIT KIT | 106 |
| SOLIDIA® | 32 | COVENTRY® GARDEN WALL | 70 | COVENTRY® FIRE PIT KIT | 107 |
| DURAFACE® | 33 | ENGLISH GARDEN WALL | 71 | GRAND FIRE RING KIT | 107 |
| THE COLORIST SYSTEM | 33 | Mid-Height Wall Collection | | Fireplace Kits | |
| COLORTECH™ AND BELMONT | 34 | SINGLE SIDED TUDOR WALL | 72 | IMPERIAL GRAND FIREPLACE KIT | 108 |
| PAVERS | 35 | DOUBLE SIDED TUDOR WALL | 73 | IMPERIAL COMPACT FIREPLACE KIT | 108 |
| Premiere Paver Collection | | TERRACE WALL™ | 74 | ISOKERN FIREPLACES | 109 |
| BRISTOL STONE® WITH COLORTECH™ | 37 | COVENTRY® WALL III | 75 | Outdoor Kitchen Collection | |
| BRISTOL STONE® SMOOTH WITH COLORTECH™ | 39 | Retaining Wall Collection | | ISOPANEL MODULAR KITCHENS | 110 |
| CHISELED STONE™ WITH COLORTECH™ | 41 | VERTICA™ | 78 | ISO'VEN WOOD BURNING PIZZA OVEN | 111 |
| BELMONT | 43 | DIAMOND PRO™ | 79 | NECESSARIES™ OUTDOOR KITCHEN KITS | 113 |
| Porcelain Tile Collection | | MESA® | 80 | MORE | 114 |
| LASTRA 20MM PORCELAIN TILES | 45 | VERTI-BLOCK® | 81 | COLOR PALETTE | 114 |
| Classic Paver Collection | | Cast Veneer Stone | | ACCESSORIES | 137 |
| BRICK STONE | 47 | CAST VENEER STONE OPTIONS | 83 | WHERE TO SEE AND BUY PRODUCTS | 139 |
| DANBURY® SMOOTH PLANK | 48 | IMPERIAL | 85 | WARRANTY DETAILS & PRODUCT NOTES | 142 |
| FORMA™ STONE WITH SOLIDIA® | 49 | Imperial Pavers | | NEXT STEPS | 143 |
| OLD TOWNE COBBLE® | 50 | RITTENHOUSE™ PAVER | 87 | | |
| Aged Paver Collection | | COBBLE STONE | 88 | | |
| COVENTRY® STONE I | 52 | RUSTIC COBBLE STONE | 89 | | |
| COVENTRY® BRICK STONE | 53 | Imperial Walls | | | |
| SOCIETY HILL BRICK STONE™ | 54 | MARQUIS WALL™ | 91 | | |
| ECO™ Collection with Solidia | | RUSTIC WALL | 92 | | |
| ECO™ BRISTOL STONE® | 57 | WOODGATE WALL & FIRE RING | 93 | | |
| ECO™ PAVER | 58 | | | | |
| ECO™ COBBLE® | 59 | | | | |
| Permeable Slab Collection | | | | | |
| TURF PAVER & MONOSLAB | 60 | | | | |

SYMBOL KEY



ECO PERMEABLE PAVERS

With our eco-friendly paving solutions, you can be sustainable and have a beautiful project.



DO NOT USE FOR VEHICULAR APPLICATIONS

It is not recommended to use these pavers for residential driveways.



DO NOT USE COMPACTOR

Do not use a plate compactor on Cast Stone or Lastra products.



DON'T SCUFF THE PAVERS

EP Henry recommends the use of a protective pad between the plate compactor and the paving stones to prevent surface damage during installation. EP Henry will not be held responsible for compaction scuffs or burns on pavers.



SOLIDIA FAMILY OF PRODUCTS

Denotes product manufactured with Solidia. A better concrete for a better planet.

COLOR DISCLAIMER

Photographic reproduction, print and online screen resolutions do not always present color precisely. For these reasons and to ensure your complete satisfaction with your EP Henry product, we recommend that you visit your local EP Henry Authorized Hardscaping Distributor® or ask your contractor for samples before making a final decision.



All Photos On This Page:
Bristol Stone I and II with ColorTech Tucson, Random Installation;
Forma Stone Anthracite border; Double and Single Sided Cast Stone Wall
Cut Stone Breckenridge; Belmont Caps and Stair Treads Bluestone





Imperial Rittenhouse Sandy Beach, Random Installation;
Forma Stone Sable border



Bristol Stone Smooth I and II Phoenix, Random Installation

Patio Gallery



Chiseled Stone I Pewter Blend, Random Installation;
Double and Single Sided Cast Stone Wall and Cast Stone Wall Cut Stone Round Fire Pit Kit Cut Stone Adirondack

NEW Belmont Line
Add a look that is
a cut above natural stone.

Part of the Premiere Collection,
Belmont offers our factory-applied
sealant that provides advanced
protection & resistance from staining.

Learn more on page 34



AXI Brown Chestnut



Chiseled Stone I with ColorTech
Slate Green, Random Installation



Bristol Stone I and II Pewter Blend, Random Installation

Chiseled Stone I and II with ColorTech Slate Green, Random Installation



Bristol Stone I Sonoran, Random Installation



Bristol Stone Smooth I and II with ColorTech Tucson, Random Installation



Chiseled Stone I and II with ColorTech Sonoran, Random Installation

Pool Deck Gallery



Bristol Stone Smooth I Pewter Blend, Random Installation;
Bullnose Pewter Blend

EP Henry's exclusive ColorTech process creates a look that's a cut above natural stone and offers protection against stains and fading.

Learn more on page 34





Bristol Stone I and II with ColorTech Pewter Blend, Random Installation



Society Hill Brick Stone Chalfont Gray, 90° Herringbone Pattern



Chiseled Stone I and II with ColorTech Phoenix, Random Installation;
Bullnose Sable Coping; Double Sided Cast Stone Wall Cut Stone Birch





Bristol Stone 3 1/8" Sedona with ColorTech, Random Installation



Coventry Stone I Dakota Blend, "1" Pattern

Driveway Gallery

Bristol Stone 3 1/8" with ColorTech Phoenix, Random Installation;
Forma Stone Anthracite and 6" x 9" Bristol Stone Phoenix double border;
Old Towne Cobble Circle Kit Pewter Blend





Bristol Stone Smooth 3 1/8" with ColorTech Sonoran, Random Installation; Old Towne Cobble 6" x 9" Charcoal border



Society Hill Brick Stone Penbrook Brown, 45° Herringbone Pattern



Brick Stone Harvest Blend, 90° Herringbone Pattern



Old Towne Cobble Dakota Blend, Running Bond Pattern with 6" x 9" Pewter Blend border



Danbury Smooth Plank Pewter Blend






ECO Cobble 6"x 6" and 6"x 9" Harvest Blend, "1" Pattern



ECO Cobble 6"x 6" and 6"x 9" Pewter Blend, Random Installation;
Forma Stone Charcoal double border

Permeable Gallery



ECO Paver Pewter Blend and Harvest Blend



ECO Bristol Stone with Solidia Tucson, Random Installation



ECO Cobble Pewter Blend, 90° Herringbone Pattern



ECO Cobble Pewter Blend, Running Bond Pattern



6" x 6" and 6" x 9" ECO Cobble Dakota Blend, Running Bond Pattern



A Better Concrete
For a Better Planet

Reduces the carbon footprint
of concrete up to 70%.

Learn how on page 32





Chilton Chiseled Steps Bluestone;
Single Sided Cast Stone Wall Cut Stone Aspen


Walkway & Steps Gallery



Chiseled Stone I with ColorTech Slate Green with 6" x 9" Slate Green border



Bullnose Charcoal; Single Sided Cast Stone Wall Cut Stone Breckenridge; Chiseled Stone I & II with ColorTech Sonoran, Random Installation



Brick Stone Harvest Blend, 90° Herringbone Pattern; Brick Stone Charcoal border



Bristol Stone | Pewter Blend; Old Towne Cobble Charcoal border; Bullnose Charcoal;

Belmont Quarry Steps Bluestone



Bullnose Charcoal, Grouted



Belmont Bluestone, Random Installation



Imperial Rittenhouse Charlevoix, Random Installation



Verti-Block (shown stained)



Wall Gallery





Coventry Wall III Dakota Blend; Coventry Fire Pit Kit Dakota Blend; Bristol Stone II Tucson, Random Installation

If you're looking to add the look of natural stone to your property, no other wall product comes closer than EP Henry Cast Stone Walls.

Learn more on page 69






All Photos On These Pages:
Double and Single Sided Cast Stone Wall Cut Stone Aspen;
Bristol Stone II Tucson with ColorTech, Random Installation;
6 x 9 Old Towne Cobble Charcoal border;
Belmont Chilton Chiseled Steps Bluestone


Imperial Rustic Wall 3" and 6" Chestnut




Single Sided Cast Stone Wall Cut Stone
Santa Barbara (Full Face);
16" Belmont Caps Phoenix



Coventry Wall III Pewter Blend



Double Sided Cast Stone Wall Cut Stone Birch;
Bristol Stone II Phoenix, Random Installation



Vertica Pewter Blend



Terrace Wall Pewter Blend



Double and Single Sided Cast Stone Wall Cut Stone Aspen





Cast Veneer Stone Cut Stone Breckenridge



Cast Veneer Stone Gallery



Cast Veneer Stone Ledgestone Silverton; Bristol Stone I Pewter Blend

Cast Veneer Stone Cut Stone Breckenridge




Cast Stone Wall Face Shells Cut Stone Aspen



Cast Veneer Stone LedgeStone Silverton;
Bristol Stone Smooth I Pewter Blend, Random Installation



Cast Veneer Stone Ledgestone Breckenridge, Mortared



Cast Veneer Stone EZ Fit Adirondack; Bristol Stone II Pewter Blend



Cast Veneer Stone Pennsylvania Field Stone Aspen

EP HENRY – A HISTORY OF INNOVATION



A 20' x 30' patio made with Solidia pavers is the environmental equivalent of planting 250 trees.



A Better Concrete
For a Better Planet

A concrete, scientific breakthrough

Scientists have known that curing concrete with CO₂ would make a stronger and more stable product, but the technology to do so did not exist. Until now.

Solidia concrete does just that. It reduces the carbon footprint by 70% and produces better, stronger pavers while conserving water by 80%, provides more vibrant colors, has a greater resistance to de-icing salts, and is free from efflorescence.

We're thrilled to announce that all of our ECO products as well as our Forma Stone will be produced using Solidia starting Spring 2020, and that any of our pavers can be made with Solidia by special order.

"As the trusted leader in concrete, renowned for driving both market and product innovation, EP Henry was our first choice as the global launch partner for Solidia Cement. With their unmatched market knowledge and deep expertise in product and service innovation, they have helped us make a better concrete that is not only good for customers, but for our planet. We are so grateful that EP Henry has helped us make sustainability smart business for cement and concrete."

Tom Schuler

President and CEO, Solidia Technologies



Look for the NEW Solidia Family of products as well as our newest addition, Cast Stone Wall Ledgerstone. This popular stone profile will be available in two NEW colors, Aztec and Allegheny.

See the Difference



EP Henry Duraface®



Cambridge with ArmorTec®*

In over 30 years of producing this product, **EP Henry's Duraface® pavers have never worn through at the face-mix layer**, and our lifetime warranty backs it up.

Duraface®: The Process Makes the Product

For over 30 years, EP Henry has produced our pavers using the face-mix method, one of the two ways to manufacture pavers. As one of the first to do this in the US and the first in the mid-Atlantic states, we coined the term Duraface® to brand our process.

This two-step manufacturing process concentrates an enriched layer of cement, sand, pigment, and very hard, small aggregate on the top layer of the paver, which we refer to as the wear surface. In contrast to the other paver manufacturing process, the through-body method, our Duraface® paver is richer in color and has a smoother, more durable wear surface.

The face-mix manufacturing process is more sophisticated and results in a more durable paver that doesn't show large stone on the surface.

When you hear a claim that a company is the only one that uses "ArmorTec®" or "Paver-shield," what they are telling you is that they're the only manufacturer with that name for the face-mix process—not the only manufacturer using it. And compared to many of our competitors, EP Henry's pavers face-mix layer is thicker and more consistent.

The Colorist System: Consistent, Accurate Color Blending

Coming Soon to EP Henry Walls

Six years ago, we invested in the world's most sophisticated system to produce blended pavers. And now, we're rolling this technology out to a wider range of EP Henry products, by applying it to our Split Wall Systems and Aged Wall Collection.

The Colorist System uses proprietary German technology to produce consistent color blends with pinpoint accuracy.

Prior to the Colorist System, colors were batched and applied by the individual paver machine operator, which left room for color inconsistencies from batch to batch. In the field, a contractor would then have to take extra care to create an equal distribution of color.

The Colorist System takes the guesswork out of color blending by using a color "recipe" that is dispersed by preprogrammed equipment.

We're thrilled to add the Colorist System to our Wall product line this year.

This year, we're continuing to expand our Colorist technology to even more EP Henry products.



Pavers Without Colorist



Pavers With Colorist

ArmorTec® is a registered trademark of Cambridge Pavers, Inc. All references throughout this catalog to Cambridge with ArmorTec are to paving stone products manufactured by Cambridge Pavers, Inc. EP Henry Corporation and Cambridge Pavers, Inc. are competitors and, therefore, EP Henry Corporation is not affiliated or associated in any way with Cambridge Pavers, Inc.

PREMIERE PAVER COLLECTION

ENHANCED COLOR. ADVANCED PROTECTION.™



Resists staining



Reduces fading from UV rays



Improves protection from acid rain

Bristol Stone Smooth I with ColorTech Sonoran, Random Installation

Only EP Henry offers the exceptional colors and lasting protection of **ColorTech & Belmont Pavers.**

EP Henry's Premiere Paver collection delivers next-level durability, unparalleled color richness, and enhanced protection from spills, stains, and UV rays.

Our Premiere Collection of Bristol Stone and Chiseled Stone pavers are made with ColorTech, our proprietary integral sealer that's "baked in" to the paver to deliver enhanced protection along with rich colors that mimic shades found in natural stone. We've incorporated similar technology into our Belmont line, allowing you to avoid the time and expense of topical sealing. Save time and increase performance with ColorTech and Belmont pavers.

Our newly-expanded Belmont line is now available in caps and stair treads as well as pavers. Choose EP Henry's Premiere Collection for long-lasting color and durability that enhances the appearance of your backyard today and protects your investment for tomorrow.

Available in all Premiere Collection pavers and by special order on our Classic Collection.

ColorTech™ Protection Comparison


Same amount of red wine spilled



EP Henry paver with ColorTech™



Cambridge paver with ArmorTec®



Belmont Bluestone, Random Installation



Chiseled Stone I and II with ColorTech Sonoran, Random Installation

Premiere Paver Collection



Bristol Stone I and II Golden Maple, Random Installation;
Double Sided Cast Stone Wall Cut Stone and Cast Stone Wall Round Fire Pit Kit Aspen



BRISTOL STONE® with ColorTech™



Bristol Stone I and II with ColorTech Sonoran, Random Installation



ENLARGED SWATCHES ON PAGES 114–115

‡ AVAILABLE IN 3 1/8"

* PREMIUM COLOR

These units are 2 3/8" thick and are not suitable for vehicular use.

These units are 3 1/8" thick and are suitable for vehicular use. See notation for available colors.



| CUBE 1 | A | B | C |
|----------------|-----------------|------------------|-------------------|
| SIZE (WxL) | 7 3/4" x 7 3/4" | 7 3/4" x 11 3/4" | 11 3/4" x 11 3/4" |
| PCS PER CUBE | 40 | 80 | 40 |
| SQ FT PER CUBE | 107 | | |
| LBS PER CUBE | 3,150 | | |

| CUBE 2 | D | E | F |
|----------------|-------------------|-------------------|-------------------|
| SIZE (WxL) | 11 3/4" x 15 5/8" | 15 5/8" x 15 5/8" | 15 5/8" x 19 5/8" |
| PCS PER CUBE | 20 | 20 | 20 |
| SQ FT PER CUBE | 102 | | |
| LBS PER CUBE | 2,900 | | |

| CUBE 1: 3 1/8" | H | I | J |
|----------------|-----------------|------------------|-------------------|
| SIZE (WxL) | 7 3/4" x 7 3/4" | 7 3/4" x 11 3/4" | 11 3/4" x 11 3/4" |
| PCS PER CUBE | 32 | 64 | 32 |
| SQ FT PER CUBE | 85.6 | | |
| LBS PER CUBE | 3,161 | | |



| CUBE 3 | G |
|--------------|-------------------|
| SIZE (WxL) | 15 5/8" x 23 5/8" |
| PCS PER CUBE | 40 |
| SF PER CUBE | 102.8 |
| LBS PER CUBE | 2,856 |







BRISTOL STONE® SMOOTH with ColorTech™



Bristol Stone Smooth II with ColorTech Sonoran, Random Installation; Single Sided Cast Stone Wall and Fire Pit Kit Cut Stone Aspen



Golden Maple



Pewter Blend †



Phoenix *



Sedona*



Sonoran* †



Tucson*



Brown †



Charcoal †

ENLARGED SWATCHES ON PAGES 116-117

* PREMIUM COLOR

AVAILABLE IN 6 X 9 ONLY

All units are 2 3/8" thick.



A



B



C



D



E



F



G

| CUBE 1 | A | B | C |
|--------------|-----------------|------------------|-------------------|
| SIZE (WxL) | 7 3/4" x 7 3/4" | 7 3/4" x 11 3/4" | 11 3/4" x 11 3/4" |
| PCS PER CUBE | 40 | 80 | 40 |
| SF PER CUBE | 107 | | |
| LBS PER CUBE | 3,150 | | |

| CUBE 2 | D | E | F |
|--------------|-------------------|-------------------|-------------------|
| SIZE (WxL) | 11 3/4" x 15 5/8" | 15 5/8" x 15 5/8" | 15 5/8" x 19 5/8" |
| PCS PER CUBE | 20 | 20 | 20 |
| SF PER CUBE | 102 | | |
| LBS PER CUBE | 2,900 | | |

| 6X9 BORDER† | G |
|--------------|------------------|
| SIZE (WxL) | 6 1/4" x 9 7/16" |
| PCS PER SF | 2.4 |
| SF PER CUBE | 124 |
| PCS PER CUBE | 300 |
| SF PER BAND | 25 |
| LBS PER CUBE | 3,331 |

| CUBE 3 | H |
|--------------|-------------------|
| SIZE (WxL) | 15 5/8" x 23 5/8" |
| PCS PER CUBE | 40 |
| SF PER CUBE | 102.8 |
| LBS PER CUBE | 2,856 |



H

Note: † 6x9 Border is available in Brown, Charcoal, Pewter Blend, and Sonoran only.






Chiseled Stone II with ColorTech Sonoran, Random Installation;
Double Sided Cast Stone Wall Cut Stone and Cast Stone Wall Round Fire Pit Kit Aspen;
Double Sided Belmont Caps Bluestone

CHISELED STONE™ with ColorTech™



Chiseled Stone I and II with ColorTech Phoenix, Random Installation



Pearl Stone

Pewter Blend

Phoenix*

Sedona*

Slate Blue

Slate Green

Sonoran*

Tucson*

Brown ‡

ENLARGED SWATCHES ON PAGES 118-119

* PREMIUM COLOR

‡ AVAILABLE IN 6 X 9 ONLY

 Not suitable for vehicular use.

 For vehicular use.

All units are 2 3/8" thick.



A



B



C



D



E



F



G

| CUBE 1 | A | B | C |
|----------------|-----------------|------------------|-------------------|
| SIZE (WxL) | 7 3/4" x 7 3/4" | 7 3/4" x 11 3/4" | 11 3/4" x 11 3/4" |
| PCS PER CUBE | 40 | 80 | 40 |
| SQ FT PER CUBE | 107 | | |
| LBS PER CUBE | 3,150 | | |

| CUBE 2 | D | E | F |
|----------------|-------------------|-------------------|-------------------|
| SIZE (WxL) | 11 3/4" x 15 5/8" | 15 5/8" x 15 5/8" | 15 5/8" x 19 5/8" |
| PCS PER CUBE | 20 | 20 | 20 |
| SQ FT PER CUBE | 102 | | |
| LBS PER CUBE | 2,900 | | |

| 6X9 BORDER‡ | G |
|----------------|------------------|
| SIZE (WxL) | 6 1/4" x 9 7/16" |
| PCS PER CUBE | 300 |
| SQ FT PER CUBE | 124 |
| LBS PER CUBE | 3,377 |



H

| CUBE 3 | H |
|--------------|-------------------|
| SIZE (WxL) | 15 5/8" x 23 5/8" |
| PCS PER CUBE | 40 |
| SF PER CUBE | 102.8 |
| LBS PER CUBE | 2,856 |



As part of the Premiere Collection, Belmont Pavers come with a factory-applied sealer that provides enhanced color and stain resistance.

See page 34



BELMONT



Belmont Bluestone, Random Installation



Bluestone

ENLARGED SWATCHES ON PAGES 121

All units are 1 1/8" thick.



NOTES

EP Henry offers a "Patio on a Pallet" in Bluestone (100 SF includes all 6 sizes)

| | A | B | C | D | E | F |
|--------------|-----------|-----------|-----------|-----------|-----------|-----------|
| SIZE (WxL) | 12" x 12" | 12" x 18" | 12" x 24" | 18" x 18" | 18" x 24" | 24" x 24" |
| SF PER PIECE | 1 | 1.5 | 2 | 2.3 | 3 | 4 |
| SF PER CUBE | 96 | 132 | 176 | 99 | 132 | 176 |
| PCS PER CUBE | 96 | 88 | 88 | 44 | 44 | 44 |
| LBS PER SF | 19 | 19 | 19 | 19 | 19 | 19 |
| LBS PER CUBE | 1,824 | 2,558 | 3,394 | 1,931 | 2,558 | 3,394 |



Do not use a plate compactor on Belmont products

Lastra 20mm Porcelain Tiles Sunrock Travertine;
Double Sided Cast Stone Wall Cut Stone Breckenridge;
Double Sided Belmont Caps Bluestone

Enjoy beauty of natural travertine without the inherent risks

Natural Travertine

vs

LASTRA Porcelain

Pitted surface holds water that can freeze and crack the tile

Dense surface is impervious to weather conditions

Holes in surface hold dirt & mold

Easy to maintain surface

Can be slippery when wet

Made with non-slip surface

Inconsistent color and sizes

Consistent color, texture and sizes

LASTRA 20mm PORCELAIN TILES



AXI Brown Chestnut



AXI
Brown Chestnut



AXI
Gray Timber



ETIC PRO/
WOOD PLANKS
Noce Hickory




ETIC PRO/
WOOD PLANKS
Rovere Venice



BRAVE
Gray



BRAVE
Gypsum



BRAVE
Pearl



MARVEL PRO
Statuario Select



SUNROCK*
Rapolano Beige



SUNROCK*
Travertine

ENLARGED SWATCHES ON PAGE 122-123

WOOD-LOOK

STONE-LOOK

COLOR DISCLAIMER

By the nature of the manufacturing process, Lastra Porcelain Tiles tend to have a much wider range of colors in some styles than typically found in pavers. Please visit your EP Henry Authorized Hardscaping Distributor® to view samples and obtain color swatches depicting more range.

All units are 3/4" thick.



AXI, BRAVE, MARVEL PRO

| | |
|---------------|---|
| SIZE (WxL) | 23 ⁵ / ₈ " x 23 ⁵ / ₈ " |
| SF PER PIECE | 4 |
| SF PER CUBE | 240 |
| PCS PER CUBE | 60 |
| LBS PER PIECE | 36.4 |
| LBS PER CUBE | 2,184 |

SUNROCK 3 PIECE MODULAR*

| | A | B | C |
|---------------|---|---|---|
| SIZE (WxL) | 11 ³ / ₄ " x 11 ³ / ₄ " | 11 ³ / ₄ " x 23 ⁵ / ₈ " | 23 ⁵ / ₈ " x 23 ⁵ / ₈ " |
| SF PER PIECE | 1 | 2 | 4 |
| SF PER CUBE | 38 | 77 | 155 |
| PCS PER CUBE | 40 | 40 | 40 |
| LBS PER PIECE | 9.4 | 17.9 | 36.4 |
| LBS PER CUBE | | 2,548 | |


ETIC PRO/ WOOD PLANKS

| | |
|---------------|---|
| SIZE (WxL) | 11 ³ / ₄ " x 47 ¹ / ₄ " |
| SF PER PIECE | 4 |
| SF PER CUBE | 123 |
| PCS PER CUBE | 32 |
| LBS PER PIECE | 36.2 |
| LBS PER CUBE | 1,160 |

*Only SUNROCK Travertine and SUNROCK Rapolano Beige sold in a 3 piece modular pattern



Do not use a plate compactor on Lastra products



Old Towne Cobble Brown, Random Installation;
Forma Stone Alabaster border; Double Sided Cast
Stone Wall and Round Fire Pit Kit Cut Stone Birch



Danbury Smooth Plank Pewter Blend, 45° Herringbone Pattern

Classic Paver Collection



Forma Stone Brown and Sand double border

BRICK STONE



Brick Stone Autumn Blend, 90° Herringbone Pattern



Autumn Blend



Dakota Bend



Harvest Blend



Pewter Blend



Brown ‡



Charcoal ‡

AVAILABLE WITH COLORTECH BY SPECIAL ORDER

‡ ONLY AVAILABLE WITH SOLIDIA

Brick Stone makes an excellent border paver.




This unit is 2 3/8" thick.

Available in 3 1/8" thickness by special order.

| | |
|--------------|-------------------|
| SIZE (WxL) | 3 15/16" x 7 7/8" |
| PCS PER SF | 4.5 |
| SF PER CUBE | 120 |
| PCS PER CUBE | 540 |
| SF PER BAND | 20 |
| LBS PER CUBE | 3,207 |

DANBURY® SMOOTH PLANK



Danbury Smooth Plank Pewter Blend, 45° Herringbone Pattern



Pewter Blend



This unit is
3/8" thick.


| | |
|--------------|----------|
| SIZE (WxL) | 4" x 12" |
| SF PER CUBE | 83 |
| PCS PER CUBE | 256 |
| LBS PER SF | 35 |
| LBS PER CUBE | 2,905 |

ENLARGED SWATCH ON PAGE 127

AVAILABLE IN COLORTECH BY SPECIAL ORDER



NEW FORMA™ STONE with Solidia



Forma Stone with Solidia Charcoal double border;
Bristol Stone Smooth | Pewter Blend, Random Installation



 **SOLIDIA®**

All Forma Stone products are produced with Solidia



Alabaster



Brown



Charcoal

ENLARGED SWATCHES ON PAGE 126

All units are 2 3/8" thick.



A

B

C

D

| SIZE (WxL) | 5 1/2" x 6 1/4" | 5 1/2" x 7 7/8" | 5 1/2" x 9 3/8" | 5 1/2" x 11" |
|--------------|-----------------|-----------------|-----------------|--------------|
| SF PER CUBE | | | 106 | |
| PCS PER CUBE | 320 | | | |
| LBS PER CUBE | 2,780 | | | |



OLD TOWNE COBBLE®



Old Towne Cobble Charcoal, Running Bond Pattern




Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend



Brown †*



Charcoal †

Old Towne Cobble 6" x 9" pavers in Brown and Charcoal make excellent border pavers.

* AVAILABLE IN 6" x 9" ONLY

AVAILABLE IN COLORTECH BY SPECIAL ORDER

† ONLY AVAILABLE WITH SOLIDIA

ENLARGED SWATCHES ON PAGE 125

All units are 2 3/8" thick.



A



B



C



D



E



SQUARES



RECTANGLES

| CIRCLE | A | B | C | D | E |
|--------------|------------------|------------------|-------------------|-----------------|-----------------|
| SIZE (WxL) | 3 1/16" x 6 1/4" | 3 1/16" x 6 1/4" | 4 11/16" x 6 1/4" | 5 3/8" x 6 1/4" | 7 3/8" x 6 1/4" |
| SF PER CUBE | 86 | | | | |
| LBS PER CUBE | 2,388 | | | | |


| | SQUARES | RECTANGLES |
|--------------|-----------------|------------------|
| SIZE (WxL) | 6 1/4" x 6 1/4" | 6 1/4" x 9 7/16" |
| PCS PER SF | 3.7 | 2.4 |
| SF PER CUBE | 113 | 124 |
| PCS PER CUBE | 420 | 300 |
| SF PER BAND | 16 | 25 |
| LBS PER CUBE | 3,198 | 3,479 |

NOTES

- Circle Pallets available in Autumn Blend, Charcoal, Dakota Blend, Harvest Blend, and Pewter Blend
- 6" x 9" and 6" x 6" available in 3 1/8" thickness by special order




Coventry Stone I Pewter Blend, "1" Pattern



Society Hill Brick Stone Penbrook Brown, Running Bond Pattern

Aged Paver Collection



Society Hill Brick Stone Chalfont Gray, 90° Herringbone Pattern

COVENTRY® STONE I



Coventry Stone I Harvest Blend, "I" pattern



Autumn Blend Charcoal Dakota Blend Harvest Blend Pewter Blend

ENLARGED SWATCHES ON PAGE 124

All units are
2 3/8" thick.




| CIRCLE | A | B | C | D | E |
|--------------|------------------|------------------|------------------|-----------------|-----------------|
| SIZE (WxL) | 3 1/16" x 6 1/4" | 3 1/16" x 6 1/4" | 4 1/16" x 6 1/4" | 5 3/8" x 6 1/4" | 7 3/8" x 6 1/4" |
| SF PER CUBE | 86 | | | | |
| LBS PER CUBE | 2,371 | | | | |

| | SQUARES | RECTANGLES |
|--------------|-----------------|------------------|
| SIZE (WxL) | 6 1/4" x 6 1/4" | 6 1/4" x 9 7/16" |
| PCS PER SF | 3.7 | 2.4 |
| SF PER CUBE | 113 | 124 |
| PCS PER CUBE | 420 | 300 |
| SF PER BAND | 16 | 25 |
| LBS PER CUBE | 3,139 | 3,331 |

NOTES

- Circle Pallets available in Autumn Blend, Charcoal, Dakota Blend, Harvest Blend and Pewter Blend.
- 6" x 9" and 6" x 6" available in 3 1/8" thickness by special order.

COVENTRY® BRICK STONE



Coventry Brick Stone Harvest Blend and Pewter Blend, 90° Herringbone Pattern



Autumn Blend

Charcoal

Dakota Blend

Harvest Blend

Pewter Blend

Strasburg Red


| | |
|--------------|---|
| SIZE (WxL) | 3 ¹⁵ / ₁₆ " x 7 ⁷ / ₈ " |
| PCS PER SF | 4.5 |
| SF PER CUBE | 120 |
| PCS PER CUBE | 540 |
| SF PER BAND | 20 |
| LBS PER CUBE | 3,145 |



This unit is 2³/₈" thick.

SOCIETY HILL BRICK STONE™

Society Hill Brick Stone Chalfont Gray, Colonial Red, Penbrook Brown, 90° Herringbone Pattern



Chalfont Gray



Colonial Red



Penbrook Brown



This unit is 2 3/8" thick.

NOTE

Due to its ridges and textured surface, Society Hill Brick Stone is more prone than a smooth surface paver to be affected by polyhaze. Please be sure to adhere to the polymeric sand manufacturer's installation instructions. EP Henry recommends the use of HP NextGel polymeric joint sand (see p. 137).

| | |
|--------------|------------------|
| SIZE (WxL) | 4 1/16" x 8 1/8" |
| PCS PER SF | 4.3 |
| SF PER CUBE | 105 |
| PCS PER CUBE | 450 |
| LBS PER CUBE | 2,760 |

ENLARGED SWATCHES ON PAGE 127



ECO Bristol Stone with Solidia Pewter Blend, Random Installation; Brick Stone Charcoal border



SOLIDIA®

A Better Concrete For a Better Planet

The next big advancement in hardscaping is here. Solidia technology produces durable pavers that:

- reduce the carbon footprint up to 70%
- have vibrant, long lasting color
- conserve water
- have a greater resistance to de-icing salts
- are free from efflorescence
- obtains 28 day strength in 24 hours

To learn how ECO Friendly Solidia technology works, visit [page 32](#).

ECO™ Collection


ECO Cobble Pewter Blend,
Herringbone Pattern





ECO™ BRISTOL STONE®

ECO Bristol Stone with Solidia Pewter Blend, Random Installation



Pewter Blend



Tucson*



Yuma*

Note: All ECO Collection pavers will be produced with Solidia beginning Spring 2020

* PREMIUM COLOR

All units are
3/8" thick.*



A



B



C

| CUBE 1 | A | B | C |
|----------------|-----------|------------|-------------|
| SIZE (WxL) | 7¼" x 7¾" | 7¼" x 11¼" | 11¼" x 11¼" |
| PCS PER CUBE | 32 | 64 | 32 |
| SQ FT PER CUBE | 85.6 | | |
| LBS PER CUBE | 2,996 | | |




ECO™ PAVER




ECO Paver Pewter Blend, Running Bond Pattern



Autumn Blend



Harvest Blend



Pewter Blend

This unit is 3/8" thick.



| | |
|--------------|-----------|
| SIZE (WxL) | 6¾" x 9⅛" |
| PCS PER SF | 2.3 |
| SF PER CUBE | 86 |
| PCS PER CUBE | 200 |
| LBS PER SF | 34 |
| SF PER BAND | 17.2 |
| LBS PER CUBE | 2,950 |

Note: All ECO Collection pavers will be produced with Solidia beginning Spring 2020

Also available in an SRI compliant color for LEED credit by special order.






ECO Cobble 6" x 6" and 6" x 9" Harvest Blend, "1" Pattern



Dakota Blend



Harvest Blend



Pewter Blend

Note: All ECO Collection pavers will be produced with Solidia beginning Spring 2020

Permeable Interlocking Paving Systems (PICPs)

- Allow rainwater to recharge into the soil
- Qualify as a Best Management Practice (BMP) for stormwater management.
- Earn points towards LEED® certification.

EP Henry recommends consulting a professional engineer for permeable pavement applications.

| | A | B |
|--------------|-----------|-----------|
| SIZE (WxL) | 6¼" x 6¼" | 6¼" x 9⅞" |
| PCS PER SF | 3.7 | 2.4 |
| SF PER CUBE | 94.5 | 102 |
| PCS PER CUBE | 350 | 250 |
| SF PER BAND | 13.5 | 20.4 |
| LBS PER CUBE | 2,500 | 2,800 |



A



B

All units are 2⅝" thick.*

*Available in 3⅝" thickness by special order



Permeable Slab Collection

TURF PAVER



This unit is 3 1/8" thick.

| | |
|---------------|--------------------|
| SIZE (WxL) | 15 3/4" x 23 7/16" |
| PCS PER SF | .4 |
| SF PER CUBE | 73 |
| PCS PER CUBE | 28 |
| LBS PER PIECE | 60 |
| % OPEN AREA | 40 |
| LBS PER CUBE | 1,678 |

NOTE:

Turf Paver units should be spaced 1/8" apart, installed with core marks up and are not recommended for vehicular traffic. For frequently traveled vehicular areas, ECO™ Cobble® and ECO™ Pavers are the recommended permeable pavement solutions.

EP Henry recommends consulting a Professional Engineer for commercial applications.

MONOSLAB



This unit is 4 1/8" thick.


| | |
|---------------|-------------------|
| SIZE (WxL) | 15 5/8" x 23 1/2" |
| PCS PER SF | .4 |
| SF PER CUBE | 112 |
| PCS PER CUBE | 42 |
| LBS PER PIECE | 101 |
| % OPEN AREA | 14 |
| LBS PER CUBE | 4,219 |

NOTE

A minimum of 8" of compacted aggregate base is recommended for emergency fire lanes as defined by AASHTO, H20, and HS20. Thicker bases may be required for heavy loading or poor subgrade conditions.



Single Sided Cast Stone Wall Cut Stone Adirondack;
Natural Stone Cap Cloudy Black




Single Sided Cast Stone Wall Cut Stone Aspen;
Bristol Stone I and II Sonoran with ColorTech, Random Installation




Cast Stone Wall Collection

Single Sided Cast Stone Wall Cut Stone Breckenridge; 14" Double Sided Belmont Caps Limestone





SINGLE SIDED CAST STONE WALL



Single Sided Cast Stone Wall Cut Stone Santa Barbara;
Double Sided Belmont Caps Limestone



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

ENLARGED SWATCHES ON PAGE 129. SEE PAGE 68 FOR CAST STONE WALL FACE SHELLS. *AVAILABLE FULL FACE ONLY

NOTES

- Maximum unreinforced wall height is 30" under ideal conditions. Geogrid must be used in walls above 30".
- Minimum inside radius = 22" (from back of block)
- Use Terrace Wall stretcher block for footer course
- Depth will vary due to the random thickness of the face shell
- Cube weight may vary +/- 3 lbs
- 1.5 units = 1 sf of wall face

Single Sided Cast Stone Wall comes in 2 cube configurations: Single Sided Cast Stone Wall Full Face contains all straight 6x16 faces and Single Sided Cast Stone Wall Random Face contains a mix of random joint faces. You can mix the two cubes to achieve additional appearances.

All units are 6" high.



| | STRETCHER | CORNER |
|---------------|-----------|----------|
| SIZE (LxD) | 16" x 12" | 16" x 8" |
| SF PER CUBE | 40 | 16 |
| PCS PER CUBE | 60 | 24 |
| LBS PER PIECE | 50 | 34 |
| LBS PER CUBE | 3,000 | 850 |



Double and Single Sided Cast Stone Wall;
Cast Stone Wall Round Fire Pit Kit Cut Stone Birch;
16" Double Sided Belmont Caps Bluestone

DOUBLE SIDED CAST STONE WALL



Double Sided and Single Sided Cast Stone Wall; Cast Stone Wall Round Fire Pit Kit Cut Stone Adirondack



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

ENLARGED SWATCHES ON PAGE 129. SEE PAGE 68 FOR CAST STONE WALL FACE SHELLS. *AVAILABLE FULL FACE ONLY

All units are 6" high.



| D/S CAST STONE WALL | A | B | C | FULL FACE REDUCED QTY. PALLET |
|---------------------|----------|-----------|-----------|-------------------------------|
| SIZE (LxD) | 6" x 7"± | 10" x 7"± | 16" x 7"± | 16" x 7"± |
| SF PER CUBE | 9 | | 30 | 15 |
| PCS PER CUBE | 27 | 27 | 90 | 45 |
| LBS PER PIECE | 12 | 22 | 39 | 40 |
| LBS PER CUBE | 932 | | 3,444 | 1,800 |

┌──────────┐
A & B Stretchers sold together in one cube.

± Depth will vary due to the random thickness of the shell.

A + B = 2-Piece Corner Unit



| D/S CAST STONE WALL CORNER | A | B |
|----------------------------|---------|----------|
| SIZE (LxD) | 8" x 8" | 16" x 6" |
| PCS PER CUBE | 24 | 24 |
| LBS PER CUBE | 1,544 | |

┌──────────┐
A & B Corner sold together in one cube.

This unit is 4" high.



| DOUBLE SIDED CAST STONE WALL FOOTER BLOCK | |
|---|---|
| SIZE (LxD) | 11 ⁵ / ₈ " x 15 ⁵ / ₈ " |
| PCS PER CU | 72 |
| LF PER CUBE | 93.8 |
| LBS PER PC | 56 |
| LBS PER CUBE | 4,032 |

NOTES

- 6" unit = .25 sf 10" unit = .42 sf
- Maximum unreinforced wall height for free-standing walls is 24"

CAST STONE GARDEN WALL



Cast Stone Garden Wall Cut Stone Adirondack; Belmont Garden Wall Cap Bluestone



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

ENLARGED SWATCHES ON PAGE 129.

SEE PAGE 68 FOR CAST STONE WALL FACE SHELLS.

SEE PAGE 121 FOR AVAILABLE CAP COLORS.

*AVAILABLE FULL FACE ONLY

All units are 6" high.



This unit is 2" high.



CAST STONE GARDEN WALL

| | A | B | C | FULL FACE REDUCED QTY. PALLET |
|---------------|----------|-----------|-----------|-------------------------------------|
| SIZE (LxD) | 6" x 7"± | 10" x 7"± | 16" x 7"± | 16" x 7"± |
| SF PER CUBE | 9 | | 60* | 15 |
| PCS PER CUBE | 27 | 27 | 90 | 45 |
| LBS PER PIECE | 12 | 22 | 39 | 40 |
| LBS PER CUBE | 932 | | 3,444 | 1,800 |

± Depth will vary due to the random thickness of the shell.

A & B Stretchers sold together in one cube.

*SF of wall face when used in a single sided wall application.

GARDEN WALL CAP

| | |
|---------------|------------------------|
| SIZE (LxD) | 18" X 9 1/2" (nominal) |
| PCS PER CUBE | 60 |
| LF PER CUBE | 90 |
| LBS PER PIECE | 30 |
| LBS PER CUBE | 1,800 |


NOTES

- 6" unit = .25 sf 10" unit = .42 sf
- Maximum unreinforced wall height for free-standing walls is 24"

CAST STONE WALL FIRE PIT KITS



Cast Stone Wall Square Fire Pit Kit Cut Stone Aspen



Cast Stone Wall Round Fire Pit Kit Cut Stone Adirondack



Adirondack



Aspen



Birch



Breckenridge

SQUARE FIRE PIT KIT

| | |
|--------------|-------------------|
| UNITS | - |
| LBS PER PC | - |
| PCS PER CUBE | 36 block + 4 caps |
| LBS PER CUBE | 1,780 |

20" high including cap
50" x 50" outside diameter

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 1 steel insert (black)
- Stainless steel flange collar
- 1 grate

ROUND FIRE PIT KIT

| | |
|--------------|-------------------|
| UNITS | - |
| LBS PER PC | - |
| PCS PER CUBE | 54 block + 4 caps |
| LBS PER CUBE | 1,126 |

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 34" diameter copper bowl
- 36" diameter grate for wood burning
- 24" diameter grate for cooking
- Poker
- Retractable metal mesh dome
- Installation guide

20" high including cap
48" outside diameter
30 1/2" inside diameter

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.

CAST STONE WALL FACE SHELLS



Cast Stone Wall Face Shells are crafted to seamlessly blend with our Cast Stone Wall Collection and can be used on kitchens, fireplaces, custom fire pits, house facades and more.



Adirondack



Aspen



Birch



Breckenridge



Santa Barbara*

SHOWN IN CUT STONE

*AVAILABLE FULL FACE ONLY

All units are 6" high.



**RANDOM
FACE SHELLS
STRETCHER**



**FULL
FACE SHELLS
STRETCHER**



**RANDOM
FACE SHELLS
CORNER**

| SIZE | 16" x 1" | 16" x 1" | 12" x 1" (WITH 4" RETURN) |
|--------------------|----------|----------|---------------------------|
| SF PER HANDY PACK | 12 | 12 | 8 LF |
| PCS PER HANDY PACK | 18 | 18 | 16 |
| LBS PER PIECE | 6.6 | 8 | 6.9 |
| LBS PER HANDY PACK | 119* | 144 | 110* |

*Cube weight may vary +/- 3 lbs.

NOTE

Face Shells available in Full and Random Face.
Corners available in Random Face only.



Double Sided Cast Stone Wall and Cast Stone Wall Face Shells Cut Stone Breckenridge paired with Bristol Stone I and II Phoenix, Random Installation

Cast Stone Wall

Get the Look of Natural Stone at a Fraction of the Cost

Cast Stone Wall features artisan-crafted stone profiles molded from actual stone. We use over 100 molds, eliminating the chances of creating a duplicate pattern. The assortment of carefully selected colors and stone surfaces is why this wall system outshines both split face and wall block.

When it comes to choosing a wall or stone surface, Cast Stone Wall adds a layer of color, texture, and sophistication to any outdoor space.

Here's how we do it.

We start with our wet-cast face molds that were created by using hundreds of specifically selected natural stone pieces. We then permanently embed a dry-cast structural segmental "backer" block to the wet, stone-finish face mold. The process allows us to marry two technologies, creating a wall block that emulates the textures and colors of natural stone, while producing a unit that provides structural integrity for building walls.

Cast Stone Wall's ease and speed of installation allows homeowners to incorporate the look and feel of natural stone throughout their outdoor space at a fraction of the cost of natural stone.



Double Sided Cast Stone Wall and Cast Stone Wall Circle Fire Pit Kit Cut Stone Birch paired with Chiseled Stone I with ColorTech Slate Green, Random Installation



Double and Single Sided Cast Stone Wall and Cast Stone Wall Square Fire Pit Kit Cut Stone Aspen paired with Bristol Stone II Sonoran, Random Installation



Single Sided Cast Stone Wall and Cast Stone Wall Face Shells Cut Stone Breckenridge paired with Belmont Pavers Bluestone, Random Installation

Premium Pairings

Choosing Pavers and Wall Colors

Having trouble deciding on colors? No problem – our Premium Collection of Pavers and Cast Stone Walls were designed using color blends that complement each other. This way, you can mix and match a number of paver and wall combinations and the end result will always coordinate beautifully.

Garden Wall Collection

COVENTRY® GARDEN WALL



Coventry Garden Wall Harvest Blend



Autumn Blend



Dakota Blend



Harvest Blend

All units are 4" high.



RECTANGULAR



TAPERED

| SIZE (LxD) | 11 ⁵ / ₈ " x 8" | 11 ⁵ / ₈ / 9" x 8" |
|---------------|---------------------------------------|--|
| PCS PER SF | 3 | 3 |
| SF PER CUBE | 40 | 40 |
| PCS PER CUBE | 120 | 120 |
| LBS PER PIECE | 29 | 25 |
| LBS PER CUBE | 3,468 | 3,046 |

FORMULAS/NOTES

- 3 pieces = 1 SF of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum wall height = 20" (5 courses) under ideal conditions
- This wall system is not designed to build 90° corners

ENGLISH GARDEN WALL



English Garden Wall Autumn Blend



Autumn Blend

Gray

Harvest Blend



All units are 4" high.

RECTANGULAR

TAPERED

FORMULAS/NOTES

- 3 pieces = 1 SF of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum wall height = 20" (5 courses) under ideal conditions
- This wall system is not designed to build 90° corners
- This product is designed for planter and garden wall applications only

| | RECTANGULAR | TAPERED |
|---------------|---------------------------------------|--|
| SIZE (LxD) | 11 ⁵ / ₈ " x 8" | 11 ⁵ / ₈ / 9" x 8" |
| PCS PER SF | 3 | 3 |
| SF PER CUBE | 40 | 40 |
| PCS PER CUBE | 120 | 120 |
| LBS PER PIECE | 29 | 26 |
| LBS PER CUBE | 3,518 | 3,129 |

Mid-Height Wall Collection

SINGLE SIDED TUDOR WALL




3" and 6" Single Sided Tudor Wall Pewter Blend;
Bullnose Pavers with Solidia Charcoal;
Cast Stone Wall Round Fire Pit Kit Cut Stone Adirondack



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 131. SEE PAGE 103 FOR CAP OPTIONS.

Units shown: 3" high
Available in 6" height



PALLET WITH 5 LENGTHS

| SIZE (LxD) | A | B | C | D | E |
|--------------|------------|---------|------------|----------|----------|
| SIZE (LxD) | 4" x 8" | 6" x 8" | 10" x 8" | 12" x 8" | 16" x 8" |
| SF PER CUBE | 50 | | | | |
| LBS PER CUBE | 3" = 4,285 | | 6" = 4,172 | | |

This unit is 6" high.



| CORNERS | 3" | 6" |
|---------------|----------|----------|
| SIZE (LxD) | 14" x 8" | 14" x 8" |
| PCS PER SF | 3.45 | 1.71 |
| SF PER CUBE | 43.5 | 44 |
| PCS PER CUBE | 150 | 75 |
| LBS PER PIECE | 26 | 51 |
| LBS PER CUBE | 3,942 | 3,829 |

16" STRETCHER PALLET*

| | 3" | 6" |
|---------------|----------|----------|
| SIZE (LxD) | 16" x 8" | 16" x 8" |
| PCS PER SF | 3 | 1.5 |
| SF PER CUBE | 50 | 50 |
| PCS PER CUBE | 150 | 75 |
| LBS PER PIECE | 31 | 57 |
| LBS PER CUBE | 4,567 | 4,308 |

*16" Stretcher Pallet consists of all solid stretchers. No pins used in this cube.

NOTES

- Pin calculator: (# of non-cap courses) - (one) x (linear feet of wall)
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced wall height is 20". Geogrid is required above this height
- The Base Block facilitates installation and provides structural stability
- Tudor Wall also available in a free-standing wall system (see p.81)

This unit is 6" high.



BASE BLOCK

| | |
|--------------|--------------|
| SIZE (LxD) | 18/17" X 10" |
| PCS PER CUBE | 45 |
| LF PER CUBE | 67.5 |
| LBS PER CUBE | 3,870 |

DOUBLE SIDED TUDOR WALL



6" Double Sided Tudor Wall Dakota Blend; Bullnose Charcoal; 26 x 26 Belmont Caps Bluestone



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 131. SEE PAGE 103 FOR CAP OPTIONS.

Units shown: 3" high
Also available in 6" height.



A



B



C



D



E

This unit is
6" high.



BASE BLOCK*

3"OR 6" CUBE

| | | | | | |
|--------------|------------|-----------------------|-----------------------|------------------------|-----------------|
| SIZE (LxD) | 4" x 10" | 7 3/4" x 5 3/4" x 10" | 9 3/4" x 7 3/4" x 10" | 11 3/4" x 9 3/4" x 10" | 16" x 14" x 10" |
| SF PER CUBE | 40 | | | | |
| LBS PER CUBE | 3" = 4,457 | | 6" = 4,288 | | |

| | |
|--------------|-----------------|
| SIZE (LxD) | 18" x 17" x 10" |
| PCS PER CUBE | 45 |
| LF PER CUBE | 67.5 |
| LBS PER CUBE | 3,870 |



Units shown: 6" high
Available in 3" height.

| CORNER | 3" | 6" |
|---------------|-----------|-----------|
| SIZE (LxD) | 16" x 10" | 16" x 10" |
| PCS PER SF | 3 | 1.5 |
| SF PER CUBE | 40 | 40 |
| PCS PER CUBE | 120 | 60 |
| LBS PER PIECE | 38 | 74 |
| LBS PER CUBE | 4,590 | 4,440 |

FORMULAS/NOTES

- Pin calculator: (# of non-cap courses) – (one) x (linear feet of wall)
- Minimum inside radius = 42" (from back of block)
- Maximum height for Double Sided Tudor Wall in free-standing applications without engineering assistance is 33" including cap. Seek a Professional Engineer if a taller wall is required
- Also offered in a Single Sided wall system (see p.72)

* The Base Block facilitates installation and provides structural stability.

Mid-Height Wall Collection

TERRACE WALL™



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 131. SEE PAGE 103 FOR CAP OPTIONS.

These units are 6" high.



| TERRACE WALL | STRETCHER | CORNER |
|---------------|-----------|----------|
| SIZE (LxD) | 16" x 12" | 16" x 8" |
| PCS PER SF | 1.5 | 1.5 |
| SF PER CUBE | 48 | 72 |
| PCS PER CUBE | 72 | 108 |
| LBS PER PIECE | 51 | 45 |
| LBS PER CUBE | 3,665 | 4,838 |

FORMULAS/NOTES

- 1.5 pieces = 1 sf of wall face
- Minimum inside radius = 22" (from back of block)
- Maximum unreinforced wall height = 30" under ideal conditions
- Geogrid must be used for walls above 30"

COVENTRY® WALL III



3" and 6" Double Sided Coventry Wall with 6" columns Dakota Blend

Coventry Wall III is a versatile wall system, suitable for both Free-Standing & Single-Sided Wall applications.




Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 130. SEE PAGE 103 FOR CAP OPTIONS.

Units shown: 6" high.
Also Available in 3" height.



| 6" OR 3" HIGH CUBE | A | B | C |
|--------------------|------------|-------------|--------------|
| SIZE (LxD) | 8/6" x 10" | 10/8" x 10" | 16/14" x 10" |
| SF PER CUBE | 32 | | |
| PCS PER CUBE | 3" = 144 | 6" = 72 | |
| LBS PER CUBE | 3" = 3,336 | 6" = 3,223 | |

This unit is 6" high.



| DOUBLE SIDED CORNER | 3" | 6" |
|---------------------|-----------|-----------|
| SIZE (LxD) | 16" x 10" | 16" x 10" |
| PCS PER SF | 3 | 1.5 |
| SF PER CUBE | 40 | 40 |
| PCS PER CUBE | 120 | 60 |
| LBS PER PIECE | 38 | 74 |
| LBS PER CUBE | 4,516 | 4,426 |

This unit is 6" high.



| SINGLE SIDED CORNER | 3" | 6" |
|---------------------|----------|-----------|
| SIZE (LxD) | 14" x 8" | 14" x 10" |
| PCS PER SF | 3.5 | 1.7 |
| SF PER CUBE | 43.5 | 44 |
| PCS PER CUBE | 150 | 75 |
| LBS PER PIECE | 26 | 51 |
| LBS PER CUBE | 3,942 | 3,829 |

This unit is 6" high.



| BASE BLOCK | |
|--------------|--------------|
| SIZE (LxD) | 18/17" X 10" |
| PCS PER CUBE | 45 |
| LF PER CUBE | 67.5 |
| LBS PER CUBE | 3,870 |

CAN BE USED IN SINGLE SIDED OR DOUBLE SIDED WALL APPLICATIONS

NOTES

- Maximum unreinforced wall height is 24" for retaining wall applications and 33" for free-standing walls
- Coventry Wall III comes with splittable units to create corners: One 16" unit per layer is solid with no channels.
- Two pins/block needed (except under cap)
- For Coventry Wall III, the tightest radius possible using only the 10" and 6" long units is 33.5". Using all sizes, the tightest possible radius is 48" to the back of the block





Vertica Harvest Blend and Dakota Blend



Mesa Dakota Blend


Retaining Wall Collection



Diamond Pro Dakota Blend

VERTICA™


Vertica Pewter Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 131. SEE PAGE 103 FOR CAP OPTIONS.

2" batter

These units are 8" high



STRETCHER



CORNER

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 69" (from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Geogrid must be used in walls over 32" high
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer

Vertica is also available in 12" D unit with 4" batter by special order

Available in Stone Cut Finish by special order.

| SIZE (LxD) | 18" x 11" | 18" x 9" |
|---------------|-----------|----------|
| PCS PER SF | 1 | 1 |
| SF PER CUBE | 48 | 60 |
| PCS PER CUBE | 48 | 60 |
| LBS PER PIECE | 82 | 84 |
| LBS PER CUBE | 4,141 | 5,010 |

DIAMOND PRO™



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 131. SEE PAGE 103 FOR CAP OPTIONS.

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 48" (from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Geogrid must be used in walls over 32" high.
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer


These units are 8" high



| | STRETCHER | CORNER |
|---------------|------------------|---------------|
| SIZE (LxD) | 18" x 11½" | 18" x 9" |
| PCS PER SF | 1 | 1 |
| SF PER CUBE | 48 | 60 |
| PCS PER CUBE | 48 | 60 |
| LBS PER PIECE | 80 | 84 |
| LBS PER CUBE | 3,840 | 5,010 |



Mesa Dakota Blend; Bristol Stone | Sonoran; Forma Limestone and Old Towne Cobble 6x9 Charcoal double border



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGE 131. SEE PAGE 103 FOR CAP OPTIONS.

These units are 8" high.



STRETCHER



CORNER

| | STRETCHER | CORNER |
|---------------|-----------|----------|
| SIZE (LxD) | 18" x 11" | 18" x 9" |
| PCS PER SF | 1 | 1 |
| SF PER CUBE | 48 | 60 |
| PCS PER CUBE | 48 | 60 |
| LBS PER PIECE | 80 | 84 |
| LBS PER CUBE | 3,861 | 5,010 |

FORMULAS/NOTES

- 1 piece = 1 sf of wall face
- Minimum inside radius = 55" (measured from back of block)
- Maximum unreinforced, exposed wall height is 32" (4 courses) under ideal conditions
- Mesa Geogrid must be used in walls over 32" high
- For walls over 48" high, EP Henry recommends that you consult a Professional Engineer
- Two connectors/block needed (except under cap)

VERTI-BLOCK



These oversized, hollow, pre-cast blocks are ideal for a variety of landscaping projects, including gravity walls up to 14' high.* Verti-Block can be stained on-site to integrate into existing landscape or hardscape applications.

*Additional heights can be reached using reinforcement

STANDARD BLOCK

| | |
|-----------------|-----------|
| SIZE (LxD) | 48" x 36" |
| PIECES PER CUBE | 1 |
| SF PER PIECE | 8 |
| LBS PER PIECE | 1,760 |



This unit is 24" high

NOTE

Available in additional shapes including caps, corners, half units and more.

CAST VENEER STONE



CAST VENEER STONE OPTIONS



Cast Stone Wall Face Shells Cut Stone Aspen; Bristol Stone I and II Tucson

CAST STONE WALL CUT STONE FACE SHELLS*


*New LedgeStone Profile in two colors coming Summer 2020

SPEC MIX® Polymer Modified Adhered Veneer Masonry Mortar

SPEC MIX PMAVM is a technologically advanced adhered veneer mortar for use in bonding manufactured stone veneer, natural thin cut stone and thin brick to a cementitious substrate. PMAVM is designed to provide excellent workability and cohesion, high bond strength and durability, sag and water resistance and efflorescence minimization.

SPEC MIX PMAVM has been rigorously tested to reduce the probability of unit "pop-offs" and contractor call-backs to repair adhered veneer failures common with standard mortars.


EP Henry recommends installation methods and guidelines from the Masonry Veneer Manufacturers Association.



Adirondack



Aspen



Birch



Breckenridge




Santa Barbara


PENNSYLVANIA FIELD STONE



Adirondack



Aspen



Breckenridge




Mesa Verde




Silverton

LEDGESTONE



Adirondack




Aspen



Birch



Breckenridge



Mesa Verde



Silverton


EZ FIT



Adirondack



Buckeye



Mesa Verde


CUT STONE



Adirondack



Breckenridge



Silverton



Tahoe






Imperial Rittenhouse Earth, Random Installation



Imperial Cobble Stone Granite, "I" Pattern

Imperial Collection



Imperial Rustic Wall Chestnut 3" and 6"



IMPERIAL RITTENHOUSE™



Imperial Rittenhouse Sandy Beach, Random Installation; Forma Stone Sable border



Charlevoix



Chestnut



Driftwood



Earth



Sandy Beach

ENLARGED SWATCHES ON PAGES 132.

Units shown
2 3/8" thick.



**RITTENHOUSE
CUBE 1**

| | A | B | C |
|--------------|-----------------|-----------------|-------------------|
| SIZE (WxL) | 4 3/8" x 8 3/4" | 8 3/4" x 8 3/4" | 8 3/4" x 13 3/16" |
| PCS PER CUBE | 120 | 50 | 60 |
| SF PER CUBE | | 107.7 | |
| LBS PER CUBE | | 3,150 | |

Units shown
2 3/8" thick.



**RITTENHOUSE
CUBE 2**

| | A |
|--------------|-----------------|
| SIZE (WxL) | 4 3/8" x 8 3/4" |
| PCS PER CUBE | 400 |
| SF PER CUBE | 109 |
| LBS PER CUBE | 3,052 |



BUDGET FRIENDLY

With EP Henry's cost-saving Imperial line of pavers and walls, you won't have to sacrifice quality and beauty to have the installation of your dreams. They are available in our most popular shapes, sizes, and colors and are equally as beautiful as other pavers and walls.

IMPERIAL COBBLE STONE



Imperial Cobble Charlevoix, 90° Herringbone Pattern



Chestnut



Earth



Granite



Charcoal



Charlevoix



Driftwood



Sandy Beach

ENLARGED SWATCHES ON PAGE 133.

AVAILABLE IN 6X9 ONLY

All units are
2 $\frac{3}{8}$ " thick.



| | | |
|--------------|---------------------------------------|--|
| SIZE (WxL) | 6 $\frac{1}{4}$ " x 6 $\frac{1}{4}$ " | 6 $\frac{1}{4}$ " x 9 $\frac{7}{16}$ " |
| PCS PER SF | 3.7 | 2.4 |
| SF PER CUBE | 113 | 124 |
| SF PER BAND | 16 | 25 |
| LBS PER CUBE | 3,164 | 3,472 |

NOTE

6"x 6" and 6"x 9" are also available in 3 $\frac{1}{8}$ " thickness as a special order.



IMPERIAL RUSTIC COBBLE STONE



Imperial Rustic Cobble Stone Chestnut, "1" Pattern



Charcoal*



Chestnut



Earth



Granite

*AVAILABLE IN 6" X 9" ONLY

ENLARGED SWATCHES ON PAGES 134.

All units are
2 $\frac{3}{8}$ " thick.



| SIZE (WxL) | 6 $\frac{1}{4}$ " x 6 $\frac{1}{4}$ " | 6 $\frac{1}{4}$ " x 9 $\frac{7}{16}$ " |
|---------------|---------------------------------------|--|
| PIECES PER SF | 3.7 | 2.4 |
| SF PER CUBE | 113 | 124 |
| SF PER BAND | 16 | 25 |
| LBS PER CUBE | 3,164 | 3,472 |



Marquis Wall's solid block design and unique pin connection system offers design flexibility, workhorse durability, and fast and easy construction. Straight and curved retaining walls, corners, columns, stairs and freestanding walls are all possible with the Marquis System.

Imperial Marquis Wall Chestnut



IMPERIAL MARQUIS™ WALL



Imperial Marquis Wall Chestnut



Chestnut



Driftwood



Earth



Granite



Sandy Beach

ENLARGED SWATCHES ON PAGE 135.



The Marquis Wall lifter is a heavy-duty, handy tool that facilitates lifting and placing units in the wall.



When using the pin method, Marquis Wall Pins must be used for proper installation.

These units are 6" high.



STRETCHER



CORNER



3" UNIVERSAL DOUBLE FACE CAP

| | STRETCHER | CORNER | 3" UNIVERSAL DOUBLE FACE CAP |
|---------------|-----------|----------|------------------------------|
| SIZE (LxD) | 16" x 12" | 16" x 8" | 16/14" x 11 5/8" |
| PCS PER SF | 1.5 | 1.5 | 3.2 |
| SF PER CUBE | 32 | 72 | 30 |
| PCS PER CUBE | 48 | 108 | 96 |
| LBS PER PIECE | 75 | 45 | 43.5 |
| LBS PER CUBE | 3,685 | 4,838 | 4,177 |



IMPERIAL RUSTIC WALL



Imperial Rustic Wall Earth



Chestnut



Earth



Granite

Imperial Rustic Wall is a versatile wall system, suitable for both free-standing & single-sided wall applications.

ENLARGED SWATCHES ON PAGE 136.

These units are 6" high.



A



B



C

6" OR 3" HIGH

| | | | |
|--------------|---------------|---------------|--------------|
| SIZE (LxD) | 5¾"/3¾" x 10" | 9¾"/7¾" x 10" | 16/14" x 10" |
| SF PER CUBE | 40 | | |
| LBS PER CUBE | 6" = 4,228 | 3" = 4,457 | |

These units are 6" high.



6" DOUBLE SIDED



6" SINGLE SIDED COLUMN



3" DOUBLE SIDED

WALL CORNERS

| | | | |
|---------------|-----------|----------|-----------|
| SIZE (LxD) | 16" x 10" | 14" x 8" | 16" x 10" |
| PCS PER SF | 1.5 | 1.7 | 3 |
| SF PER CUBE | 40 | 44 | 40 |
| PCS PER CUBE | 60 | 75 | 120 |
| LBS PER PIECE | 74 | 51 | 38 |
| LBS PER CUBE | 4,440 | 3,829 | 4,560 |

This unit are 3" high.



3" CAP

| | |
|---------------|---------------|
| SIZE (LxD) | 16/14" x 11½" |
| PCS PER SF | 3.2 |
| SF PER CUBE | 30 |
| PCS PER CUBE | 96 |
| LBS PER PIECE | 44 |
| LBS PER CUBE | 4,280 |

NOTES/FORMULAS

- Pin calculator: (# on non-cap course) - (one) x (linear feet of wall)
- Minimum Inside radius = 42" (from back of block)
- Maximum height without engineering: 33" including cap. Above 33" EP Henry recommends you consult a professional engineer
- The Base Block facilitates installation and provides structural stability (see pg. 90 for Base Block specifications)
- Always use Coventry Wall pins




IMPERIAL WOODGATE WALL & FIRE RING

COMPACT FIRE RING KIT

WOODGATE WALL



Compact Fire Ring Kit Granite
(shown with swivel cooking grate)



Woodgate Wall Granite



Chestnut



Earth



Granite

ENLARGED SWATCHES ON PAGE 136.

STANDARD FEATURES

- Ready to assemble — everything's included!
- No special tools required
- Easy-to-read, step-by-step instructions
- Precut and sized to fit
- Includes solid steel insert and swiveling cooking grate
- Steel reinforcements
- Includes VOC compliant adhesive and construction gloves

COMPACT FIRE RING WITH GRATE

| | |
|-------------------|-----|
| LBS PER CUBE | 700 |
| INTERIOR DIAMETER | 31" |

All units are 4" thick.



| | |
|---------------|----------|
| SIZE (LxD) | 12" x 8" |
| PCS PER CUBE | 144 |
| LBS PER PIECE | 30 |
| LBS PER CUBE | 4,320 |

MAXIMUM WALL HEIGHT = 20"






Double Sided Chapeau 16 Cap Phoenix



Coventry Edgestone Harvest Blend

Finishing Touches



Belmont Quarry Steps Bluestone

BULLNOSE



Bullnose Pavers with Solidia Charcoal



Brown †

Charcoal †

† ONLY AVAILABLE WITH SOLIDIA
NO EFFLORESCENCE



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend

All units are
2 3/8" thick



| BULLNOSE | |
|--------------|--------------|
| SIZE (WxL) | 6" x 12 1/2" |
| PCS PER LF | 2 |
| SF PER CUBE | 87 |
| PCS PER CUBE | 168 |
| SF PER BAND | 29 |
| LBS PER CUBE | 2,305 |

BORDERS



Forma Stone Charcoal and 6" x 9" Chiseled Stone Goldenrod double border; Bristol Stone Golden Maple



Bristol Stone | Self Edge Border Pewter Blend



**Bristol Stone Smooth 6" x 9" Charcoal
Soldier Course Border**
with Bristol Stone I Pewter Blend



**Imperial Rittenhouse 4" x 8" Border Paver
Soldier Course**
with Imperial Rittenhouse Charlevoix



Danbury Smooth Plank 4" x 12" Triple Border
with ECO Bristol Stone Pewter Blend



Chiseled Stone 6" x 9" Brown Border
with Bristol Stone Pewter Blend



Forma Stone Brown and Charcoal Double Border
with Bristol Stone Pewter Blend



Old Towne Cobble 6" x 9" Sailor Course, 6" x 6" Diamond Pattern Pewter Blend Border
with Bristol Stone Pewter Blend



Society Hill Brick Stone Colonial Red Double Border, Soldier and Sailor Courses
with Bristol Stone Pewter Blend

BORDERS



Forma Stone Charcoal and Old Towne Cobble Brown, Sailor/Soldier border


BORDER PAVERS

| | Bristol Stone 8 x 8 and 8 x 12 | 8cm Bristol Stone 8 x 8 and 8 x 12 | Bristol Stone Smooth 6 x 9 | Bristol Stone 8 x 8 and 8 x 12 | Chiseled Stone 6 x 9 | Brick Stone | 8cm Brick Stone | Danbury Smooth Plank | Forma Stone | Old Towne Cobble 6 x 6 and 6 x 9 | 8cm Old Towne Cobble 6 x 9 | Coventry Stone I | 8cm Coventry Stone I 6 x 6 and 6 x 9 | Coventry Brick Stone | Society Hill Brick Stone | Imperial Cobble Stone | Imperial Rustic Cobble Stone | Rittenhouse Border | ECO Cobble 6 x 9 | ECO Paver | |
|------------------------------|--------------------------------|------------------------------------|----------------------------|--------------------------------|----------------------|-------------|-----------------|----------------------|-------------|----------------------------------|----------------------------|------------------|--------------------------------------|----------------------|--------------------------|-----------------------|------------------------------|--------------------|------------------|-----------|--|
| Bristol Stone | | | | | | | | | | | | | | | | | | | | | |
| 8cm Bristol Stone | | | | | | | | | | | | | | | | | | | | | |
| Bristol Stone Smooth | | | | | | | | | | | | | | | | | | | | | |
| Bristol Stone Smooth 6 x 9 | | | | | | | | | | | | | | | | | | | | | |
| Chiseled Stone | | | | | | | | | | | | | | | | | | | | | |
| Chiseled Stone 6 x 9 | | | | | | | | | | | | | | | | | | | | | |
| Brick Stone | | | | | | | | | | | | | | | | | | | | | |
| 8cm Brick Stone | | | | | | | | | | | | | | | | | | | | | |
| Danbury Smooth Plank | | | | | | | | | | | | | | | | | | | | | |
| Forma Stone | | | | | | | | | | | | | | | | | | | | | |
| Old Towne Cobble | | | | | | | | | | | | | | | | | | | | | |
| 8cm Old Towne Cobble | | | | | | | | | | | | | | | | | | | | | |
| Coventry Stone I | | | | | | | | | | | | | | | | | | | | | |
| Coventry Brick Stone | | | | | | | | | | | | | | | | | | | | | |
| Society Hill Brick Stone | | | | | | | | | | | | | | | | | | | | | |
| Imperial Cobble Stone | | | | | | | | | | | | | | | | | | | | | |
| Imperial Rustic Cobble Stone | | | | | | | | | | | | | | | | | | | | | |
| Rittenhouse | | | | | | | | | | | | | | | | | | | | | |
| Rittenhouse Border | | | | | | | | | | | | | | | | | | | | | |
| ECO Bristol Stone | | | | | | | | | | | | | | | | | | | | | |
| ECO Cobble Stone | | | | | | | | | | | | | | | | | | | | | |
| ECO Paver | | | | | | | | | | | | | | | | | | | | | |

FIELD PAVERS


EDGES

COVENTRY® CURBSTONE



Pewter Blend

COVENTRY® EDGESTONE



Harvest Blend



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend



This unit is 9" high

COVENTRY® CURBSTONE

| | |
|--------------|----------|
| SIZE (WxL) | 3¾" x 8" |
| PCS PER CUBE | 150 |
| LBS PER CUBE | 3,000 |

NOTES

Curbstone width may vary +/- ½"



This unit is 8" high

COVENTRY® EDGESTONE

| | |
|--------------|----------|
| SIZE (WxL) | 2½" x 6" |
| PCS PER CUBE | 240 |
| LBS PER CUBE | 2,339 |

NOTES

Edgestone width may vary +/- ¾"


NEW BELMONT CAPS

14" DOUBLE SIDED BELMONT CAP



14" Double Sided Belmont Cap Brownstone; Cast Stone Wall Cut Stone Breckenridge

16" DOUBLE SIDED BELMONT CAP



16" Double Sided Belmont Cap Bluestone; Double Sided Cast Stone Wall Cut Stone Aspen



Bluestone



Brownstone



Limestone

All Belmont products come with a factory-applied sealer that enhances color and resists stains. For more information about Belmont visit page 34.

AVAILABLE COLOR SELECTION FOR ALL BELMONT CAPS

This unit is 2" high.



14" DOUBLE SIDED

| | |
|---------------|-----------|
| SIZE (LxD) | 36" x 14" |
| PCS PER CUBE | 18 |
| LBS PER PIECE | 80 |
| LF PER CUBE | 54 |
| LBS PER CUBE | 1,450 |

All units are 2" high.



16" DOUBLE SIDED

| | CAP | END CAP |
|---------------|--|---|
| SIZE (LxD) | 24 ¹ / ₄ /21 ¹ / ₄ " x 16" | 20/18 ¹ / ₄ " x 16" |
| PCS PER CUBE | 32 | 16 |
| LBS PER PIECE | 56 | 53 |
| LF PER CUBE | 60 | 25.5 |
| LBS PER CUBE | 1,810 | 850 |

NEW BELMONT CAPS



26" x 26" Belmont Pier Cap Bluestone;
Double Sided Cast Stone Wall Cut Stone Birch

BELMONT PIER CAP

This unit is 3" high.



28" x 28" PIER CAP

| | |
|---------------|-----------|
| SIZE (LxD) | 28" x 28" |
| PCS PER CUBE | 4 |
| LBS PER PIECE | 175 |
| LBS PER CUBE | 700 |

This unit is 3" high.



26" x 26" PIER CAP

| | |
|---------------|-----------|
| SIZE (LxD) | 26" x 26" |
| PCS PER CUBE | 4 |
| LBS PER PIECE | 150 |
| LBS PER CUBE | 600 |

BELMONT GARDEN WALL CAP

This unit is 2" high.



GARDEN WALL CAP

| | |
|---------------|------------------------|
| SIZE (LxD) | 18" X 9 1/2" (nominal) |
| PCS PER CUBE | 60 |
| LF PER CUBE | 90 |
| LBS PER PIECE | 30 |
| LBS PER CUBE | 1,800 |



Belmont Garden Wall Cap Bluestone; Cast Stone Wall Garden Wall Cut Stone Adirondack



Belmont Stair Tread Bluestone

BELMONT STAIR TREAD/CAP

This unit is 2" high



BELMONT STAIR TREAD/CAP

| | |
|---------------|---------------------|
| SIZE (LxD) | 52" x 13" (nominal) |
| PCS PER CUBE | 18 |
| LF PER CUBE | 78 |
| LBS PER PIECE | 104 |
| LBS PER CUBE | 1,872 |

CHAPEAU CAPS

CHAPEAU 14



Chapeau 14" Cap Phoenix

CHAPEAU 16



Chapeau 16" Cap Bluestone



Bluestone



Brownstone



Phoenix

All units are 3" high.



| CHAPEAU 14 | A | B (one straight end) |
|--------------|------------------------------|----------------------|
| SIZE (LxD) | 24/22" x 14" | 24/23" x 14" |
| LF PER CUBE | 54 | |
| PCS PER CUBE | 28 (21, A UNITS; 7, B UNITS) | |
| LBS PER CUBE | 2,270 | |

All units are 2 3/8" high.



| CHAPEAU 16 DOUBLE SIDED | A | B | C | D (one straight end) |
|-------------------------|--------------------------------------|--------------|--------------|----------------------|
| SIZE (LxD) | 12/10" x 16" | 16/14" x 16" | 20/18" x 16" | 20/19" x 16" |
| LF PER CUBE | 53 | | | |
| PCS PER CUBE | 42 (14/EA A&B UNITS; 7/EA C&D UNITS) | | | |
| LBS PER CUBE | 1,870 | | | |

SPLIT & AGED CAPS



Coventry Universal Cap Pewter Blend with Coventry Wall III Dakota Blend

AGED COVENTRY/SPLIT RECTANGULAR & UNIVERSAL


SPLIT COLORS




Autumn Blend



Charcoal*



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGES 131.

Swatches depicted represent color offerings for caps. Please refer to appropriate wall system pages for colors available in each system. Relevant wall systems are on pages 72-81.

AGED COLORS




Autumn Blend




Charcoal*



Dakota Blend



Harvest Blend



Pewter Blend

ENLARGED SWATCHES ON PAGES 130.

* Available in caps only.

All units are 4" high



VERTICA

DIAMOND PRO/MESA

| | | |
|---------------|------------|-----------|
| SIZE (LxD) | 18" x 11½" | 18" x 12" |
| PCS PER SF | 2 | 2 |
| LF PER CUBE | 108 | 90 |
| PCS PER CUBE | 72 | 60 |
| LBS PER PIECE | 65 | 72 |
| LBS PER CUBE | 4,680 | 4,317 |

All units are 3" high



COVENTRY

RECTANGULAR

UNIVERSAL

| | | |
|---------------|-----------|---------------|
| SIZE (LxD) | 16" x 12" | 16/14" x 11⅝" |
| PCS PER SF | 3 | 3.2 |
| LF PER CUBE | 128 | 120* |
| PCS PER CUBE | 96 | 96 |
| LBS PER PIECE | 47 | 45 |
| LBS PER CUBE | 4,491 | 4,280 |

All units are 3" high



SPLIT

RECTANGULAR

UNIVERSAL

| | | |
|---------------|-----------|---------------|
| SIZE (LxD) | 16" x 12" | 16/14" x 11⅝" |
| PCS PER SF | 3 | 3.2 |
| LF PER CUBE | 128 | 120* |
| PCS PER CUBE | 96 | 96 |
| LBS PER PIECE | 47 | 44 |
| LBS PER CUBE | 4,555 | 4,177 |


* using 15" average

NATURAL STONE CAPS

Cloudy Black; Double Sided Cast Stone Wall Cut Stone Breckenridge



Autumn Brown



Cloudy Black




Ochre Yellow

All units
are 2" high



PIER CAPS



WALL CAPS


| | PIER CAPS | WALL CAPS |
|---------------|-----------|-----------|
| SIZE (LXD) | 28" X 28" | 24" X 17" |
| SF PER PIECE | 5.4 | 2.8 |
| SF PER CUBE | 21.6 | 56 |
| PCS PER CUBE | 4 | 20 |
| LBS PER PIECE | 138 | 80 |
| LBS PER CUBE | 552 | 1,600 |

NOTE:


Color variation should be expected with any natural stone product.

BELMONT STEPS

QUARRY STEPS



Bluestone



Bluestone

CHILTON CHISELED STEPS



Brownstone

CHILTON FLAMED STEPS



Bluestone



Bluestone



Brownstone

ENLARGED SWATCHES ON PAGE 121

All units are
6" high



| QUARRY | SMALL | MEDIUM | LARGE | SET OF 3 |
|---------------|-----------|-----------|-----------|----------|
| SIZE (LxD) | 31" x 21" | 42" x 16" | 51" x 24" | — |
| PCS PER CUBE | 3 | 3 | 2 | 3 |
| LBS PER PIECE | 208 | 208 | 278 | — |
| LBS PER CUBE | 625 | 625 | 555 | 640 |

All units are
6" high



*Chilton Chiseled Finish Step is available finished on 1 or 3 sides. The 1 sided is available in Bluestone only; the 3 sided is available in Bluestone and Brownstone.

| CHILTON | FLAMED | CHISELED* |
|---------------|------------|------------|
| SIZE (LxD) | 47½" x 15" | 47½" X 15" |
| LBS PER PIECE | | 233 |
| LBS PER CUBE | | 700 |
| PCS PER CUBE | | 3 |


Fire Pit Kits

CAST STONE WALL CUT STONE SQUARE FIRE PIT KIT



Square Fire Pit Kit Cut Stone Adirondack

CAST STONE WALL CUT STONE ROUND FIRE PIT KIT



Round Fire Pit Kit Cut Stone Aspen



Adirondack



Aspen



Birch



Breckenridge

Note: Shown in Cut Stone profile. Available in LedgeStone profile Summer 2020.

SQUARE FIRE PIT KIT

| | |
|--------------|-------------------|
| UNITS | - |
| LBS PER PC | - |
| PCS PER CUBE | 36 block + 4 caps |
| LBS PER CUBE | 1,780 |

20" high including cap
50" x 50" outside diameter

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 1 steel insert (black)
- Stainless steel flange collar
- 1 grate

ROUND FIRE PIT KIT

| | |
|--------------|-------------------|
| UNITS | - |
| LBS PER PC | - |
| PCS PER CUBE | 54 block + 4 caps |
| LBS PER CUBE | 1,126 |

FIRE PIT KIT INCLUDES

- Wall blocks
- Caps
- 34" diameter copper bowl
- 36" diameter grate for wood burning
- 24" diameter grate for cooking
- Poker
- Retractable metal mesh dome
- Installation guide

20" high including cap
48" outside diameter
30 1/2" inside diameter

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.

COVENTRY® FIRE PIT KIT



Pewter Blend



Dakota Blend



Harvest Blend



Pewter Blend

GRAND FIRE RING KIT



Harvest Blend (shown with swivel cooking grate)



Dakota Blend



Harvest Blend



Pewter Blend

COVENTRY FIRE PIT KIT

| | |
|--------------|-------|
| UNITS | -- |
| LBS PER PC | -- |
| PCS PER CUBE | 112 |
| LBS PER CUBE | 2,830 |

23" high including cap
48" outside diameter
30 1/2" inside diameter

FIRE PIT KIT INCLUDES

- Wall Blocks
- Caps
- 34" diameter copper bowl
- 36" diameter grate for wood burning
- 24" diameter grate for cooking
- Poker
- Retractable metal mesh dome
- Installation guide

NOTE: Blocks are not fire-rated. Do not burn fires without protective bowl or other fire-rated insert. Do not overfill the bowl. Firewood should be contained within the closed spark screen.

FIRE RING WITH GRATE GRAND

| | |
|--------------|-------|
| LBS PER CUBE | 1,060 |
|--------------|-------|


12" high
48" outside diameter
31" inside diameter

STANDARD FEATURES

- Ready to assemble — everything's included!
- No special tools required
- Easy-to-read, step-by-step instructions
- Precut and sized to fit
- Includes VOC compliant adhesive and construction gloves
- Solid steel insert and swivel cooking grate

Imperial Fireplace Kits

IMPERIAL GRAND FIREPLACE KIT



IMPERIAL COMPACT FIREPLACE KIT



Dakota Blend



Harvest Blend



Pewter Blend


At more than eight feet high and up to twelve feet wide (with Wood Boxes), the Grand Fireplace is the perfect centerpiece for your outdoor living room. Its appeal comes from its large profile, universal design, and aged appearance. The Compact Fireplace is ideal for smaller backyards and patios at just over six feet high and three feet wide (without wood box).

STANDARD FEATURES

- Easy-to-read, step-by-step instructions
- Wall Blocks
- Wet cast concrete mantels and tops
- Precut and sized to fit
- Steel reinforcements
- VOC compliant adhesive
- Construction Gloves


GRAND FIREPLACE KIT

- 60" W x 36" D x 102" H
- 36" stainless steel, wood-burning insert
- 4' stainless steel stovepipe chimney
- Spark suppressor cap
- 9,667 lbs



GRAND WOOD BOX KIT*

- 40" W x 36" D x 50" H
- Available left or right side
- 4,051 lbs




GRAND HEARTH KIT*

- 60" W x 20" D x 10" H
- 699 lbs

*OPTIONAL

COMPACT FIREPLACE KIT

- 40" W x 32" D x 70" H
- Protective fire brick
- 3,960 lbs



COMPACT WOOD BOX KIT*

- 32" W x 32" D x 34" H
- Available left or right side
- 1,713 lbs

COMPACT HEARTH KIT*

- 40" W x 12" D x 6" H
- 213 lbs

*OPTIONAL

ISOKERN FIREPLACES



Standard Isokern Fireplace; Cast Stone Wall Face Shells Cut Stone Aspen



Standard Isokern Fireplace with double wood boxes;
Cast Stone Wall Face Shells Cut Stone Breckenridge

EARTHCORE ISOKERN MODULAR FIREPLACES

For over 25 years, Earthcore's Isokern Systems have been the leader in safe, lightweight, easy to install fireplace systems and are backed by a Lifetime Warranty against manufacturer defects.

The Standard series comes in 36", 42" and 46" openings.

The Magnum series comes in 36", 42" and 48" openings.

Please visit the products section of our website for more information on Isokern Fireplaces.



Outdoor Kitchen Collection

Cast Stone Wall Face Shells Cut Stone Aspen




ISOPANEL MODULAR KITCHENS

Isokern has streamlined the construction of building the classic culinary outdoor kitchen for quick assembly. Using our Isokern Panels and Clips, building a beautiful, durable and practical outdoor kitchen is easier than ever. The IsoPanels will also support the Iso'ven for added options to construction.



ISOKERN PANELS

- **Dimensions per panel:** 24" w x 34" h x 3" d
- Each panel weighs only 100 lbs, so they're easily moved when assembling your new outdoor kitchen components.



CLIPS

- **Use:** Slide the appropriate clip over the junction of 2 adjacent panels for holding them together while the mortar is applied.
- **Options:** A. Straight B. 90° C. 45° D. T clip.



ISO'VEN WOOD BURNING PIZZA OVENS



Iso'ven with Cast Veneer Stone Ledgestone Silverton



Iso'ven with Cast Veneer Stone Ledgestone Silverton

ISO'VEN & EP HENRY'S CAST VENEER STONE

There's nothing better than a real wood burning oven. Introducing the Earthcore Iso'ven Wood Burning Oven, the user-friendly, remarkably affordable outdoor wood burning pizza oven made from our exclusive volcanic material. Created for easy installation, the quick-fire Iso'ven heats up to 800 degrees in an hour. The Iso'ven Wood Burning Pizza Oven comes with everything you need to get started. Perfect for 12" pizza, bread, wings and more. Includes: Proprietary Oven Liner, Refractory Mortar, Cooking Surface, Thermometer and Starter Fire Kit.

All Isokern fireplaces, pizza ovens and modular kitchen kits can be made "personally" yours by customizing it with EP Henry's beautiful Cast Veneer Stone or Cast Stone Wall Face Shells, the closest match to real stone, at a fraction of the cost.

SEE PAGE 82 FOR CAST VENEER STONE COLOR AND STYLE OPTIONS

22" x 53" x 43"
1,100 lbs



TABLETOP OVEN WITH OPTIONAL STORAGE SPACE

Fires strengthen the bonds between friends and family. Recognizing this, Earthcore developed the ideal companion for your Iso'ven Wood Burning Pizza Oven — our Table Top Oven with Optional Storage Base. Adding a new dimension to backyard dining, it allows you to choose the height of your Iso'ven in relation to the rest of your outdoor kitchen or living space.

OPTIONAL STORAGE:

Ample room for wood, pizza peels, aprons, cooking tools and more.

31 1/2" x 53" x 28"
850 lbs



OPTIONAL HOOD:

Following the classic approach of traditional wood burning ovens, the Iso'ven is designed to vent through the front. But at Earthcore, we believe customization creates satisfaction. So if you prefer a flue, we now offer a hood for Iso'ven designs, giving you the freedom to finish it in your own personal style.

30 5/8" x 9" x 23"
90 lbs






CREATE THE PERFECT OUTDOOR KITCHEN

PRE-MEASURED-CUT-PACKAGED-KITS

The Kitchen is a series of individual cabinet kits that come complete with everything you need to build, including precut block and granite tops sized to fit, reinforcements, and more! Depending on the complexity, most kitchens can be built in a day or less. Build your kitchen all at once or add new features over time. Because of their modularity, expanding your outdoor cooking and entertaining space is easy to do at any time.



NECESSARIES™ OUTDOOR KITCHEN KITS



Dakota Blend



Harvest Blend



Pewter Blend



Viscon White










Black Pearl

WALL COLOR OPTIONS

GRANITE COUNTERTOP COLOR OPTIONS

The modular components of our Necessaries line allow you to create a custom outdoor living area to fit both your needs and your space.

1. Summerset Sizzler Grill Cabinet. 32" - 2,525 lbs or 40" - 2,880 lbs options. (Shown with 30" Double Door)
2. Outdoor Refrigerator Cabinet (Refrigerator sold separately) - 1,025 lbs
3. Side Burner Cabinet - 1,895 lbs
4. Outdoor Oven Cabinet (Pizza Oven with Wood Box, Oven sold separately) - 1,100 lbs
5. Smoker Cabinet (Smoker not included) - 2,110 lbs
6. Prep Center Cabinet. Double Drawer and Door Combo with Trash Drawer - 2,285 lbs
7. Island Cabinet. 15" Sink and Faucet with Granite Countertops - 4,325 lbs




Color Palette



Bristol Stone I and II with ColorTech Sedona, Random Installation; Old Towne Cobble Charcoal border; Double Sided Cast Stone Wall Cut Stone and Cast Stone Wall Face Shells Cut Stone Breckenridge

BRISTOL STONE® with ColorTech™

Premiere Paver Collection



Golden Maple



Pewter Blend



Phoenix



Sedona




Sonoran



Tucson



Bristol Stone Smooth I with ColorTech Phoenix, Random Installation



Golden Maple



Pewter Blend

BRISTOL STONE[®] SMOOTH with ColorTech[™]



Phoenix



Sedona



Sonoran



Tucson



Brown



Pearl Stone



Pewter Blend



Sedona



Phoenix



Slate Blue



Slate Green



Sonoran



Tucson



Dorset



Equinox



Greylock



Pewter Blend*

*Can be made with SOLIDIA in standard concrete color by special order.

NEW BELMONT PAVER, STEPS & CAPS



*Available in Caps and Steps only

LASTRA PORCELAIN TILE

Porcelain Tile Collection – Wood Look



AXI Brown Chestnut



AXI Gray Timber



ETIC PRO Noce Hickory



ETIC PRO Rovere Venice



AXI Brown Chestnut

LASTRA PORCELAIN TILE



BRAVE Gray



BRAVE Gypsum



MARVEL PRO Statuario Select



BRAVE Pearl



SUNROCK Travertine



SUNROCK Rapolano Beige

CLASSIC PAVER COLLECTION - AGED

Shown in Coventry® Stone I



Autumn Blend



Charcoal



Dakota Blend



Harvest Blend

COVENTRY® PAVERS

Coventry® Stone I p.52

Coventry® Brick Stone p.53



Pewter Blend

CLASSIC PAVER COLLECTION - SMOOTH



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend



Anthracite with Solidia



Sable with Solidia


Forma Stone with Solidia



Alabaster



Charcoal



Brown



A Better Concrete For a Better Planet

Exclusively available in the U.S. from EP Henry, Inc.com named Solidia the #1 innovative startup to watch.

If you're looking for a company that's going to make a big impact in the new year, Solidia is a pretty safe bet.

To learn more about our new Solidia technology, visit page 32.

Society Hill Brick Stone



Chalfont Gray



Colonial Red



Penbrook Brown

Danbury® Smooth Plank



Pewter Blend 16



Adirondack, Full Face



Aspen, Random Face



Breckenridge, Mixed Face

Cast Stone Wall Collection

The industry's best-selling premium wall system.

Our Cast Stone Walls come in a versatile range of colors that can complement any outdoor space and are easy to install.

- Single Sided Cast Stone Wall p.63
- Double Sided Cast Stone Wall p.65
- Cast Stone Garden Wall p.66
- Cast Stone Wall Fire Pit Kits p.67
- Cast Stone Wall Face Shells p.68

CAST STONE WALL CUT STONE



Birch, Random Face



Santa Barbara*, Full Face



Single Sided Cast Stone Wall Cut Stone and Cast Stone Wall Cut Stone Face Shells Aspen; Single Sided 14" Belmont Caps and Belmont Stair Tread Bluestone



Autumn Blend




Dakota Blend



Harvest Blend



Pewter Blend



Coventry Wall III Dakota Blend



Charcoal*

SPLIT WALL SYSTEMS



Autumn Blend



Dakota Blend



Harvest Blend



Pewter Blend



Charcoal*

SPLIT WALL SYSTEMS

- Diamond Pro™ p.79
- Double Sided Tudor Wall p.73
- Mesa® Retaining Wall p.80
- Terrace Wall™ p.74
- Tudor Wall p.72
- Vertica Wall p.78

Please refer to product pages for specific color availability.



Charlevoix



Chestnut




Driftwood



Earth



Sandy Beach



Imperial Rittenhouse Chestnut, Random Installation

Cobble Stone



Chestnut



Earth



Granite



Charcoal



Charlevoix



Driftwood



Sandy Beach

IMPERIAL PAVERS

Rustic Cobble Stone



Charcoal



Chestnut



Earth



Granite



Rustic Cobble Stone Chestnut, "1" Pattern



Chestnut




Driftwood



Earth



Granite



Marquis Wall Chestnut



Sandy Beach

Rustic Wall



Chestnut

Woodgate



Chestnut



Earth



Earth



Granite



Granite

EP Henry offers a complete line of cleaning and sealing products from TechniSeal® to maintain the beauty of your pavers.



POLYMERIC SAND FOR PAVER JOINTS

HP NEXTGEL™ POLYMERIC SAND

- False and wide joints
- Heavy-sloped and high-traffic areas
- High-humidity areas and pool decks

SMART SAND

- New Haze-Free technology
- For concrete paver joints from 1/8" to 1"
- Superior strength
- Driveways, patios and walkways

CLEANERS

PROFESSIONAL-GRADE OIL & GREASE REMOVER

- Dislodges deeply set petroleum-based products, motor and hydraulic oil

DIRT & GREASE CLEANER

- Removes motor oil and grease

RUST REMOVER

- Removes stains caused by steel, rusted metal objects and fertilizers

PAINT, TAR AND RUBBER REMOVER

- Dissolves paint, tar or bitumen, rubber and chewing gum

ORGANIC STAIN REMOVER

- Effectively removes moss, mildew, dead leaves, wine, blood and non-greasy food stains

PAVER RESTORER

- Removes cement and mortar jointing haze

PAVER PREP / EFFLORESCENCE CLEANER

- Dislodges efflorescence and ground-in dirt
- Prepares pavers prior to sealant application

ECO-STRIPPER

- Removes most stains, sealants and coatings without affecting the surface

SEALERS

NATURAL LOOK MATTE FINISH PENETRATING (IN)

- Preserves the natural look of pavers
- Ideal for slip-prone surfaces

CLEAR LOOK SATIN FINISH (EV)

- Preserves the original color of pavers
- Ideal for driveways, patios and walkways

COLOR BOOST MATTE FINISH PENETRATING (CB)

- Enhances the color of pavers
- Ideal for slip-prone surfaces

WET LOOK GLOSS FINISH (WLS)

- Enhances the color of pavers
- Ideal for driveways, patios and walkways

SUREFOOT I ANTI-SLIP GRIT FOR WATER-BASED PROTECTORS

- Mixes easily with Protector without changing its appearance
- Highly recommended for pool decks and sloped driveways, steps, low porosity substrates, etc.

NULOOK® TINTED PROTECTOR FOR CONCRETE PAVERS SEMI-GLOSS FINISH

- Colors pavers
- Water based
- Choice of 4 rich colors

PRODUCTS FOR CAST STONE SLABS

WET-CAST PAVER PREP

- Prepares wet-cast pavers prior to sealant application

PROTECTOR FOR WET-CAST PAVERS (WC) NATURAL LOOK MATTE FINISH — PENETRATING

- Preserves the natural look of wet-cast pavers

RG+ CONCRETE ADHESIVE

- Low-VOC formula
- Ultra-adherent on dry, wet or frozen surfaces
- Elastomeric resin-based compound — remains flexible
- Ideal for the construction of retaining walls

STRUCTURE BOND ADHESIVE

- Super-strength hardscape foam adhesive
- Designed for use with Cast Stone Wall and other wall products
- Precise delivery - No mess, no waste
- 8 minute bond time
- Adheres to wet masonry products
- Adjustable bead size
- Performs on all construction materials
- Fireproof and waterproof
- One 24 oz. can is equivalent to five 10.5 oz. tubes

DRIBOND™

- Ideal for thin paver options
- Dry application
- No mixing—ready to use

BORDERBOND™

- Easy to use—straight from the bottle
- Easily mixes with Dribond
- Maximizes strength from Dribond

SATIN LOOK (JS) SATIN FINISH PAVING PROTECTION

- Enhance the color of pavers
- Stabilizes sand or aggregate joints
- Stain guard

Polymeric Sand Haze

Polymeric Haze from the use of polymeric joint sand may appear on your concrete products if the sand was not removed from the surface of the paver properly. This does not, in any way, affect the integrity of the product or your installation. The hazing will weather away naturally with time and rain. It can be removed with a specialized cleaner. It is advised that you contact your contractor or the manufacturer of the polymeric sand used for advice on recommendations. EP Henry accepts NO responsibility or liability for this occurrence.

ACCESSORIES

SEK SUREBOND

PAVER EDGE RESTRAINT

The purpose of Edge Restraint products is to restrain pavers' lateral motion. Without a proper Edge Restraint System, pavers are prone to shifting. EP Henry offers the Snap Edge Paver Restraint System.

ADVANTAGES OF THE SNAP EDGE RESTRAINT SYSTEM:

- One-piece system does it all; straight, curves, or even a complete radius, without waste
- An 8' piece transports easily and requires no extra connectors
- Open base design allows for grass growth along paver edge, creating a strong yet invisible edge
- Patented snap and spike-together ends for a secure connection and extra support
- Rugged injection-molded plastic ensures the strongest edge designed for vehicular and patio/walkway applications

ADHESIVE

EP Henry offers the following adhesive for wall applications:

SUREBOND PAVER BOND

- High strength structural grade adhesive
- Durable formula withstands extreme wear and tear, including heavy vehicular traffic
- Sets quickly in only 10 minutes
- Freeze-thaw stable
- Naturally shims

TENCATE MIRAFI

SEPARATION FABRIC

Mirafi® 500x geotextile fabric is recommended for use with all paver installations. Its primary purpose is to keep the base material from working its way into the soil underneath, thus reducing the possibility of settling.

This product, which costs only pennies per square foot, is an inexpensive insurance policy for your pavement.

GEOGRIDS

EP Henry offers the highest quality geogrids for SRW applications.

MIRAFI® GEOGRID

| | | |
|----------------------|------------|------|
| 1XL 20 SQUARE YARD | 4' X 45' | ROLL |
| 2XT 33.3 SQUARE YARD | 6' X 50' | |
| 3XT 200 SQUARE YARD | 12' X 150' | |
| 5XT 200 SQUARE YARD | 12' X 150' | |
| 8XT 267 SQUARE YARD | 12' X 200' | |

UX MESA GRID

| | | |
|-------------------------|--------------|------|
| UX1100 121 SQUARE YARD | 4.36' X 250' | ROLL |
| UX1400 121 SQUARE YARD | 4.36' X 250' | |
| UX1500 96.9 SQUARE YARD | 4.36' X 200' | |
| UX1600 96.9 SQUARE YARD | 4.36' X 200' | |
| UX1700 96.9 SQUARE YARD | 4.36' X 200' | |

Please note: Mesa UX Grid must be used on all Mesa SRW applications.

STRATA

SLEEVE-IT® SYSTEM

WHEN YOUR WALL NEEDS A FENCE

The Sleeve-It® System is a patented, code-compliant, fence post anchoring system that integrates stable fence footings into the support structure of walls while the retaining wall is being constructed. This unique fence system is pre-engineered and pre-designed so that the usable real estate at the top of a retaining wall is not wasted. Using the system as part of the Segmental Retaining Wall (SRW) eliminates a 3 foot offset requirement for rails and fences that are added after wall construction, reducing specifier liability and associated costs with building-code compliance. Sleeve-It® also offers a below grade engineered design that provides superior safety in a cost-effective solution.

KERR LIGHTING

Create beauty and instill pride of ownership by adding the finishing touch of Kerr Lighting for pavers, retaining & seat walls, pillars & steps and more!

PAVER LIGHTS



SPEC MIX®

Polymer Modified Adhered Veneer Masonry Mortar

SPEC MIX PMAVM is a technologically advanced adhered veneer mortar for use in bonding manufactured stone veneer, natural thin cut stone and thin brick to a cementitious substrate. PMAVM is designed to provide:

- Excellent workability and cohesion
- High bond strength and durability
- Sag and water resistance
- Efflorescence minimization



SPEC MIX PMAVM has been rigorously tested to reduce the probability of unit "pop-offs" and contractor call-backs to repair adhered veneer failures common with standard mortars.

AUTHORIZED DISTRIBUTORS

DELAWARE

NEW CASTLE

A. H. Angerstein, Inc.
315 New Road
Wilmington, DE 19805
302-996-3500
angersteins.com

Best Materials LLC
5093 Summit Bridge Road
Middletown, DE 19709
302-378-1231
bestgardencenterde.com

SUSSEX

Parker Block Co.
30243 Millsboro Highway
Millsboro, DE 19966
302-934-9237
parkerblock.com

Trenton Block & Hardscape Supply Delaware
701 Federal Street
Milton, DE 19968
302-684-0112
mytrentonblock.com

MARYLAND

ALLEGANY

Ebyland LLC
12702 Ali Ghan Road NE
Cumberland, MD 21502
301-722-0043
ebyland.com

ANNE ARUNDEL

BuilderUp Division Of Chaney Enterprises
2015 Industrial Drive
Annapolis, MD 21401
410-257-3400
builderup.com

Ernest Maier
95 Stahl Point Road
Curtis Bay, MD 21226
410-424-0954
emcoblock.com

Gomoljak Block/Ernest Maier
1841 McGuckian Street
Annapolis, MD 21401
410-263-6744
emcoblock.com

BALTIMORE

Glyndon Gardens, LLC
205 Hanover Pike
Reisterstown, MD 21136
410-833-2791
glyndongardens.com

Harting and Sons Building Supplies
2917 Hammonds Ferry Road
Baltimore, MD 21227
410-242-0260
hartingandsons.com

Wirtz & Daughters Landscape Supply
12140 Pulaski Highway
Joppa, MD 21085
410-679-6700
wirtzanddaughters.com

CALVERT

BuilderUp Division Of Chaney Enterprises
1925 Skinners Turn Road
Owings, MD 20736
410-257-3400
builderup.com

CHARLES

BuilderUp Division Of Chaney Enterprises
12130 Acton Lane
Waldorf, MD 20601
410-257-3400
builderup.com

FREDERICK

Frederick Brick Works
1731 Monocacy Boulevard
Frederick, MD 21701
301-662-1153

Irwin Stone
275 Interstate Circle
Frederick, MD 21704
301-663-6455
irwinstone.com

KENT

Gillespie & Son
100 Dixon Drive
Chestertown, MD 21620
410-778-0900
gillespieandson.com

MONTGOMERY

Ernest Maier
14 Chestnut Street
Gaithersburg, MD 20877
800-627-8775
emcoblock.com

Jack T. Irwin Stone
601 East Gude Drive
Rockville, MD 20850
301-762-5800
irwinstone.com

PRINCE GEORGE'S

Ernest Maier
4700 Annapolis Road
Bladensburg, MD 20710
301-927-8300
emcoblock.com

TALBOT

Paul T. Ewing
9353 Ocean Gateway
Easton, MD 21601
410-822-3496

WASHINGTON

Sunny Meadows
7437 Sharpsburg Pike
Boonsboro, MD 21713
301-432-2327

NEW JERSEY

ATLANTIC

Atlantic Masonry Supply, Inc.
6422 Black Horse Pike
Egg Harbor Twp., NJ 08234
609-909-9292
atlanticmasonrynj.com

Site One Landscape Supply (Wholesale Only)
716 White Horse Pike
Hammonton, NJ 08037
609-561-1777

Stoneworld Landscape Center
1333 Doughty Road
Egg Harbor Twp., NJ 08234
609-646-2200

BERGEN

Bergen Brick, Stone & Tile
685 Wyckoff Avenue
Wyckoff, NJ 07481
201-891-3500
bergenbrick.com

Hi-Way Block & Patio
147 N. 5th Avenue
Saddle Brook, NJ 07663
201-880-8473

Rocket Building Supply Co.
13 Hewson Avenue
Waldwick, NJ 07463
201-652-8884

Silver Mason Supply
39 West Forest Avenue
Englewood, NJ 07631
201-568-1140

BERGEN (CONT.)

Stone Brook Garden Center
451 Market Street
Saddle Brook, NJ 07663
201-880-1030

Stone Tek Mason Supply LLC
8 Muller Road
Oakland, NJ 07436
201-644-7790

BURLINGTON

Alenco Fence & Supply Co.
167B Route 70
Medford, NJ 08055
609-654-6060
alencofence.com

G. W. Lippincott, Inc.
63 Washington Street
Mt. Holly, NJ 08060
609-267-1803
lippincottsupply.net

Herman's Landscape Supply
181 Jacobstown-Cookstown Road
Wrightstown, NJ 08562
609-758-3808

Mershon Concrete
5251 US Highway 130 South
Bordentown, NJ 08505
609-298-2150
mershonconcrete.com

CAMDEN

Chick's Block Co.
10 N. Lakeview Drive
Gibbsboro, NJ 08026
856-783-1786
chicksblockco.com

McNaughton's Garden Center
351 Kresson Road
Cherry Hill, NJ 08034
856-429-6745

Wharton Landscape Supplies
2324 Columbia Avenue
Atco, NJ 08004
856-768-2505
whartonlandscapesupplies.com

CAPE MAY

Action Supply
1413 Old Stagecoach Road
Seaville, NJ 08230
609-390-0663
actionsupplynj.com

Beaver Supply
18 Diamond Road
Rio Grande, NJ 08242
609-886-2000

CUMBERLAND

Kennedy Concrete, Inc.
1969 South East Avenue
Vineland, NJ 08360
856-692-8650
kennedyconcretenj.com

R. E. Cummines
67 Chestnut Avenue
Vineland, NJ 08360
856-691-4040
recummines.com

R&G Landscape Supply
496 Landis Avenue
Bridgeton, NJ 08302
856-451-0948
rglandscapesupply.com

GLOUCESTER

BF Landscape Factory
1964 North Black Horse Pike
Williamstown, NJ 08094
856-740-1445
bflandscape.com

GLOUCESTER (CONT.)

Frank J. Fazio & Sons Inc.
458 Elwood Avenue
Pitman, NJ 08071
856-589-3760
faziococoncrete.com

Garoppo Stone & Garden Center
1200 Harding Highway (Route 40)
Newfield, NJ 08344
856-697-4444
garoppo.com

Rock Products Inc.
1675 Crown Point Road
Thorofare, NJ 08086
856-848-7934
rockproductsinc.com

HUDSON

Bella Vista Supply
800 Passaic Avenue
East Newark, NJ 07029
973-482-1818

MERCER

Trenton Block & Hardscape Supply
625 Cherry Tree Lane
Lawrenceville, NJ 08648
609-396-9750
mytrentonblock.com

MIDDLESEX

Bulk Yard 35 LLC
2069 Highway 35
South Amboy, NJ 08879
732-952-3750

Gray Rock Supply Co.
64 West Railroad Avenue
Jamesburg, NJ 08831
732-521-0580
grayrocksupply.com

North Brunswick Construction Materials
795 Ridgewood Avenue
North Brunswick, NJ 08902
732-247-4989
nbcmaterials.com

MONMOUTH

Dunlop and Lisk
400 Main Street
Matawan, NJ 07747
732-566-0243

V & S Landscape Supply
950 Route 33
Freehold, NJ 07728
732-780-8444
vslandscapesupply.com

MORRIS

EP Henry Hardscaping Center at Roxbury
5 Howard Boulevard
Ledgewood, NJ 07852
888-31-Henry
ephenryroxbury.com

Hoffman's Supply
35 East Mill Road
Long Valley, NJ 07853
908-876-3111

OCEAN

Hammett's Garden Center
425 Route 9
Forked River, NJ 08731
609-971-0453

Le-Ed Concrete & Supply Co.
1609 Lakewood Road
Toms River, NJ 08755
732-341-4546
leedconcrete.com

Le-Ed Hardscaping Center
294 South Main Street (Route 9)
Barnegat, NJ 08005
609-607-9300
leedconcrete.com

AUTHORIZED DISTRIBUTORS

PASSAIC

Athenia Mason Supply Inc.
72 Mina Avenue
Clifton, NJ 07011
973-253-0570

CDS Nursery and Landscaping
221 Newark Pompton Turnpike
Wayne, NJ 07470
973-686-5955

SALEM

Chick's Block Co.
65 N. Greenwich Street
Alloway, NJ 08001
856-935-6101
chicksblockco.com

SOMERSET

LTD Landscaping & Nursery
460 Minebrook Road
Bernardsville, NJ 07924
908-766-4442

Stone Center of Bridgewater
831 East Main Street
Bridgewater, NJ 08807
800-827-6257
thestonecenter.com/bridgewater

SUSSEX

Route 23 Patio & Mason Center
69 Route 23 North
North Hamburg, NJ 07419
973-875-3287

UNION

**Florence and Sons Mason & Landscape Supply
(Cast Veneer Stone Only)**
16 Hillside Avenue
Hillside, NJ 07205
973-282-1166

Halls Garden Center
700 Springfield Avenue
Berkley Heights, NJ 07922
908-665-0331
hallsgarden.com

NEW YORK

MONROE

Miller Brick Company
734 Ridgeway Avenue
Rochester, NY 14615
585-458-7745
millerbrick.com

NASSAU

JPD United Masonry
1637 Broadhollow Road
Farmingdale, NY 11735
631-249-5800
jpdunited.net

ONONDAGA

Split Rock Supply
3767 Howlett Hill Road
Syracuse, NY 13215
315-427-6522

ORANGE

EP Jansen Nursery LLC
161 Glenmore Ave
Florida, NY 10921
845-651-4106
jansennursery.com

SUFFOLK

Contractors Market
1760 Middle County Road
Ridge, NY 11961
631-205-9758

County Line Mason Supplies, Inc.
167 Depot Road
Huntington Station, NY 11746
631-271-6679

SUFFOLK (CONT.)

JM Troffa Hardscape Supply
70 Comsewogue Road Suite 21
East Setauket, NY 11733
631-828-1420
troffahardscape.com

North Fork Bedrock LLC
265 Cox Lane
Cutchogue, NY 11935
631-734-5804
northforkbedrock.com

Paul's Landscaping Inc.
686 Long Island Avenue
Deer Park, NY 11729
631-242-8140
paulslandscaping.com

NORTH CAROLINA

CURRITUCK

Bennett's Creek Nursery
147 Fox Knoll Drive
Powells Point, NC 27966
252-491-8514
bcnursery.com

DURHAM

Stone Center of Carolina – Durham
6515 Highway 55 South
Durham, NC 27713
919-361-4925
thestonecenter.com/Durham

MECKLENBURG

Stone Center of Carolina – Charlotte
605 Towne Centre Boulevard
Pineville, NC 28134
704-936-0720
thestonecenter.com/Durham

OHIO

JEFFERSON

Bowers Landscape Supply
425 Canton Road
Steubenville, OH 43953
740-632-7415

PORTAGE

Mock Property Services
37 S. Cleveland Avenue
Mogadore, OH 44260
330-628-9100
mockpropertyservices.com

PENNSYLVANIA

ALLEGHENY

84 Lumber
8400 Presto-Sygan Road
Bridgeville, PA 15017
412-221-1188

84 Lumber (Cast Veneer Stone Only)
4950 Buttermilk Hollow Road
West Mifflin, PA 15122
412-469-9684

885 Supply LLC
1215 Lebanon Road
West Mifflin, PA 15122
412-461-5885

Dragun's Landscape Supply
4535 Peoples Road
Pittsburgh, PA 15237
412-939-3675

Dragun's Landscape Supply
2458 Rochester Road
Sewickley, PA 15143
412-635-8441

ALLEGHENY (CONT.)

ProSource
101 Southpointe Drive
Bridgeville, PA 15017
412-221-7575

Pro Source
1909 New Texas Road
Pittsburgh, PA 15239
724-201-6027

Rob Cronin Inc.
667 Route 30
Imperial, PA 15126
412-302-1341

**Site One Landscape Supply
(Wholesale Only)**
360 Bilmar Drive
Pittsburgh, PA 15205
412-928-9430

T.A.R. Driveway Supplies
1299 McLaughlin Run Road
Bridgeville, PA 15017
412-221-0505

The Barn Landscape Supply
3004 Babcock Boulevard
Pittsburgh, PA 15237
412-931-7568

BERKS

Fleetwood Building Block Inc.
240 W. Main Street
Fleetwood, PA 19522
610-944-8385
fleetwoodblock.com

Hollenbach Home Center
Route 100 & County Line Road
Boyertown, PA 19512
610-367-2051

**Keystone Landscape Supply/
A.R. Adams & Son**
4 Industrial Drive
Hamburg, PA 19526
610-562-8662
keystonelandscapesupply.com

Ridgewood Soils
175 Angstadt Lane
Reading, PA 19606
610-373-0990
ridgewoodsoils.com

BLAIR

Tussey Mountain Mulch Landscape Center
8599 Woodbury Pike
Hollidaysburg, PA 16648
814-696-1920
tusseymountainmulch.com

BUCKS

Eddington Supply LLC
2734 Bristol Pike
Bensalem, PA 19020
215-639-0990
eddingtonsupplyllc.com

Stone Depot
1465 Route 113
Perkasie, PA 18944
215-249-0488
stonedepotpa.com

Trenton Block & Hardscape Supply
585 W. Bristol Road
Warminster, PA 18974
215-860-8800
mytrentonblock.com

Wehrung's Lumber & Home Center
7711 Route 611
Ottsville, PA 18942
610-847-2100
wehrungs.com

CAMBRIA

Milkie's Lawn and Garden Inc.
461 Eisenhower Boulevard
Johnstown, PA 15904
814-288-2420

Slovikosky Stone & Mulch Supply
3780 Colonel Drake Highway
Patton, PA 16668
814-674-2322

CARBON

Forest Inn Masonry Supply
6160 Interchange Road (Route 209)
Lehighton, PA 18235
610-377-5593
forestinmasonry.com

CENTRE

Bricks and Stones Supply
409 Discovery Drive
Boalsburg, PA 16827
814-364-1688
bricksandstones.com

CHESTER

Allied Landscape Supply–Brandywine
31 E. 1st Avenue
Parkesburg, PA 19365
610-857-5756
alliedlandscape.com

Main Line Concrete & Supply
1001 Boot Road
Downingtown, PA 19335
610-269-5556
mainlineconcrete.com

Woodward Landscape Supply
661 Schuykill Road (Route 724)
Phoenixville, PA 19460
610-983-9810
woodwardlandscapesupply.com

COLUMBIA

Riverview Block, Inc.
1507 Salem Boulevard, Route 11
Berwick, PA 18603
570-752-7191
riverview-block.com

CUMBERLAND

Budding Company
308 South 18th Street
Camp Hill, PA 17011
717-737-2511
buddingco.com

Carlisle Cement Products Inc.
510 East North Street
Carlisle, PA 17013
717-243-5323

Tri-Boro Construction Supplies Inc.
1490 Ritner Highway
Carlisle, PA 17013
800-248-6590
tri-borosupplies.com

DAUPHIN

Watson Supply Inc.
4021 N. 6th Street
Harrisburg, PA 17110
717-238-9730

DELAWARE

Galantino Supply Co., Inc.
725 Old Marple Road
Springfield, PA 19064
610-544-2586
galantino.com

**Site One Landscape Supply
(Wholesale Only)**
5191 Concord Road
Aston, PA 19014
610-358-0220

CONTINUED →

AUTHORIZED DISTRIBUTORS

ELK

JM DeLullo Stone Sales Inc.
1247 Million Dollar Highway
Kersey, PA 15846
814-834-1914

FAYETTE

Home Warehouse Inc.
1389 Connellsville Street
Uniontown, PA 15401
724-439-6330

GREENE

84 Lumber
118 Miller Lane
Waynesburg, PA 15370
724-627-8439

INDIANA

Krevel Supply
265 Swamp Road
Clymer, PA 15728
724-254-0403
krevelsupply.com

JEFFERSON

JM DeLullo Stone Sales Inc.
3150 Route 219
Falls Creek, PA 15840
814-375-2100

LACKAWANNA

Bricks and Stones Supply
East Grant Street & Garfield Avenue
Olyphant, PA 18447
570-383-2406
bricksandstones.com

LANCASTER

Allied Landscape Supply
5834 Old Lincoln Highway
Gap, PA 17527
717-442-4390
alliedlandscape.com

Penn Stone
190 West Ross Street
Lancaster, PA 17603
717-397-5264
pennstone.com

Sauder's Hardscape Supply
115 Ranck Church Road
New Holland, PA 17557
717-354-5570
saudershardscape.com

LAWRENCE

Harmony Hardscape & Landscape Supply
4256 U.S. 422
New Castle, PA 16101
724-965-8142
harmonyhardscape.com

LEBANON

Long Nursery, Inc.
1347 East Main Street
Palmyra, PA 17078
717-838-2931
longnursery.com

LEHIGH

Stone Haven Supply
2951 Bertz Court
Orefield, PA 18069
610-395-3318
stonehavensupply.com

LUZERNE

Bricks and Stones Supply
140 Dilley Street
Forty Fort, PA 18704
570-288-1471
bricksandstones.com

LYCOMING

Leonard Block Company
560 Old Route US Highway 220
Jersey Shore, PA 17740
570-398-3376
leonardblock.com

MONROE

447 Corner Stone Products
2089 Paradise Trail
East Stroudsburg, PA 18301
570-476-0900

MONTGOMERY

Allied Landscape Supply
1752 Limekiln Pike
Dresher, PA 19025
215-643-9857
alliedlandscape.com

Allied Landscape Supply
200 Limerick Center Road
Limerick, PA 19468
610-495-1408
alliedlandscape.com

Norristown Brick
741 Forrest Avenue
Norristown, PA 19403
610-539-1960
norristownbrick.com

Site One Landscape Supply (Wholesale Only)
100 Green Tree Road
Oaks, PA 19456
610-666-0595

NORTHAMPTON

Beth-Hanover Supply Co, Inc.
1050 Illicks Mill Road
Bethlehem, PA 18017
610-867-5840

The Brick Yard
1001 Nor-Bath Boulevard
Northampton, PA 18067
610-261-1100
thebrickyardllc.com

NORTHUMBERLAND

Central Builders Supply Co.
125 Bridge Avenue
Sunbury, PA 17801
570-286-6461

Patterson Hardscape & Supply Co.
100 State Route 901
Mt. Carmel, PA 17851
570-339-4570
pattersonblockinc.com

SCHUYLKILL

Petritsch Lawns Garden Center
1901 W. Penn Pike
New Ringgold, PA 17960
570-386-2824

Pine Creek Mulch & Stone
1425 Long Run Road, Route 443
Friedensburg, PA 17933
570-739-1140
pinecreekmulch.com

SOMERSET

Shaffer Block & Concrete Products Inc.
951 South Edgewood Avenue
Somerset, PA 15501
814-445-4414

WASHINGTON

84 Lumber
151 Poplar Drive
Coal Center, PA 15423
724-938-6102

84 Lumber
1019 Pennsylvania 519 Building #1
Eighty Four, PA 15330
724-228-8470

Bedner's Farm and Greenhouse
315 Coleman Road
McDonald, PA 15057
724-926-2541

Venetia Landscape Supply
452 Venetia Road
Venetia, PA 15367
724-348-5518
venetiasupply.com

WESTMORELAND

84 Lumber (Cast Veneer Stone Only)
1612 Roseytown Road
Greensburg, PA 15601
724-834-0984

Earth Elements Landscape Supply
11340 Center Highway
Irwin, PA 15642
724-590-5921
earthelementssupply.net

Earth Elements Landscape Supply
10799 Rillton-Guffey Road
Rillton, PA 15678
724-446-5296
earthelementssupply.net

Sevic Landscape & Supply
4749 Leechburg Road, Route 56
New Kensington, PA 15068
724-335-0736
seviclandscapeandsupply.com

YORK

Standard Concrete Products Co.
700 N. Sherman Street
York, PA 17402
717-843-8074
standardconcreteproducts.com

Tri-Boro Construction Supplies Inc.
465 Locust Street
Dallastown, PA 17313
800-632-9018
tri-borosupplies.com

VIRGINIA

ACCOMACK

T & W Block, Inc.
21075 Washington Street
Onley, VA 23418
757-787-2646
twblock.com

ALBEMARLE

Skyline Brick
3900 Seminole Trail
Charlottesville, VA 22911
434-973-0535
skylinebrick.com

HANOVER

Stone Center of Richmond
2388 Lanier Road
Rockville, VA 23146
804-343-3505
stonecenterofva.com

HENRICO

Site One/Pete Rose Inc.
9207 Old Staples Mill Road
Henrico, VA 23228
804-288-7436
peteroseinc.com

ISLE OF WIGHT

Bennett's Creek Nursery
17497 Bennis Church Boulevard
Smithfield, VA 23430
757-483-1425
bcnursery.com

JAMES CITY

Batchelder & Collins, Inc.
197 Ewell Road
Williamsburg, VA 23188
757-220-2806
757brick.com

Bennett's Creek Nursery
1568 Penniman Road
Williamsburg, VA 23185
757-253-8714
bcnursery.com

LOUDOUN

Nova Stone
43085 Builders Lane
Ashburn, VA 20147
703-674-5660

MANASSAS CITY

Stone Center of Northern Virginia
10405 Nokesville Road
Manassas, VA 20110
703-393-2828
stonecenterofva.com

NORFOLK CITY

Batchelder & Collins, Inc.
2305 Granby Street
Norfolk, VA 23517
757-625-2506
757brick.com

SPOTSYLVANIA

Stone Center of Fredericksburg
8241 Jefferson Davis Highway
Fredericksburg, VA 22407
540-891-7866
stonecenterofva.com

STAFFORD

SMC Stone Mulch Center
78 Shelton Shop Road
Stafford, VA 22554
540-657-5454
smcva.com

SUFFOLK CITY

Batchelder & Collins, Inc.
2140 Indian Trail
Suffolk, VA 23434
757-934-2326
757brick.com

VIRGINIA BEACH CITY

Bennett's Creek Nursery
1241 Princess Anne Road
Virginia Beach, VA 23457
757-426-7000
bcnursery.com

WILLIAMSBURG

WEST VIRGINIA

MONONGALIA

Affordable Landscape Supplies
273 Point Marion Road
Morgantown, WV 26508
304-291-3400

©2019 EP HENRY. ALL RIGHTS RESERVED.
REPRODUCTION OF ANY OF THE CONTENTS
OF THIS CATALOG IS PROHIBITED.

EP Henry Corporation Registered Trademarks include: Bristol Stone®, Contractor Select®, Coventry®, Danbury®, Duraface®, ECOCenter®, EP Henry®, EP Henry Authorized Hardscaping Contractor®, EP Henry Authorized Hardscaping Distributor®, Project Funding®, ECO Cobble®, Project Services®, Values that Endure®.

EP Henry Corporation Trademarks include: Chilton™, Chiseled Stone™, ColorTech™, Durafacing™, ECO™ Paver, English Garden Wall™, Forma Stone™, Hardscaping™, Imperial™, Inspiration to Installation™, I to I™, Marquis Wall™, Old Towne Cobble™, Rittenhouse Paver™, Society Hill Brick Stone™, Terrace Wall™, Tudor Wall™, Quality for Life™. Other brands mentioned herein are registered trademarks of their respective companies.

Policies, guarantees, warranties, and other statements are current as of the time of printing. Periodically, this content will be updated without notice and will supersede prior stated information.

Please consult ephenry.com for the latest information.

WARRANTY DETAILS

INDUSTRY EXCLUSIVE LIFETIME PRODUCT WARRANTY AND LIMITED INSTALLATION WARRANTY

Because we believe that the best warranty is one that you never use, we build quality into every product. We are so confident in our products that we offer a Lifetime Warranty on the structural integrity* of our paving stones and wall systems for residential use. At no cost to you, EP Henry will replace paving stones and wall system products whose structural integrity is found to be defective under normal use when properly installed according to EP Henry standards and guidelines (labor excluded). We also offer an industry exclusive Limited Installation Warranty on projects installed by an EP Henry Authorized Hardscaping Contractor®, referred through our Project Services team.**

For complete terms and conditions of the warranty, visit ephenry.com.

*A defect in "structural integrity" means the inability of a properly installed and maintained paver or wall product to perform the function for which it was designed due to defects in material. A defect in "structural integrity" does not mean a function caused by improper installation, workmanship or efflorescence.

**Homeowners must register their project through EP Henry Project Services. Proof of purchase required.

Cast Stone Wall and Cast Veneer Stone products are covered under a separate warranty; please visit our website for details.



PRODUCT NOTES

READ PRIOR TO PURCHASING OR INSTALLING ANY PAVER OR WALL PRODUCT

If you believe there is an issue with product style, color, or quality, do not install it and please contact your distributor immediately. Save all cube tags and provide to the distributor or manufacturer's representative who comes to the job site. INSTALLATION OF PRODUCT IS DEEMED ACCEPTANCE. No claims or returns on installed product will be allowed.

EFFLORESCENCE

Efflorescence is a whitish, powder-like deposit common on concrete and masonry products which will normally disappear over time with natural weathering. According to the Interlocking Concrete Pavement Institute (ICPI), it will typically stop developing within 18-24 months. Although it may present an aesthetic concern, efflorescence will not affect the structural performance of pavers or wall systems. Efflorescence is a natural occurrence for which EP Henry accepts neither responsibility nor liability. For more information, please visit: www.icpi.org, www.ncma.org, www.masonryinstitute.org, or www.bia.org.

POLYMERIC SAND HAZE

Polymeric haze from the use of polymeric joint sand may appear on your pavers if the sand was not removed from the surface of the pavers properly. This does not in any way affect the integrity of your pavers or the installation. The haze will weather away naturally with time. If you wish to remove it with a cleaning product, it is recommended that you contact your distributor or the manufacturer of the polymeric sand used for advice and product recommendations. EP Henry accepts NO responsibility nor liability for this occurrence.

Please see p.137 for more information.

DE-ICING SALT STATEMENT

NOTE: This is an updated recommendation based on new testing within the concrete industry.

Rock Salt (sodium chloride) or NaCl is the least damaging to concrete materials and should be used whenever possible. Please refer to ICPI's De-Icing Chemical Technical Bulletin for more information.

COLOR


EP Henry Hardscaping products are made from natural materials and variations in shade can be expected. Additionally, many of our colors are achieved through a random mixture of several colors and the presence of any of these colors will vary from one unit to another. It is recommended that the installer draw from multiple cubes of material during installation to disperse any color range more uniformly. The end user of the material (home or business owner) should make their selection from current physical product samples that show the range of color.

DON'T SCUFF THOSE PAVERS!

EP Henry recommends the use of a vibrating plate compactor with a protective pad to prevent surface damage to the pavers during installation. EP Henry will not be responsible for compaction scuffs or burns on pavers. **PLEASE NOTE**, some pavers and all Cast Stone slabs should not be compacted using a vibrating plate compactor.

Look for this symbol  on product pages for restrictions.

Chiseled Stone with ColorTech Sonoran, Random Installation



NEXT STEPS

Whether you are looking to add a new front walkway to increase your curb appeal or planning an awe-inspiring outdoor living space, beginning a construction project can be a bit overwhelming at first.

We get it.

It's a big decision and you want it done right. We can help with the groundwork. In this fast-moving world of automation, sometimes you just need to talk to a live person, one-on-one. That's why we have a full-time Project Service team to take your call and answer your questions.

Give us a call.

We'd love to learn about your project. We can help you find experienced EP Henry Authorized Hardscaping Contractors® in your area so you can begin discussing design ideas and getting quotes that fit your space and budget.

We take it a step further.

Because our goal is to provide you with the best product and ensure you get the best finished project, we have experts at every level to support our distributors and contractors with Technical and Product Installation assistance.

We've got you covered.

We are so confident in our products that we offer a FREE Lifetime Warranty on the structural integrity of our paving stones and wall products for residential use. That's saying a lot for a company that began in 1903. Take advantage of our industry-exclusive Limited Installation Warranty on projects installed by an EP Henry Authorized Hardscaping Contractor, referred through our Project Services team.

Get started!

Call us at 800-44-HENRY (800-444-3679) or visit ephenry.com/contact and an EP Henry Project Services team member will help you go from inspiration to installation.

“Maintaining the patio is so easy! We live in a wooded area with lots of birds. We simply hose down the patio. No cleaning products needed! Thus far, we've had all types of food and beverage spillage, all of which was easily removed with hosed water. The patio is beautiful and we've received endless compliments. We've showcased our patio on social media and one person commented, “Are those EP Henry pavers?” The quality of these pavers is well-known and, when seen, unmistakably EP Henry.”



Chiseled Stone I and II with ColorTech Slate Green, Random Installation

THE PREMIERE COLLECTION

AVAILABLE FOR
IMMEDIATE RELEASE




**NEW BELMONT
EXPANDS TO
CAPS & STEPS**

Learn More p.34

We've added caps and steps to the Belmont line. Part of our Premiere Collection, all Belmont comes with a factory-applied sealer that provides enhanced color and stain resistance.

AVAILABLE
EARLY SUMMER 2020



**NEW CAST
STONE WALL
LEDGESTONE**

Allegheny

Aztec

Get the look of natural stone at a fraction of the cost. Our popular Ledgestone profile will be available in our exclusive Cast Stone Wall Collection. Look for two new colors, Allegheny and Aztec.

COMING EARLY SUMMER 2020 COLORIST SYSTEM FOR WALLS

Starting in the early summer of 2020 EP Henry's proprietary technology that produces consistent color blends will be used on all Split Wall Systems and Aged Wall Collections

Learn More p.33

COMING ATTRACTIONS



SOLIDIA®

A Better Concrete For a Better Planet

Exclusively available in the U.S. from EP Henry, Inc.com named Solidia the #1 innovative startup to watch.

To learn more about our new Solidia technology, visit page 32.



ECO Bristol Stone with Solidia Pewter Blend, Random Installation

SOLIDIA FAMILY OF PRODUCTS

AVAILABLE
EARLY SUMMER 2020



THE ENTIRE
ECO COLLECTION
FEATURES SOLIDIA



This revolutionary technology produces beautiful, eco-friendly pavers that reduce the carbon footprint up to 70% and are free from efflorescence.

Learn More p.32

AVAILABLE
EARLY SUMMER 2020



NEW **BERKSHIRE**
PLANK PAVER



Available in four colors, Berkshire Plank Pavers are 3 1/8" thick and comes in five sizes (WxL):

- 5 1/2" x 11 13/16"
- 5 1/2" x 19 1/16"
- 5 1/2" x 23 5/8"
- 5 1/2" x 15 3/4"
- 5 1/2" x 27 9/16"

Enlarged swatches on p. 120

AVAILABLE
EARLY SUMMER 2020



NEW **TRILOGY**
3 PIECE MODULAR
SYSTEM



This 3-piece modular system will be available in both textured and smooth finishes and has a 7mm joint space for use as a permeable paver.



EPHENRY®

800.44.HENRY
ephenry.com
@EPHenryUSA

