


2022
CATALOG
OF DREAMS



UNILOCK[®] **50**
PAVING IT FORWARD YEARS



“A beautiful outdoor space should stand the test of time, every time.”

Ed Bryant | Unilock Founder


November 30, 1935 - January 28, 2021





Laying a Foundation for Inspiration

50 years ago, our founder had a dream. When Ed Bryant introduced the UNI-Stone paver to the North American market, he essentially established the hardscaping industry here. Since then, we have continued to innovate and grow. As a result, we are proud to have played a part in creating countless beautiful spaces, from backyard patios to landmark destinations across the continent. And we're just getting started. We know Ed would be proud.



UNILOCK[®] **50**
PAVING IT FORWARD YEARS



**What's
inside**

14 Dream

- 6 Unilock® Quality
- 8 Exclusive Technologies
- 10 Ultima™ & Reala™
- 12 EasyClean™ & ColorFusion™
- 14 Dream with Unilock

44 Products

- 46 Product Categories
- 48 Pavers & Slabs
- 112 Retaining Walls & Vertical Features
- 128 Steps, Treads, Coping & Caps
- 134 Making Your Project Unique

144 Learn & Plan

- 146 Coatings & Finishes
- 148 Reference Charts
- 150 Learn about the Process
- 152 Construction Process
- 154 Contractor Tips
- 156 Protect your Investment
- 158 Choice of Design Professionals
- 160 Unilock Guarantee



Quality

FOR US, IT'S PERSONAL

Over 50 years ago, our founder stumbled upon a unique little European product called the UNI-Stone. Intrigued by the benefits of this revolutionary paving method, he decided to license the product and bring the concept to North America. He purchased a basic paver machine from Europe and hired a small staff to produce the stones.

In those early days, most sales of Unilock were to large-scale commercial properties and streetscapes. Any lapse in quality would be costly and would jeopardize


our owner's personal reputation, so quality was of paramount importance.

From these humble beginnings, through to the multinational company we are today, Unilock has remained a family-owned company that puts quality first. For us, it's not just a matter of dollars and cents, it's our personal reputation that's on the line.

Homeowners, Contractors, Landscape Designers and Architects across North America know they can rely on us to supply them with top quality product every time.



Today we operate 13 manufacturing plants across North America.



The first Unilock press produced a humble 817 square feet of pavers a day.



EXCLUSIVE

UNILOCK TECHNOLOGIES

“Innovation is really what makes this company... Just about every new product technology that’s come into North America we developed and brought in.”

~ Ed Bryant, Unilock Founder

For the past 50 years, Unilock has enjoyed close connections to European companies that keep us on the leading edge of product design and manufacturing processes. While other companies follow in our footsteps, Unilock continues to pave it forward with a growing history of industry firsts.

Over 50 years of Innovation

1972	1991	1992	1993
<p>UNILOCK INTRODUCES THE FIRST PAVING STONE TO NORTH AMERICA.</p> <p>Founder Ed Bryant kick-started the entire industry, securing a license to manufacture and sell the iconic UNI-Stone from Europe.</p>  <p>UNI-STONE™</p>	<p>FIRST PERMEABLE PAVER</p> <p>We were the first to manufacture permeable pavers to address growing concerns around stormwater management. Today we have more permeable paver design options for residential and commercial projects than anyone.</p>  <p>UNI ECO-STONE™</p>	<p>FIRST FACEMIX</p> <p>Before Unilock Series, all pavers in North America were thrumix. We were the first to introduce facemix technology, now known as EnduraColor™. Some manufacturers are trying to market facemix as something new, but we've been selling it for more than twenty-five years.</p>  <p>SERIES™</p>	<p>TUMBLED PRODUCTS</p> <p>The idea of 'antiquing' pavers for a timeworn look was something that many people said would never fly. But Brussels Block quickly became the most popular product in our line, leading to Brussels Dimensional wall, and scores of imitators.</p>  <p>BRUSSELS BLOCK™</p>
2004	2007	2018	2022
<p>FIRST ULTIMA CONCRETE</p> <p>Unilock remains the only manufacturer in North America with this technology. Ultima™ Concrete makes our Elegance products second-to-none in beauty and durability.</p>  <p>Look for our ELEGANCE Product line-up.</p>	<p>FIRST COATED PRODUCT</p> <p>Unilock introduced Umbriano as the first product with EasyClean™ stain resistance technology. Other factory sealed products have followed since then.</p>  <p>UMBRIANO™</p>	<p>PATENTED U-CARA WALL</p> <p>The U-Cara Multi-Face Wall was developed to deliver unlimited design flexibility with a single wall system that brings EnduraColor finishes to vertical features. Only Unilock holds the patent for this product.</p>  <p>U-CARA™ US PAT. 9,453,341</p>	<p>THE NEXT 50 YEARS</p> <p>This year marks our 50th anniversary as the industry trend-setter and we're investing more than ever before. Developing new products, processes and technologies that will pave the way forward for another 50 years.</p>  <p>UNILOCK™ PAVING IT FORWARD</p>

Ultima™



Courystone

Only Unilock has the technology in North America to manufacture Ultima Concrete resulting in pavers **up to four times stronger** than poured concrete. With Ultima, the look you purchase is the look that will last.

Ultima Concrete is a key ingredient in the **timeless elegance** of our Elegance collection of premium pavers.

➤ What makes Ultima concrete so strong?

In a word, fluidity. During manufacturing, we use as little water as possible while enhancing the fluidity at the drying stage, resulting in a form that self-compacts at the chemical level. The result is an extraordinary product that is unlike anything you'll find outside of Unilock.

With Ultima

Unilock Town Hall® pavers are built to last



Without Ultima

Deteriorating brick pavers exposed to deicing salts

Reala™

When it comes to creating **realistic textures** that are indistinguishable from brick, cobblestone, or flagstone, there is no room for compromise.

Any paver meant to imitate a classic building material needs to embody its look, its feel, and its strength. At Unilock, we've been capturing all three since **2004** with our unique Reala technology.



➤ How do we achieve a random appearance?

First, we cast a multitude of pavers from molds of actual flagstone, brick, and cobblestone. Then we randomize the casting process. With so much variation between molds, we can then ensure that any paver installation avoids repetition, no matter how large or small the project.

Utilizing REALA technology, a multitude of natural stone surfaces, brick and historic cobblestones are cast to create a **wide variety of authentic textures** with consistent dimensions that are **more cost efficient to install**.



Nothing protects pavers from stains like EasyClean.



Unlike after-market sealers which merely coat the top, EasyClean goes beyond the surface and becomes integral to the product during manufacturing. The result is enhanced surface color, and protection from stains.

EASYS CLEAN ADVANTAGES
Pavers are pre-sealed at the factory
Enhanced resistance to weathering
Reduced dirt absorption
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove


What does this mean for stains?

Any spill that does manage to land on an EasyClean paver can be quickly and easily wiped away - no deep scrubbing or heavy cleaners needed.

Pavers shown on left hand side are Thrumix pavers without EasyClean. Pavers shown on right hand side are EnduraColor pavers with EasyClean Stain Resistance Technology.

ColorFusion™

The look of natural granite is achieved when color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface.



ColorFusion also available on our U-Cara® Multi-Face Wall System.



» Why do people love granite?

It's strong, beautiful and has an earthy, timeless look. Unfortunately, it's also expensive, extremely heavy and can be difficult to install. ColorFusion brings the look of granite to Umbriano for gorgeous, barefoot-friendly surfaces. No granite aesthetic is off-limits with ColorFusion pavers.

ColorFusion pavers are made with the same durable concrete and fortifying manufacturing processes that make Unilock pavers last for decades. Our commitment to beautiful, long-lasting hardscaping products is what built our reputation, and we honor that commitment through continued innovation.

Dream

**The elements
of design begin
with a dream of
what's possible.**

Envision an outdoor space where the inspired use of patterns, textures and shapes not only creates design-envy, but elevates your world in the most beautifully functional way.




Umbriano Summer Wheat




Pavers: Series™
(Black Granite) with
custom color blend
and custom color
rounded inlays

Wall: U-Cara® (Opal
Smooth - Special Order)
with U-Cara Series
(Onyx Black) accents

A bold driveway design is disrupted by a half circle and accented with dark pavers that complement the strong outlines of this ultra-modern home.




Beacon Hill™ Smooth (Steel Mountain) with Series™ (Black Granite) accent



Accent on Rectangles


Around back, the drama continues with large-scale slabs in the backyard patio and a linear wall design, both punctuated with black accents. The color tones mirror the shades of the home.



Richcliff® (Dawn Mist and Pebble Taupe) with Courtstone® (Basalt) accent and Ledgestone™ (Buff) coping

Classically elegant and strikingly detailed riven surface texture makes Richcliff the perfect match for this arts and crafts style home.





Warm Welcome

An inset border of Unilock Courtstone pavers gives extra dimension and helps visually define broad steps leading up to the front door.



Cutting Edge

Pavers are laid on the diagonal and boldly outlined with multi-layered border, which accents the planting bed and garden walls.



Pavers: Umbriano® (Summer Wheat) with Town Hall® (Burnt Clay) accent and Natural Stone (Golden Sand) step



Take a seat at the table in the outdoor dining area, cleverly defined by a mix of 90-degree and 45-degree paver patterns and striking borders.

Entertaining Ideas

From a complete outdoor kitchen to distinct areas for dining, lounging, sunbathing and mingling over cocktails, this is an entertainer's dream. Architectural elements such as low walls, planters, pillars, a custom fireplace, and water features add to the contemporary vibe.



Pavers: Umbriano® (French Grey) with Town Hall® (Basalt) accent


Walls: Lineo™ Dimensional Stone (Limestone)

Fireplace: Lineo Dimensional Stone (Limestone) with Series™ (Black Granite) accent

Steps & Coping: Natural Stone




The look of natural granite pavers manufactured with EasyClean™ stain protection means the occasional party spill is easily wiped clean.





The silky, matte texture and unique speckled surface of Arcana catches the sparkle from the refreshing water.



Pavers: Arcana™ (Modena) with Series™ (Black Granite) accent and Fullnose™ (Limestone) coping
Grill Island: U-Cara® (Steel Mountain) with U-Cara Series™ (Onyx Black) accent




Oasis of Calm

There is so much to appreciate in this serene setting. Large-format pavers laid in a running bond pattern ground the relaxed, minimalist design of the pool area. When you feel the need for company, a complete outdoor kitchen makes this backyard oasis an entertainer's dream.




An angular, terrace patio creates the perfect stage for intimate outdoor gatherings.

Firepit: U-Cara® Pitched (Steel Mountain) with Natural Stone (Stone Cliff Grey) coping



Pavers: Beacon Hill™ Smooth (Steel Mountain) with Mattoni™ (Sable Blend, Dark Charcoal and Granite Blend) paver rug and accents

Step Treads: Natural Stone (Stone Cliff Grey)



Dynamic Patio

A herringbone paver pattern surrounded by a contrasting border gives the feeling of an area rug to define the relaxed lounge area.





Come Linger

With pavers laid on a 45-degree angle for visual interest, and edged by a double-wide paver band, this backyard space is open for happy hour. Guests gather around the complete grill island and bar-height fire table to laugh, linger and let the week fade away.



Pavers: Bristol Valley® (Steel Mountain) with Copthorne® (Basalt) accent

Wall: Brussels Dimensional System™ (Almond Grove) with Copthorne (Basalt) accent and LedgeStone™ (Buff) coping





A driveway paved with large rectangular pavers placed at a 45-degree angle meets a soft curve at the garage door for a bit of the unexpected every day.



Pavers: Copthorne® (Basalt) pathway with Richcliff® (Dawn Mist)

Step Treads: Natural Stone (Stone Cliff Grey)



Anything but Everyday

Pavers in a classic herringbone pattern fill in a gently curving path helping to define walking areas and lead guests to the front door. The darker tones match the driveway pavers for a smooth, consistent look.






Modern Minimalism

A sparkling pool surrounded by smooth, Umbriano pavers aspire to create a clean, ultra-modern summer escape. Large format slabs on the lawn lead guests to the shade of a canopied eating area.

Umbriano®
(Winter Marvel)





An original geometric design at the front entrance provides inspiration for imaginative garden beds.


Pavers: Bristol Valley® (Steel Mountain) with Copthorne® (Basalt) accent

Water Feature: Lineo™ Dimensional Stone (Limestone) with Natural Stone coping



Front-to-Back Flexibility

Bristol Valley is a refined paver that is soft underfoot, but still has a subtle surface texture. A paver so versatile, it can go from elegant front entrance to stunning walkway to a cool-to-the-touch pool deck. That's not asking too much, is it? No. And while you're at it, add a tranquil water feature for effect.



Mixed shapes and textures within a continuous color scheme creates subtle visual interest.

Upper Pavers: Artline™ (Steel Mountain) with Mattoni™ (Dark Charcoal)
Lower Pavers: Westport™ (Steel Mountain) with Mattoni™ (Dark Charcoal)
Seat Walls & Retaining Walls: Brussels Dimensional System™ (Limestone) with Copthorne® (Basalt) accent and LedgeStone™ (Buff) coping
Grill Island and Firepit: Lineo™ Dimensional Stone (Limestone)
Steps: LedgeStone™ (Buff) coping and steps




Fire and Water in Harmony

When pool play is over, step up to the adjacent patio set apart by pavers laid at a 45-degree angle. Later, the warmth of the fire table flanked by fire-topped pillars and surrounded by low walls with built-in seating and comfy pillows beckons.

Escape Artistry

With a minimalistic design and cues borrowed from the home's monochromatic shades, this paver deck creates seamless flow to the serenity of the pool.

Beacon Hill™ Smooth XL Unit (Opal - Special Order)



Old World Meets New

Some classics never lose their charm. Enhance a home's modern architecture with an authentic cobblestone driveway for blended beauty that never fades.




Courtstone® (Basalt)





Follow Your Path

Old world charm mingles with modern-day style. A sleek paver field contrasted with the rustic look of historic street pavers takes you from dining area to hot tub to cozy fire table in this all-inclusive retreat.



Pavers: Umbriano® (Summer Wheat) with Copthorne® (Basalt) walkway and accents

Vertical Features: Lineo™ Dimensional Stone (Limestone) with Series™ (Black Granite) accent and Universal coping (Light Grey)



Resistance is futile. Pavers laid in a fine herringbone pattern take you down the path to a captivating setting.



A blending of natural stone and historic brick textures laid in a variety of patterns makes this project a visual feast.



Richcliff® (Dawn Mist) with Copthorne® (Basalt) paver rug and Courtstone® (Basalt) accents and Natural Stone (Stone Cliff Grey) slabs



The Difference is in the Details

Taking its cue from the warm tones of the home, this elevated patio embraces its guests with timeless charm and comfort. The cool grey tones of the pavers complement the wood features and mosaic metal fencing.

Products

Capture the eye
with *exclusive*
products that
are style-forward
and functional in
the extreme.

From time-worn cobblestone to modern, linear pavers, our product array takes you beyond the horizontal to garden walls, pillars, steps, fire tables and fountains. Discover a look that is unmistakably you - undeniably Unilock.



Town Hall™

Unilock Product Categories

CLASSIC

Our budget-friendly, Unilock Classic pavers and walls are manufactured to exceed ASTM standards for quality and strength. Available in classic shapes and styles, these products utilize a traditional product mix of large and small aggregates that is consistent from top to bottom with color mixed throughout.



ENDURACOLOR™


The refined surface of Unilock EnduraColor products is achieved with a two-step manufacturing process that combines a base of coarser aggregates for a stronger foundation with concentrated color and wear-resistant finer aggregates on top. This process protects the surface from the appearance of fading over time because the top layer prevents large, lighter color aggregates from ever showing through. Now, with U-Cara®, walls are available with EnduraColor too!




ELEGANCE®

Deep, rich colors and a multitude of unique Reala™ textures combine to deliver the timeless beauty of Unilock Elegance. From the timeworn look of European cobblestones, to the classic luxury of riven natural stone slabs, our Elegance collection offers styles you can't get anywhere else. Thanks to Ultima™ Concrete, the look you purchase is the look that will last, with up to **4x the strength of poured-in-place concrete.**

PERMEABLE



Developed in response to growing concerns around stormwater management, permeable pavers allow rainwater to flow between the joints and back into the subsoil. This provides a dual “green” benefit: it reduces the amount of water sent to storm sewers, and instead provides extra moisture to surrounding plant material.



The pavers used in a permeable installation look similar to traditional pavers, but are made with special spacer bars that create a wider joint.

Special materials are used in the joints and in the permeable base below, to encourage water to flow through and reach the subsoil.

Using permeable pavers will reduce puddling on the pavement when it rains, and decrease ice build-up in winter.



LOOK FOR THIS PERMEABLE ICON IN OUR UNILOCK PAVER COLLECTION.

The Product is Roughly 20% of the Total Cost

BUY THE BEST!

The major cost of your project is the prep work and installation - not the cost of the product (the ratio is approximately 20% product / 80% installation).

Don't compromise! Choose the product you love to get the maximum enjoyment from the investment you've made below the surface.

CONSTRUCTION CROSS SECTION



PROJECT COST BREAKDOWN

20%
Pavers

80%

Excavation
Gravel Base
Labor





Pavers & Slabs

From traditional shapes and textures to the most advanced technology and unique styles. The choices available in our paver collection are unrivaled in the industry.

Umbriano® (Winter Marvel) with Town Hall® (Basalt) accent



ENDURACOLOR™

*Refined surface and
long-lasting color*

Treo® Premier

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads



ALMOND GROVE



FOSSIL



STEEL MOUNTAIN



TUSCANY



LARGE RECTANGLE

$8\frac{7}{8} \times 13\frac{1}{4} \times 2\frac{3}{8}$ "
225 x 338 x 60mm



SQUARE


$8\frac{7}{8} \times 8\frac{7}{8} \times 2\frac{3}{8}$ "
225 x 225 x 60mm



SMALL RECTANGLE

$4\frac{1}{2} \times 8\frac{7}{8} \times 2\frac{3}{8}$ "
112 x 225 x 60mm

3 UNIT RANDOM BUNDLE



CHARCOAL SMALL RECTANGLE ONLY



BROWN SMALL RECTANGLE ONLY



SMALL RECTANGLE

$4\frac{1}{2} \times 8\frac{7}{8} \times 2\frac{3}{8}$ "
112 x 225 x 60mm

Tuscany with Copthorne® (Burgundy Red) accent



ENDURACOLOR™*Refined surface and
long-lasting color*

Treo® Smooth


ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

**FOSSIL****STEEL MOUNTAIN****LARGE RECTANGLE**
8⁷/₈ x 13¹/₄ x 2³/₈"
225 x 338 x 60mm**SQUARE**
8⁷/₈ x 8⁷/₈ x 2³/₈"
225 x 225 x 60mm**SMALL RECTANGLE**
4¹/₂ x 8⁷/₈ x 2³/₈"
112 x 225 x 60mm**3 UNIT RANDOM BUNDLE**

Steel Mountain



ENDURACOLOR™*Refined surface and
long-lasting color*

Thornbury™

Smooth

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads



FOSSIL NEW SPECIAL ORDER



STEEL MOUNTAIN SPECIAL ORDER



LARGE RECTANGLE
13¾ x 16½ x 2¾"
350 x 420 x 70mm



MEDIUM RECTANGLE
13¾ x 8¼ x 2¾"
350 x 210 x 70mm



SMALL RECTANGLE
6⅞ x 8¼ x 2¾"
173 x 210 x 70mm

3 UNIT RANDOM BUNDLE SPECIAL ORDER

Steel Mountain



CLASSIC

Eco-Priora™

ADVANTAGES

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads



*Also Available in Umbriano®,
Series™, Premier or
Tumbled Finishes as
Special Order.*

GRANITE



RECTANGLE
5 x 10 x 3/8"
120 x 240 x 80mm



LARGE SQUARE
10 x 10 x 3/8"
240 x 240 x 80mm
SPECIAL ORDER



SQUARE
5 x 5 x 3/8"
120 x 120 x 80mm
SPECIAL ORDER



ENDURACOLOR™*Refined surface and
long-lasting color*

Beacon Hill™ Flagstone

60mm

ADVANTAGES**PEDESTRIAN FRIENDLY**

Not recommended for vehicular

**ALMOND GROVE****FOSSIL****TUSCANY****STEEL MOUNTAIN**

LARGE RECTANGLE
15 x 22½ x 2⅜"
380 x 570 x 60mm



SQUARE
15 x 15 x 2⅜"
380 x 380 x 60mm



SMALL RECTANGLE
7½ x 15 x 2⅜"
190 x 380 x 60mm

3 UNIT RANDOM BUNDLE

Steel Mountain with Copthorne® (Basalt) accent



ENDURACOLOR™*Refined surface and
long-lasting color*

Beacon Hill™ Flagstone

80mm

ADVANTAGES**DRIVE FRIENDLY**

Can handle vehicular loads

**FOSSIL** SPECIAL ORDER**STEEL MOUNTAIN** SPECIAL ORDER

LARGE RECTANGLE
14 x 21 x 3 1/8"
360 x 540 x 80mm



SQUARE
14 x 14 x 3 1/8"
360 x 360 x 80mm



SMALL RECTANGLE
7 x 14 x 3 1/8"
180 x 360 x 80mm

3 UNIT RANDOM BUNDLE SPECIAL ORDER**Pavers:** Steel Mountain with Copthorne® (Basalt) border**Walls:** U-Cara® Pitched (Steel Mountain) with U-Cara Smooth (Opal) accent and Natural Stone steps



ENDURACOLOR™*Refined surface and
long-lasting color*

Beacon Hill™ Smooth

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular

**ALMOND GROVE****FOSSIL****TUSCANY****STEEL MOUNTAIN****OPAL** SPECIAL ORDER**LARGE RECTANGLE**15 x 22½ x 2¾"
380 x 570 x 60mm**SQUARE**15 x 15 x 2¾"
380 x 380 x 60mm**SMALL RECTANGLE**7½ x 15 x 2¾"
190 x 380 x 60mm**3 UNIT RANDOM BUNDLE**

Tuscany



ENDURACOLOR™*Refined surface and
long-lasting color*

Beacon Hill™ Smooth XL

ADVANTAGES

PEDESTRIAN FRIENDLY

Not recommended for vehicular



ALMOND GROVE



FOSSIL



TUSCANY



STEEL MOUNTAIN



XL UNIT

22½" x 37½" x 2⅜"
570 x 950 x 60mm

Steel Mountain



ENDURACOLOR™*Refined surface and
long-lasting color*

Westport™

Exclusive to **UNILOCK**

ADVANTAGES

 **EasyClean™**

Factory sealed to provide integral surface protection from stains

SOFT TOUCH FINISH

Ultra-smooth surface texture

DRIVE FRIENDLY

Can handle vehicular loads

**FOSSIL****STEEL MOUNTAIN****MIDNIGHT CHARCOAL**

5 x 10 ONLY

**LARGE RECTANGLE**
10 x 15 x 2¾"
254 x 380 x 70mm**SQUARE**
10 x 10 x 2¾"
254 x 254 x 70mm**RECTANGLE**
5 x 10 x 2¾"
127 x 254 x 70mm**RECTANGLE**
5 x 10 x 2¾"
127 x 254 x 70mm**3 UNIT RANDOM BUNDLE**

Steel Mountain



ENDURACOLOR™*Refined surface and
long-lasting color*

Bristol Valley®

Exclusive to **UNILOCK**

ADVANTAGES

 **EasyClean™**


Factory sealed to provide integral surface protection from stains

SOFT TOUCH FINISH

Ultra-smooth surface texture

PEDESTRIAN FRIENDLY

Not recommended for vehicular

**FOSSIL****STEEL MOUNTAIN****LARGE RECTANGLE**
14 x 21 x 2³/₈"
360 x 540 x 60mm**SQUARE**
14 x 14 x 2³/₈"
360 x 360 x 60mm**SMALL RECTANGLE**
7 x 14 x 2³/₈"
180 x 360 x 60mm**3 UNIT RANDOM BUNDLE**

Steel Mountain with Copthorne® (Basalt)



ENDURACOLOR™*Refined surface and
long-lasting color*

Mattoni™

Exclusive to **UNILOCK**

ADVANTAGES



Factory sealed to provide integral
surface protection from stains

ANTIQUED FINISH

Distressed, timeworn finish

DRIVE FRIENDLY

Can handle vehicular loads

**SABLE BLEND****GRANITE BLEND****DARK CHARCOAL**

2³/₈ x 9²/₈ x 2³/₄"
60 x 240 x 70mm

Sable Blend with Dark Charcoal accent



ENDURACOLOR™

Refined surface and long-lasting color

Artline™

SMOOTH FINISH

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads



FOSSIL SPECIAL ORDER



STEEL MOUNTAIN SPECIAL ORDER



$7\frac{1}{2} \times 8\frac{7}{8} \times 2\frac{3}{4}$ "
188 x 225 x 70mm



$7\frac{1}{2} \times 13\frac{3}{8} \times 2\frac{3}{4}$ "
188 x 338 x 70mm



$7\frac{1}{2} \times 17\frac{3}{4} \times 2\frac{3}{4}$ "
188 x 450 x 70mm



$4\frac{7}{8} \times 6\frac{3}{4} \times 2\frac{3}{4}$ "
125 x 169 x 70mm



$4\frac{7}{8} \times 10\frac{3}{8} \times 2\frac{3}{4}$ "
125 x 263 x 70mm



$4\frac{7}{8} \times 13\frac{3}{8} \times 2\frac{3}{4}$ "
125 x 338 x 70mm



$4\frac{7}{8} \times 17\frac{3}{4} \times 2\frac{3}{4}$ "
125 x 450 x 70mm

7 UNIT RANDOM BUNDLE SPECIAL ORDER

Steel Mountain with Series™ (Black Granite) accent



ENDURACOLOR™

Refined surface and long-lasting color

Artline™ UMBRIANO® FINISH

Exclusive to **UNILOCK**

ADVANTAGES



Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads



FRENCH GREY SPECIAL ORDER



WINTER MARVEL SPECIAL ORDER



2 COLOR BLEND (BLENDED ON SITE) SPECIAL ORDER



7½ x 8⅞ x 2¾"
188 x 225 x 70mm



7½ x 13⅜ x 2¾"
188 x 338 x 70mm



7½ x 17¾ x 2¾"
188 x 450 x 70mm



4⅞ x 6¾ x 2¾"
125 x 169 x 70mm



4⅞ x 10⅜ x 2¾"
125 x 263 x 70mm



4⅞ x 13⅜ x 2¾"
125 x 338 x 70mm



4⅞ x 17¾ x 2¾"
125 x 450 x 70mm

7 UNIT RANDOM BUNDLE SPECIAL ORDER

2 Color Blend (French Grey and Winter Marvel)



ENDURACOLOR™*Refined surface and
long-lasting color*

Umbriano® 60mm

Exclusive to **UNILOCK****ADVANTAGES**

Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

PEDESTRIAN FRIENDLY

Not recommended for vehicular

**FRENCH GREY****MIDNIGHT SKY** SPECIAL ORDER**SUMMER WHEAT****WINTER MARVEL****LARGE RECTANGLE**
14 x 21 x 2³/₈"
360 x 540 x 60mm**SQUARE**
14 x 14 x 2³/₈"
360 x 360 x 60mm**SMALL RECTANGLE**
7 x 14 x 2³/₈"
180 x 360 x 60mm**3 UNIT RANDOM BUNDLE**

Winter Marvel



ENDURACOLOR™*Refined surface and
long-lasting color*

Umbriano® 70mm

Exclusive to **UNILOCK**


ADVANTAGES



Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

24" slabs not recommended for vehicular
All other sizes can handle vehicular loads**FRENCH GREY** SPECIAL ORDER**MIDNIGHT SKY** SPECIAL ORDER**SUMMER WHEAT** SPECIAL ORDER**WINTER MARVEL** SPECIAL ORDER24 x 24 x 2³/₄"
600 x 600 x 70mm12 x 24 x 2³/₄"
300 x 600 x 70mm16 x 16 x 2³/₄"
400 x 400 x 70mm8 x 16 x 2³/₄"
200 x 400 x 70mm

ALL UNITS SPECIAL ORDER

Winter Marvel with Town Hall® (Basalt) accent



ENDURACOLOR™*Refined surface and
long-lasting color*

Umbriano® 80mm

Exclusive to **UNILOCK**

ADVANTAGES



Factory sealed to provide integral surface protection from stains

COLORFUSION™

Subtly mottled color finish

DRIVE FRIENDLY

Can handle vehicular loads

**FRENCH GREY** SPECIAL ORDER**MIDNIGHT SKY** SPECIAL ORDER**SUMMER WHEAT** SPECIAL ORDER**WINTER MARVEL** SPECIAL ORDER**LARGE RECTANGLE**
14 x 21 x 3 1/8"
360 x 540 x 80mm**SQUARE**
14 x 14 x 3 1/8"
360 x 360 x 80mm**SMALL RECTANGLE**
7 x 14 x 3 1/8"
180 x 360 x 80mm**SMALL RECTANGLE**
7 x 14 x 3 1/8"
180 x 360 x 80mm**3 UNIT RANDOM BUNDLE** SPECIAL ORDER

Summer Wheat



ENDURACOLOR™

Refined surface and long-lasting color

Arcana™

New

Exclusive to **UNILOCK**

ADVANTAGES

Enhanced surface appearance



Factory sealed to provide integral surface protection from stains

PEDESTRIAN FRIENDLY

Not recommended for vehicular



CORVARA



AVORIO NEW



MODENA



VIVANTO SPECIAL ORDER



24 x 24 x 2"
600 x 600 x 50mm
SPECIAL ORDER



18 x 24 x 2"
450 x 600 x 50mm



12 x 24 x 2"
300 x 600 x 50mm
SPECIAL ORDER

Modena



ENDURACOLOR™*Refined surface and
long-lasting color*

Soreno™ Coming Soon

Exclusive to **UNILOCK****ADVANTAGES**

Enhanced surface appearance

 **EasyClean™**Factory sealed to provide integral
surface protection from stains**PEDESTRIAN FRIENDLY**

Not recommended for vehicular

**LIGHT GRANITE****TOSCANA BEIGE**16 x 32 x 2"
400 x 800 x 50mm

Light Granite



ENDURACOLOR™*Refined surface and
long-lasting color*

Tribeca Cobble™

ADVANTAGES

Granite, Quartz and Marble surface materials

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads

**CRYSTALLINE BASALT****PEPPERED GRANITE****LARGE RECTANGLE**
5 1/8 x 12 x 2 3/4"
130 x 305 x 70mm**MEDIUM RECTANGLE**
5 1/8 x 9 x 2 3/4"
130 x 230 x 70mm**SMALL RECTANGLE**
5 1/8 x 7 x 2 3/4"
130 x 175 x 70mm**CURB UNIT**
7 x 9 x 1 1/2 x 4"
180 x 230 x 290 x 100mm**3 UNIT RANDOM BUNDLE**

Crystalline Basalt

ENDURACOLOR™

*Refined surface and
long-lasting color*

Transition™

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads



CHARCOAL



6 x 9 x 2³/₈"
150 x 230 x 60mm



ENDURACOLOR™

*Refined surface and
long-lasting color*

Holland Premier™

ADVANTAGES

DRIVE FRIENDLY

Can handle vehicular loads



CHARCOAL



STANDARD
4 x 8 x 2³/₈"
100 x 200 x 60mm



ENDURACOLOR™

*Refined surface and
long-lasting color*


Series™

ADVANTAGES

Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads



BLACK GRANITE



4 x 8 x 2³/₄"
100 x 200 x 70mm

Series Black Granite accent with Artline™ (Steel Mountain) pavers




TOP

Golden Sand

BOTTOM

Stone Cliff Grey



Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

LOOKING FOR MORE INFORMATION?

Visit Unilock.com to download a Natural Stone Brochure.

Natural Stone

SANDSTONE

*Suitable for pool decks, wood decks,
patios, entrances and concrete overlays.*

PEDESTRIAN FRIENDLY

Not recommended for vehicular



AUTUMN HARVEST



GOLDEN SAND NEW



IVORY SAND NEW



STONE CLIFF GREY



12 x 24 x 7/8"
300 x 600 x 22mm



18 x 24 x 7/8"
450 x 600 x 22mm



24 x 24 x 7/8"
600 x 600 x 22mm



24 x 36 x 7/8"
600 x 900 x 22mm

See pages 130-131 for Steps & Coping.




TOP

Black River walkway and border with
Golden Sand (Sandstone) inlay (sealed)

BOTTOM

Hearthstone



Please contact your contractor or a
local Unilock Authorized Dealer for
more information and availability.

**LOOKING FOR MORE
INFORMATION?**

Visit Unilock.com to download
a Natural Stone Brochure.

Natural Stone

LIMESTONE

Suitable for pool decks, wood decks, patios, entrances and concrete overlays.

PEDESTRIAN FRIENDLY

Not recommended for vehicular



BLACK RIVER



HEARTHSTONE



WINTER MIST



12 x 24 x 7/8"
300 x 600 x 22mm



18 x 24 x 7/8"
450 x 600 x 22mm



24 x 24 x 7/8"
600 x 600 x 22mm



24 x 36 x 7/8"
600 x 900 x 22mm


See pages 130-131 for Steps & Coping.



LEFT
Travstone Gray



RIGHT
Gotham Nero



BOTTOM
Arbor Natural

Please contact your contractor or a local Unilock Authorized Dealer for more information and availability.

LOOKING FOR MORE INFORMATION?

Visit Unilock.com to download a Porcelain Tile Brochure.

Porcelain Tile

Suitable for wood deck and concrete overlays.

PEDESTRIAN FRIENDLY

Not recommended for vehicular



GOTHAM BIANCO



GOTHAM BEIGE



GOTHAM GRAY




GOTHAM NERO



TRAVSTONE GRAY



TRAVSTONE BEIGE



TRAVSTONE NOCE



$23\frac{5}{8} \times 23\frac{5}{8} \times \frac{3}{4}$ "
600 x 600 x 20mm



ARBOR BIANCO



ARBOR GRAY



ARBOR NATURAL



$15\frac{3}{4} \times 31\frac{1}{2} \times \frac{3}{4}$ "
400 x 800 x 20mm

See page 131 for Coping.





Richcliff®

Exclusive to **UNILOCK**

Inspired by the texture of natural cut flagstone, Richcliff offers superior durability and timeless appeal ideal for driveways, patios, walkways and commercial projects. A multitude of stone textures were cast using Reala™ Technology, to ensure that finished projects will have a completely random and natural appearance. And unlike natural stone, which can crack, split and fade, Richcliff is virtually indestructible.



Dawn Mist





Deep rich colors and unique textures

Richcliff®

Exclusive to **UNILOCK**

ADVANTAGES

REALA™

Cast from natural stone

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Random Bundle can handle vehicular loads



DAWN MIST



PEBBLE TAUPE



PEBBLE TAUPE / DAWN MIST
BLENDED ON SITE



SMOKE SHALE



RECTANGLE
12 x 9 x 2³/₈"
300 x 226 x 60mm



SQUARE
9 x 9 x 2³/₈"
226 x 226 x 60mm



SMALL RECTANGLE
6 x 9 x 2³/₈"
150 x 226 x 60mm



LARGE RECTANGLE
21 x 12 x 2³/₈"
528 x 302 x 60mm

NOT RECOMMENDED
FOR DRIVEWAYS

3 UNIT RANDOM BUNDLE

Dawn Mist and Pebble Taupe with Courtstone® (Basalt) accent





Courtstone®

Exclusive to **UNILOCK**

The polished look of Courtstone brings a luxurious, old-world elegance to driveways and walkways, with Ultima™ Concrete Technology providing up to four times the strength of conventional poured concrete. Using Realta™ Technology, the unique shapes of Courtstone were cast from real European cobblestones, but manufactured with a consistent base for efficient installation and superior interlock. It's a look that has remained popular for centuries.



Basalt





Deep rich colors and unique textures

Courtstone®

Exclusive to **UNILOCK**

ADVANTAGES

REALA™

Cast from historic European cobble stones

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



BASALT



XL RECTANGLE
5 1/8 x 8 3/8 x 2 3/8"
130 x 215 x 60mm



LARGE RECTANGLE
5 1/8 x 7 1/4 x 2 3/8"
130 x 185 x 60mm



RECTANGLE
5 1/8 x 6 1/2 x 2 3/8"
130 x 165 x 60mm



SMALL RECTANGLE
5 1/8 x 5 3/4 x 2 3/8"
130 x 145 x 60mm



SQUARE
5 1/8 x 5 1/8 x 2 3/8"
130 x 130 x 60mm

5 UNIT RANDOM BUNDLE

Basalt with Umbriano® (Summer Wheat) inlay





Town Hall®

Exclusive to **UNILOCK**

The substantial proportions and unique color blending of Town Hall are modeled after historic North American clay street pavers. The timeless look makes it an excellent choice for driveways, patios, walkways and more, in either traditional or permeable applications. The rich colors and classic shape also make it popular for borders, banding and other accents. To ensure projects have a random appearance, Town Hall textures were cast from a multitude of different surfaces using Reala™ Technology. The result is vintage, streetscape charm that stands the test of time.



3 Color Blend (Burgundy Red, Burnt Clay and Old Oak)





*Deep rich colors and
unique textures*

Town Hall®

Exclusive to **UNILOCK**

ADVANTAGES

REALA™

Cast from historic brick

ULTIMA™

Up to 4x stronger than poured-in-place concrete

PERMEABLE

Can be installed to allow water to flow through

DRIVE FRIENDLY

Can handle vehicular loads



BURGUNDY RED



BURNT CLAY



OLD OAK



3 COLOR BLEND BLENDED ON SITE



BASALT



STANDARD
4 x 9¾ x 2¾"
100 x 250 x 70mm

Basalt





Copthorne®

Exclusive to **UNILOCK**

Inspired by the rich color and timeworn beauty of European street pavers, Copthorne offers more delicate dimensions than Town Hall®. These proportions make it possible to design curved walkways and borders using Copthorne without the need for cutting. Cast using Reala™ Technology for an authentic surface appearance, and Ultima™ Concrete Technology to deliver up to four times the strength of conventional poured concrete, Copthorne offers timeless beauty.



3 Color Blend (Burgundy Red, Burnt Clay and Old Oak)





Deep rich colors and
unique textures

Copthorne®

Exclusive to **UNILOCK**

ADVANTAGES

REALA™

Cast from historic brick

ULTIMA™

Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY

Can handle vehicular loads



BURGUNDY RED



BURNT CLAY



BASALT



OLD OAK



3 COLOR BLEND
BLENDED ON SITE



STANDARD

2½ x 7⅞ x 2⅜"
65 x 200 x 60mm

3 Color Blend (Burgundy Red, Burnt Clay and Old Oak) with Richcliff® (Dawn Mist)





Retaining Walls & Vertical Features

Unlimited creative possibilities exist for retaining soil or building vertical features like grill islands and firepits. Now the durability of EnduraColor™ is available, thanks to our U-Cara® Multi-Face Wall System.

Pavers: Beacon Hill™ Flagstone (Almond Grove) with Copthorne® (Basalt) accent
Wall: U-Cara® Pitched and Smooth (Fossil)



ENDURACOLOR™

U-Cara®

Multi-Face Wall System

Exclusive to **UNILOCK**

This patented wall system, exclusive to Unilock, represents a revolution in wall design. With U-Cara it's now possible to design walls, pillars, planters, fire features, grill islands and more, with the refined surface and long-lasting color of exclusive Unilock EnduraColor finishes.



reddot

2019

U-Cara received the "red dot" award for high design quality and innovation.

UMBRIANO® FINISH



FRENCH GREY SPECIAL ORDER



SUMMER WHEAT SPECIAL ORDER



WINTER MARVEL SPECIAL ORDER

PITCHED FINISH



FOSSIL



STEEL MOUNTAIN

SMOOTH FINISH



FOSSIL NEW



STEEL MOUNTAIN



OPAL SPECIAL ORDER

SERIES™ FINISH



ONYX BLACK 3" PANEL ONLY

Steel Mountain with Universal coping (Light Grey)



LEFT



U-Cara (Fossil Pitched) with U-Cara (Fossil Smooth) backsplash
Pavers: Beacon Hill™ Flagstone (Almond Grove) with Copthorne® (Basalt) accent

RIGHT

U-Cara (Steel Mountain Pitched) with U-Cara Series™ (Onyx Black) accent and LedgeStone™ (Grey) coping

BOTTOM

U-Cara (Summer Wheat Umbriano Finish) with Natural Stone (Golden Sand) coping
Pavers: Umbriano (Summer Wheat) with Town Hall™ (3 Color Blend)



U-Cara®

Multi-Face Wall System

U-Cara Fascia Panels can be placed anywhere along the patented SureTrack™ Backer Block, allowing for pattern, color and texture combinations that are impossible to achieve with other systems. The design possibilities are endless for single or double sided vertical landscape features and retaining walls.

1 CHOOSE YOUR BASE UNIT



UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

ADVANTAGES

UMBRIANO® FINISH
COLORFUSION™
Subtly mottled color finish

SERIES™ FINISH
Granite, Quartz and
Marble surface materials

2 CHOOSE A BACKER SIZE



SURETRACK STANDARD BACKER
6 x 8 x 6"
150 x 200 x 150mm



SURETRACK LARGE BACKER
6 x 7½ x 12"
150 x 190 x 300mm



SURETRACK CORNER/PILLAR BACKER
6 x 7 x 12"
150 x 175 x 300mm



SURE TRACK CORNER INSERT
L = 2"
50mm

3 CHOOSE PANEL SIZES



6" STANDARD FASCIA PANEL
6 x 18½ x 2¾"
150 x 466 x 60mm



STANDARD FASCIA HALF PANEL
6 x 9¼ x 2¾"
150 x 233 x 60mm



CLOSED-END FASCIA PANEL
6 x 21 x 2¾"
150 x 540 x 60mm



3" FASCIA PANEL
3 x 9¼ x 2¾"
75 x 233 x 60mm
SERIES FINISH ONLY

2 UNIT CORNER BUNDLE

4 CHOOSE PANEL STYLES



PITCHED



SMOOTH



SERIES

5 CHOOSE COPING




UNIVERSAL COPING
14 x 19 x 2¾"
355 x 482 x 70mm

See page 149 for coping pairings.

Modular System

U-Cara Multi-Face Wall

The U-Cara® Modular System offers a variety of aluminum frames that can be mixed and matched to construct vertical features like grill islands and pillars.



With the U-Cara Modular System you can build Grill Islands, Bars, Back splashes, Fire Tables and Pillars.



Speak to your contractor to select a design and a U-Cara fascia panel finish to suit your project.

Wall Mount

U-Cara Multi-Face Wall

The U-Cara Wall Mount System allows you to put the finishing touches on your project by cladding existing structures like unsightly exposed foundation areas or concrete steps with U-Cara fascia panels.

Create matching vertical features with the U-Cara Modular System to complete your cohesive design.






LEFT
Grill Island: Lineo Dimensional Stone (Almond Grove)
Paver: Artline™ (Fossil) with Town Hall® (Basalt) accent



RIGHT
Pillar and Wall: Lineo Dimensional Stone (Limestone) with Series™ (Black Granite) accent and Ledgestone™ (Grey) coping and pillar cap

BOTTOM
Seat wall and Water Feature: Lineo Dimensional Stone (Limestone) with Natural Stone (Stone Cliff Grey) coping
Paver: Richcliff® (Dawn Mist and Pebble Taupe) with Courtstone® (Basalt) accent



CLASSIC

Lineo™ Dimensional Stone

COPING OPTIONS

We recommend using Ledgestone™, Natural Stone, or Universal Coping.



ALMOND GROVE



LIMESTONE



8 x 24 x 4"
200 x 600 x 100mm



8 x 20 x 4"
200 x 500 x 100mm



8 x 16 x 4"
200 x 400 x 100mm



8 x 12 x 4"
200 x 300 x 100mm

4 UNIT RANDOM BUNDLE



PILLAR UNIT / CORNER UNIT
8 x 16 x 4"
200 x 400 x 100mm



ARCHITECTURAL PILLAR CAP
28 x 28 x 4"
711 x 711 x 100mm




UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm



LEFT
Walkway: Estate Wall
(Almond Grove) with Copthorne®
(3 Color Blend) inlay
Steps and Coping: Almond Grove

RIGHT
Fire Feature: Estate Wall
(Granite) with Copthorne
(Burgundy Red) accent and
Fullnose™ (Charcoal) coping

BOTTOM
Grill island: Estate Wall
(Almond Grove) with Copthorne
(Basalt) accent



CLASSIC

Estate Wall™

COPING OPTIONS

We recommend using LedgeStone™.



ALMOND GROVE



GRANITE



6" LARGE UNIT
16 x 9 x 6"
380 x 230 x 150mm



6" MEDIUM UNIT
9 x 12 x 6"
230 x 300 x 150mm



6" SMALL UNIT
8 x 9 x 6"
200 x 230 x 150mm



6" CORNER
12 x 9 x 6"
300 x 230 x 150mm

3 UNIT 6" BUNDLE



COPING UNIT
12 x 9 x 12 x 3"
300 x 230 x 300 x 75mm



COPING UNIT
11 x 9 x 12 x 3"
280 x 230 x 300 x 75mm

2 UNIT COPING BUNDLE



MIDNIGHT CHARCOAL
Coping Only



UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm



LEFT
Water Feature: Brussels Dimensional System (Almond Grove) with Natural Stone (Black River) coping

RIGHT
Firepit: Brussels Dimensional System (Limestone) with Fullnose (Limestone) coping

BOTTOM
Grill Island: Brussels Dimensional System (Limestone) with Series™ (Black Granite) accent
Paver: Beacon Hill™ Flagstone (Almond Grove) with Series (Black Granite) accent



CLASSIC

Brussels Dimensional System™

COPING OPTIONS

We recommend using Ledgestone™, Natural Stone or Universal Coping.



ALMOND GROVE



LIMESTONE



STANDARD
8 x 12 x 4"
200 x 300 x 100mm




UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm

SUNSET FIREPIT KITS




Available in round and square see page 139 for additional information.



LEFT
Garden Wall:
Concord Wall (Almond Grove)

RIGHT
Steps:
Concord Wall (Granite)

BOTTOM
Retaining Wall:
Concord Wall (Granite)



CLASSIC

Concord Wall™

COPING OPTIONS

We recommend using Ledgestone™, Universal Coping or Concord Coping.



ALMOND GROVE



GRANITE



XL UNIT
12 x 16 x 6"
300 x 400 x 150 mm



CORNER
8 x 12 x 6"
200 x 300 x 150mm



WEDGE CAP UNIT
8½ (7¼) x 12¾ x 3"
215 x (187) x 323 x 75mm



COPING/STEP TREAD
12 x 24 x 3"
300 x 600 x 150mm



UNIVERSAL BASE UNIT
14 x 19 x 2"
355 x 482 x 55mm





Steps, Treads, Coping & Caps

From classic, fullnose shapes to pitched-face edges, our steps, treads and coping offer a wide variety of choices for the finishing touch on your project.

U-Cara® Pitched (Steel Mountain) with Universal Coping (Light Grey)

Unilock Steps

Ledgestone™



BUFF



GREY



48" STEP
24 x 48 x 6"
610 x 1220 x 150mm

STONEMARK™

REALA™
Cast from natural stone

Natural Stone SANDSTONE



AUTUMN HARVEST



GOLDEN SAND NEW



IVORY SAND NEW



STONE CLIFF GREY



4' LENGTH **6' LENGTH**
16 X 48 x 6" 16 x 72 x 6"
400 X 1200 x 150mm 410x 1830 x 150mm

Natural Stone LIMESTONE



BLACK RIVER



4' LENGTH **6' LENGTH**
16 X 48 x 6" 16 x 72 x 6"
400 X 1200 x 150mm 410x 1830 x 150mm

Unilock Coping & Caps

Ledgestone™



BUFF



GREY



COPING UNIT
12 x 24 x 2³/₄"
305 x 610 x 70mm



CLOSED END COPING
12 x 24 x 2³/₄"
305 x 610 x 70mm



24" PILLAR CAP
24 x 24 x 3¹/₂"
610 x 100 x 90mm

STONEMARK™

REALA™

Cast from natural stone

Natural Stone



AUTUMN HARVEST



GOLDEN SAND NEW



IVORY SAND NEW



STONE CLIFF GREY



BLACK RIVER



4' ROCKFACE
48 x 12 or 16 x 2"
1200 x 300 or 400 x 50mm



6' ROCKFACE
72 x 12 or 16 x 2"
1830 x 300 or 400 x 50mm



4' FULLNOSE
12 x 48 x 2"
300 x 1200 x 50mm



6' FULLNOSE
12 x 72 x 2"
300 x 1830 x 50mm



24" PILLAR CAP
24 x 24 x 2¹/₂"
600 x 600 x 65mm



28" PILLAR CAP
28¹/₂ x 28¹/₂ x 3"
720 x 720 x 75mm

Porcelain Coping



GOTHAM BEIGE



GOTHAM GRAY




GOTHAM NERO



GOTHAM BIANCO



TRAVSTONE BEIGE



TRAVSTONE NOCE



TRAVSTONE GRAY




COPING
13 x 24 x 1¹/₄"
330 x 600 x 30mm


DELCONCA USA

Unilock Coping & Caps

Architectural Pillar Cap



LIGHT GREY




MIDNIGHT CHARCOAL




ENDURACOLOR™

28 x 28 x 4"
711 x 711 x 100mm

Universal Coping



LIGHT GREY



MIDNIGHT CHARCOAL



ENDURACOLOR™

14 x 19 x 2 3/4"
360 x 480 x 70mm



Light Grey with U-Cara® Pitched (Steel Mountain) fire feature

Estate Wall™



ALMOND GROVE



GRANITE



MIDNIGHT CHARCOAL



COPING UNIT
12 x 9 x 12 x 3"
300 x 230 x 300 x 75mm



COPING UNIT
11 x 9 x 12 x 3"
280 x 230 x 300 x 75mm

2 UNIT COPING BUNDLE

Concord Wall™



ALMOND GROVE



GRANITE



COPING/STEP TREAD
12 x 24 x 3"
300 x 600 x 150mm



WEDGE CAP UNIT
8½ (7¼) x 12¾ x 3"
215 x (187) x 323 x 75mm

Fullnose™



ALMOND GROVE



CHARCOAL



LIMESTONE



STANDARD
6 x 12 x 2¾"
150 x 300 x 70mm







Making Your Project Unique

Using Unilock finishing touches can make all the difference in the world to your finished product. With special attention to the details, your landscape dreams can soar above your expectations!


Beacon Hill™ Flagstone (Almond Grove) with Copthorne® (Basalt) accents

Borders & Accents

The creative use of Unilock borders and banding adds a touch of elegance to your driveway, walkway, patio or vertical features. Use them to enhance your design selections and create distinctive designs.



Unilock was the first to introduce the concept of paver design accents more than **20 years ago.**



LAYING PATTERNS

One of the factors that makes your landscape project unique is the laying pattern you choose. Your contractor can recommend the best laying patterns for the product you've selected.

Visit Unilock.com for laying patterns.



PAVER Richcliff™ (Smoke Shale)
ACCENT Courtstone® (Basalt)



PAVER Mattoni™ (Granite Blend)
ACCENT Mattoni (Dark Charcoal)



PAVER Arcana™ (Modena)
ACCENT Series™ (Black Granite)



PAVER Umbriano (Summer Wheat)
ACCENT Cophthorne® (3 Color Blend)



PAVER Courtstone (Basalt)
ACCENT Cophthorne® (Burgundy Red)



PAVER Beacon Hill™ Flagstone (Steel Mountain)
ACCENT Town Hall® (Basalt)




WALL Estate Wall™ (Almond Grove)
ACCENT Cophthorne (3 Color Blend)



WALL U-Cara (Steel Mountain Pitched)
ACCENT U-Cara (Onyx Black Series 3" panel)

Firepits & Fire Features



Imagine the pure joy of sitting around an outdoor firepit with your friends and family! Envision getting cozy on a cool night and enjoying the mesmerizing flames from your backyard Unilock firepit or fireplace. It's a dreamer's dream come true!

Sunset Firepit Kit

Available in Almond Grove and Limestone.



FIREPIT GRILL

Select firepit kits come with a firepit grill that fits securely into the firepit. Sold separately.

RomanStack™ Firepit Kit

Available in Almond Grove and Granite.



UNILOCK REDUCED SMOKE INSERT

ONLY SELECTED FIREPITS AVAILABLE WITH ZENTRO TECHNOLOGY FIREPIT INSERT

There's nothing like relaxing around a roaring fire to bring family and friends closer together. But with ordinary firepits, smoke always blows in someone's face - usually yours. With Unilock Reduced Smoke Inserts, stinging eyes are a thing of the past. Zentro's patent-pending technology reburns smoke before it gets anywhere near your eyes. Say hello to good times and goodbye to smoke.



FIREPIT KIT ACCESSORIES

The following accessories are available for any firepit kit. **Contact your local Territory Manager for details.**



KETTLE HOOK



24" SWING AWAY GRILL



SCREEN



ACCESSORY POST WITH COLLAR

Outdoor Kitchens

An outdoor kitchen has a certain element of extravagance. It's an entire, defined space dedicated to the preparation of meals among family and friends – set outside, no less.



From a practical side, an outdoor kitchen extends your home's living and entertaining space and allows you to make the most of your backyard.



U-Cara® Wall



Lineo® Dimensional Stone



Lineo® Dimensional Stone

Design Considerations


If you're considering adding an outdoor kitchen to your outside escape, you likely have questions. You need to think about how you'll use the space, the outdoor appliances you need, the best location for a kitchen in your yard, and how it will weather the elements over time.



Read all about the seven things you should consider when designing your outdoor kitchen.

Pillars & Water Features

Pillars add a sense of permanence and strength to your landscape design, creating visual interest with height variation and functionality. Pillars are great for creating a visual anchor to walls and a place for extra lighting. By adding pillars, you can take your project to the next level.



Looking for Something Different?
Speak to your contractor about using Unilock products to build a custom feature that's just right for your project.



From fountains and ponds to waterfalls and custom water features, these soothing additions are a popular way to enhance your landscape design.

Creative Ideas


The versatility of Unilock products provides a playground for your imagination. From mixing patterns and colors to create a custom sports court, to utilizing Unilock wall systems to beautify a utilitarian window well, the possibilities are endless!




U-Cara® Wall with Universal coping



*Brussels Dimensional System™
with Town Hall® accent*



This small storage area becomes a thing of beauty, paved with Unilock Beacon Hill™ Smooth and Universal Coping treads.



Learn & Plan


**With the right help,
knowledge and
preparation, you can
turn your ideas into
bold, exciting reality.**

You want a dramatic look that sparks curbside conversation. If getting there seems daunting, turn to our people, plans and tools. We've got you. And you've got this.



Learn About Unilock Coatings & Finishes

Discover the perfect combination of Unilock features and finishes for your next project.



The more you know, the more you'll understand why Unilock is the best choice of all.

Coatings & Finishes

No one offers a wider variety of surface treatments than Unilock. Find your perfect match here.

 **EasyClean™**



Available only on EnduraColor products, EasyClean enhances the surface color and provides integral protection from stains. Unlike after market sealers, it does not need to be re-applied.

SOFT TOUCH



The ultra-smooth and silky surface texture of these products is achieved with a special finishing process that results in a luxurious surface that feels soft underfoot.

EXPOSED GRANITE



Granite, Quartz and Marble particles are embedded in the surface of the product and then revealed using additional processing methods.

COLORFUSION™



The look of natural granite is achieved when color and granite particles are randomly dispersed using proprietary ColorFusion technology to achieve a unique mottled surface.

ANTIQUED FINISH



Different methods are used to achieve this distressed, timeworn finish on different products, but in every case this patina enhances the look.

Unilock Paver Reference Guide

UNILOCK PAVERS	Classic	EnduraColor	Elegance	EasyClean	Reala	Ultima	ColorFusion	Permeable	Vehicular
Arcana™		•		•					
Artline™ Smooth		•							•
Artline Umbriano		•		•			•		•
Beacon Hill™ Flagstone 60mm		•							
Beacon Hill™ Flagstone 80mm		•							•
Beacon Hill Smooth		•							
Beacon Hill Smooth XL		•							
Bristol Valley®		•		•					
Copthorne®		•	•		•	•			•
Courtstone®		•	•		•	•			•
Eco-Priora™	•							•	•
Holland Premier™		•							•
Mattoni™		•		•					•
Richcliff®		•	•		•	•			•
Series 70mm		•							•
Series 60mm		•							
Soreno™		•		•					
Town Hall®		•	•		•	•		•	•
Transition™		•							•
Thornbury™ Smooth		•						•	•
Treo® Premier		•							•
Treo® Smooth		•						•	•
Tribeca Cobble™		•						•	•
Umbriano® 60mm		•		•			•		
Umbriano® 70mm		•		•			•		
Umbriano® 80mm		•		•			•		•
Westport™		•		•					•

Unilock Wall Reference Guide


UNILOCK WALLS	Classic	EnduraColor	ColorFusion	Two-Sided	Garden	Engineered
Brussels Dimensional System™	•			•	•	
Lineo™ Dimensional Stone	•			•	•	
Estate Wall™	•			•	•	
Concord Wall™	•				•	•
U-Cara®		•	•	•	•	•

STEPS & COPING	EnduraColor	StoneMark	Reala	Two-Sided
Architectural Pillar Cap	•			•
Ledgestone™		•	•	•
Universal Coping	•			•

UNILOCK COPINGS	Ledgestone	Universal Coping	Natural Stone	Fullnose	Concord Wall	Estate Wall
Brussels Dimensional System	•		•	•		•
Lineo Dimensional Stone	•		•			•
Estate Wall	•		•			•
Concord Wall	•	•	•		•	•
U-Cara	•	•	•	•		

Coping pairings

Learn About The Process



Now that you've been inspired by our many different products and ideas, it's time to get down to the nitty gritty. We want you to have all of the information you need to make your project a huge success.



*Scan here for your Project
Planning Guide and helpful
Contractor Checklist.*



Unilock Idea Center



See Unilock products in life-like settings



Talk to knowledgeable helpful staff



Take home *free* product samples

Whether you're looking to create a simple front entry or a complete outdoor living installation, no project is too big or too small for Unilock! Visit our Outdoor Idea Center to see our products in life-size installations, and let our Customer Service staff help you create your dream project plan.

We're here to help you every step of the way.

Unilock Outdoor Idea Center 51 International Blvd, Brewster, NY 10509



While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.



3D Rendering Created with Uvision® 3D Design Software

Speak to your contractor about how 3D design can help you visualize the possibilities for your project!

Construction Process

The quality of the work that's done to prepare the base for your pavers and walls is extremely important. A proper base ensures that your pavers and walls won't shift out of place during freeze/thaw cycles.



STEP 1 | EXCAVATION

The first step in any project is excavation of grass and topsoil. The depth will depend on two factors:

1. **Soil Type** - Clay soil requires deeper excavation; sandy soil requires less.
2. **Use** - Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less.

Depth of excavation can be reduced significantly if a layer of DriveGrid™ is placed at the bottom of the excavation before the gravel gets placed. Loose subsoil resulting from the excavation process should always be compacted before DriveGrid and gravel are placed.

STEP 2 | GRAVEL BASE

The excavated area will be filled with a gravel base. This gravel base needs to be:

- > **Strong enough** to handle the load of whatever is placed on the surface.
- > **Free draining** so that water drains out of the base into the subsoil. Retaining walls may require a perforated drain pipe in the gravel base to direct water away from the base of the wall.
- > **Extended** at least six inches beyond the edges of the finished paver surface.
- > **Compacted** in several layers, using the proper equipment.



Learn about frequently used terms in the hardscape and landscape industry.



STEP 3 | BEDDING LAYER

A 1" (25mm) layer of sand or tiny stone chips is spread out and smoothed on top of the solid gravel base. This layer allows paver or wall units to be leveled or sloped for smoothness and drainage.

Some contractors may recommend a poured concrete surface instead of a typical bedding layer, which is fine as long as the concrete is accurately poured and sits on a stable and well-drained base.

Note: *Once concrete is poured, the height of paver or wall units can no longer be adjusted.*

STEP 4 | RESTRAINT SYSTEM

For pavers, an edge restraint will be secured with long metal spikes or a concrete edge will be installed to prevent perimeter pavers from drifting out. For walls, glue may be used to secure rows of blocks. Larger retaining walls may require geogrid every few layers to secure the wall into the soil that is being retained.

STEP 5 | JOINT MATERIAL

The color you choose for joint material impacts the overall aesthetic. It also plays an important role between pavers by keeping out weeds and other debris. Your contractor can help you decide which joint material is right for your project.

There are two types of joint material to choose from:

Basic Jointing Sand – Years ago, this was the only joint material available. As it wears away, issues with weeds could arise. If you choose a basic sand, we recommend that you use a joint stabilizing sealer and be prepared to replenish the sand when needed.

Polymeric Sand – This special sand stays in place longer because it is combined with a binding agent. However, it's not right for every project and needs to be installed with care to prevent hazing.



BLACK SAND



TAN SAND



GREY SAND


STEP 6 | SEALING

Unilock pavers will be durable with, or without, a sealer. Some homeowners choose to apply a sealer to enhance the color of the pavers, while others choose to appreciate the color of the pavers as they age. Some Unilock pavers are sold factory sealed. If you choose to seal, you should plan to re-seal every 3-5 years.


Factory-Sealed Products

Elegance® Pavers and Unilock pavers manufactured with EasyClean™, have been pre-sealed in the factory and do not require sealing after installation. To clean and brighten the surface at any time, a gentle power washing of the surface is recommended. If you still wish to re-seal the surface, you must wait a minimum of 3 years before applying sealer. Only use solvent-based sealers.

PAVER CONSTRUCTION



WALL CONSTRUCTION



Finding the Right Contractor



Choosing the right contractor for your project is the most important decision of all because even the best materials can be spoiled by poor installation and workmanship. Be sure to ask the right questions and keep in mind that the cheapest quote is rarely the best option.

NEED HELP FINDING A QUALIFIED CONTRACTOR?

Our Referral Program will match you with a highly competent contractor who meets the rigid standards we impose to ensure the best quality work and results. Simply contact us online, by phone or at one of our locations and we'll help you find a contractor guaranteed to do the job right.



Register online at [Unilock.com](https://www.unilock.com) and we'll match you with a Unilock Authorized Contractor in your area.



8 Tips for Choosing A Contractor



1 WORKMANSHIP

- > Ask to see projects the contractor completed more than two years ago so you can see how their work holds up over time.
- > Are the pavers laid in a way that minimizes awkward cuts?
- > Are the curves of the project cut in a way that minimizes large gaps?
- > Have edge restraints been used and still in place?
- > How long does the contractor guarantee the work?
- > How many warranty claims has the company had in the past two years?

2 SUB-CONTRACTING

- > Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about these sub-contractors and how they will be managed.

3 RELEVANT EXPERIENCE

- > How long has the contractor been installing pavers and walls?
- > Has the contractor installed projects in the past with the features you're considering (eg. a raised patio, retaining wall or water feature)?

4 BASE PREPARATION

- > What are the contractor's base preparation methods?
- > What materials are used and why?
- > Is there a standard procedure for base preparation or will the contractor assess your site's unique needs?

5 TIMING

- > Ask the contractor how far in advance they are booking projects and how long your project might take.
- > What are the contractor's payment terms?
- > Is an upfront deposit required to secure the timing of the project?

6 DOCUMENTATION

- > Does the contractor have the proper licensing for their work?
- > Does the contractor have liability insurance and are employees covered by Workers Compensation?
- > Will there be permits required for the job and if so, who is responsible to secure them?

7 COMPATIBILITY

- > Do you like this contractor? Can you easily communicate and understand each other? Is this someone you can trust?
- > Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.
- > Contacting references can help you understand how the contractor operates throughout a project.

8 DESIGN

- > Does the contractor offer a design service? Is there a cost for this?
- > Is the design hand-drawn or rendered in 3D?
- > Are the contractor's designs something you would like for your project?

Protect Your Investment

Learn how to take care of your Unilock products to ensure that they stay beautiful and functional for years to come.



Prevent weeds before they take root

When a proper base is installed, there is no soil directly beneath your pavers for weeds to grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

IN THE PAST - a basic sand was the only jointing material available. Unless it was replenished regularly, rain would erode the sand, leaving joints vulnerable to weeds.

TODAY - new varieties of sand-stabilizing compounds and polymeric jointing material are available which relieves homeowners from this maintenance burden. See page 153 for more information on jointing material choices.



Spring Maintenance

Although most Unilock products are designed to be low maintenance, there are a number of preventative maintenance steps that can be performed each spring to ensure that your project keeps its pristine appearance throughout patio season.


Check for “creep” – this is where the stones push out (due to winter stress, traffic or failure of the edge restraint), dips, deformations or stains. Should you discover any of these problems, they are all fixable.

Visit [Unilock.com](https://www.unilock.com) or speak to our friendly Unilock staff to find solutions.



Fall Maintenance

The most important thing to do in the fall is to keep leaves and other debris off your stones. Remove any plant pots, furniture, urns and BBQs that can leach rust onto your surfaces.



Winter Maintenance

While Unilock products are de-icing salt-resistant, it is highly recommended to use calcium-based products or rock salt (sodium chloride) to melt ice. Use a plastic shovel and plastic blade protectors on snow plows or blowers to protect the surface.

NOTE: Avoid magnesium-based de-icing products as they are very aggressive and may cause damage to the concrete surface.




Search our knowledge center for more FAQ's.

The Choice of Design Professionals

MLK Justice Plaza, Newark NJ
Designer: Christy Webber Landscapes | Terra Engineering, LTD.

The same Unilock products available to homeowners have been relied upon by architects, landscape architects and engineers for decades, to create world class commercial spaces across North America.

Like a good artist chooses only the best paint, the very best contractors use exclusive Unilock colors, textures and styles to showcase their creativity and workmanship.





**Indianapolis Motor Speedway,
Indianapolis, IN**
Designer: Browning Day Mullins Dierdorf

Pier 4, Boston, MA
Designer: Mikyoung Kim Design




White Plains Public Library, White Plains, NY
Designer: IQ Landscape Architects

Our Quality Commitment

Unilock was the first concrete paver manufacturer in North America to offer a Lifetime Guarantee, and since then we have continued to stand behind it to ensure customers are completely satisfied with our products. With almost 2 billion stones in the ground, that's quite the commitment!

Our products are better and stronger than other brands. In fact, our internal standards of manufacturing in the USA and Canada far exceed industry standards set by ASTM (American Society for Testing and Materials) and CSA (Canadian Standards Association) and other European organizations.



LIFETIME GUARANTEE - RESIDENTIAL

Our Transferable Lifetime Guarantee warranties the structural integrity of Unilock concrete paving stones and retaining wall units when used in residential applications. It covers any structural failure or deterioration of the concrete unit resulting from normal use or from the reasonable application of sodium chloride (common rock salt used for de-icing). StoneMark™ products have the same warranties as Unilock paving stones and retaining walls, but cannot be warrantied against damage resulting from de-icing products.

Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Proof of purchase is required. Customers are encouraged to submit receipts to us as soon as their project is complete, using the Unilock Warranty Registration Form on our website (Unilock.com).

Purchasers need to ensure that the product they purchase is appropriate for their intended application; for example, only certain thicknesses of products are appropriate for driveways. Color matching of the replacement product and/or lost time cannot be guaranteed and labor costs related to installing replacement product is not included. Unilock reserves the right to seek a professional diagnosis and opinion to determine the exact cause of the product failure. If the failure falls within our warranty parameters, Unilock will replace the defective product.

EXCLUSIONS – Unfortunately, some things are beyond the control of Unilock, and are therefore not covered by this warranty. These include: naturally occurring efflorescence, hazing from polymeric jointing sand, scratching and chipping resulting from snow removal or construction equipment,

damage caused by natural or un-natural disasters, or negligence by anyone other than Unilock. The Unilock warranty also does not cover deterioration or damage as a result of poor design or poor installation practices that are contrary to specifications as laid out by ICPI (Interlocking Concrete Pavement Institute) and the NCMA (National Concrete Masonry Association). For more information please visit www.icpi.org and www.ncma.org. Additionally, please refer to the Maintenance, Color and Installation Advisories.

MAINTENANCE ADVISORY

1. Cleaning and Sealing

As with anything that is outdoors, Unilock products are subject to harsh weather, dust, acid rain, leaf stains, water stains and general wear from foot or vehicular traffic. Therefore, periodic cleaning using environmentally safe detergents designed for cleaning concrete is recommended to maintain a bright, fresh appearance.

To make subsequent cleaning easier and more effective, a concrete sealer can be applied to new or cleaned products to help prevent the penetration of substances that can cause stains.

There are many types of concrete cleaners and sealers on the market. Always read the instructions carefully before using the product to make sure that it will function as expected. Testing first, in a small unobtrusive area, is always a good idea to ensure the results are acceptable. Consult your local hardscape dealer to find the products best suited for your paver or wall installation.



Visit Unilock.com to register for your Transferable Lifetime Guarantee.

2. Winter Maintenance

Snow removal by way of metal blades on plows or shovels will scratch and chip the surface of pavers, causing permanent damage. To mitigate this risk, metal snow clearing blades must always have a polyurethane or rubber cutting edge attached when plowing pavers.

De-icing Salts - The use of de-icing products on paver surfaces is important for safety and to help mitigate snow accumulation. Most de-icing products will have some effect on concrete, even if the product label indicates that it is safe on concrete. If you must use a de-icing product, we recommend that you use Sodium Chloride (ordinary rock salt) or Calcium Chloride (for colder climates). Always apply sparingly. The use of de-icing products on StoneMark, wet-cast pavers, slabs or coping may damage the product and therefore is not recommended. Whenever possible use a coarse sand as an anti-slip measure instead of de-icing chemicals.

COLOR ADVISORY

1. Selection

Due to the inherently variable nature of printed materials and digital monitors, Unilock cannot guarantee that products will match the color of printed or online images. Therefore, when making final product selections, decisions should be made based on actual stones which are readily available from Unilock, Authorized Contractors or Authorized Dealers. Most Unilock products are not comprised of a single color, but rather contain blended colors for a more natural appearance. This means that there will be significant color variance from stone to stone, so purchasers should view multiple units together to get a more accurate impression of the overall color.

Note: Unilock Natural Stone variations are outside the control of Unilock. Purchasers of natural stone must be willing to accept this inherent variability.

2. Pre-installation checking

Always check the label to ensure that the Unilock product delivered to your project is the product and color ordered. If there is a discrepancy, or if the product inside the packaging doesn't appear to be correct, contact your hardscape dealer before installing any pavers or wall units. If the product is installed, it indicates your acceptance of the products as delivered.

3. Blending

If the project requires more than one bundle of product it's always a good idea to draw product from several bundles when installing, as this ensures that any variation between bundles will be seamlessly integrated in the project. When bundles are from different production runs, random selection from multiple bundles is even more important.

4. Efflorescence

Efflorescence is a naturally occurring process that may appear as a white or light grey powder on the surface of concrete, clay or natural stone. It is temporary, and will disappear over time. However, if it is bothersome, an efflorescence cleaner can be used to remove it. There is no way to predict or prevent efflorescence. Because it does not compromise the structural integrity of the product, it is not covered by Unilock product warranties.

INSTALLATION ADVISORY

1. Construction Residue

While a certain amount of dirt on pavers and walls is inevitable during the construction phase, installers are strongly encouraged to clean as they go as construction residue can embed in the surface and become difficult to remove. The slurry produced during wet-saw cutting is particularly stubborn to clean if allowed to dry on the surface of pavers. Unilock warranties do not cover stains caused by a failure to remove construction residue.

2. Polymeric Haze

Surface hazing caused by polymeric jointing sand is not the responsibility of Unilock. Polymeric jointing sand should only be installed by an experienced and knowledgeable contractor. Any sand that is left on the surface prior to activation will result in a haze that is very difficult and time-consuming to remove. Only the highest quality, brand name polymeric sand that is guaranteed by the manufacturer should be used.

3. Compaction Damage

Both smooth and textured paver surfaces can be scratched by compaction equipment used to 'flatten' a new paver installation. Therefore, metal plate compactors must be fitted with a polyethylene mat to protect the paver surface from becoming scratched, or a superior option is to use a rubber-roller compactor instead. Damage to product surfaces caused by failure to follow these instructions is not covered by Unilock product warranties.

FIRE PIT WARNING

Wood-burning fire pits must be lined with a proper metal insert or refractory (fire-rated) brick to protect the concrete components from extreme exposure to heat. Extreme heat on a concrete surface may affect the structural integrity of the concrete and can be dangerous. The floor of the fire pit should always be constructed using refractory brick or a sand bed. For your safety, always use a spark screen over the fire.



Index

PAVERS & SLABS

Arcana™	83...24
Artline™ Smooth	73...36
Artline Umbriano	75
Beacon Hill™ Flagstone 60mm	59...112, 134
Beacon Hill Flagstone 80mm	61
Beacon Hill Smooth	63...26
Beacon Hill Smooth XL	65...16, 38
Bristol Valley®	69...28, 34
Copthorne®	109...30, 34, 41-43
Courtstone®	101...18, 39, 42
Eco-Priora™	57
Holland Premier™	88
Mattoni™	71...26, 36
Natural Stone - Sandstone	91
Natural Stone - Limestone	93
Porcelain Tile	95
Richcliff®	97...18, 30, 42
Series™	89...16
Soreno™	85
Thornbury™ Smooth	55
Town Hall®	105...20, 45, 48
Transition™	88
Treo® Premier	51
Treo Smooth	53
Tribeca Cobble™	87
Umbriano® 60mm	77...20, 22, 40
Umbriano 70mm	79...15, 32, 48
Umbriano 80mm	81
Westport™	67...36

COVER

Pavers:
Beacon Hill Smooth (Opal - Special Order)
with Series accents and custom inlays

Vertical Features:
U-Cara Smooth (Opal - Special Order)
with U-Cara Series (Onyx Black) accents
and Natural Stone coping

RETAINING WALLS AND VERTICALS

Brussels Dimensional System™	125...28, 36
Concord Wall™	127
Estate Wall™	123
Lineo™ Dimensional Stone	121...22, 35-36, 41
U-Cara®	115...16, 24-27, 112-114, 128
U-Cara Modular System	118
U-Cara Wall Mount System	119


STEPS, TREADS, COPING & CAPS

Architectural Pillar Cap	132
Concord Wall™	133
Estate Wall™	133
Fullnose™	133
Ledgestone™ Steps	130
Ledgestone Coping	131...18, 30
Natural Stone Steps	130...20
Natural Stone Coping	131...30
Porcelain Coping	131
Universal Coping	132...114, 128

TOPICS OF INTEREST

Borders & Accents	136
Coatings & Finishes	147
Classic	46...57
ColorFusion™	13...74-81, 115, 147
Construction Process	152
Coping	131-133...26-27, 30-31, 36
Coping Pairings	149
EnduraColor™	46...50-55, 58-89
Elegance™	46...96-111
EasyClean™	12...66-71, 74-85, 147
Fire Features	138...22, 26, 29, 36, 40
Joint Material	153
Maintenance	156
Outdoor Idea Center	151
Outdoor Kitchens	140...22-25, 29, 36, 41, 112
Paver Reference Guide	148
Permeable Pavers	47...52-57, 87, 105
Pillars	142...22, 28, 36
Reala™	11...96-111, 130-131
Retaining Walls	112-127...36
Sealing	153
Steps	130-133...13, 128
Ultima™	10...96-111
Wall Reference Guide	149
Water Features	142...23, 35

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified. Umbriano® are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock®. Measurements throughout this portfolio are nominal. Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area.



UNILOCK®

Idea Center

See

An expansive display of Unilock products in a life-size outdoor setting

Talk

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

Take

FREE samples of Unilock paver and wall products home with you.

Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details and staff hours.



See a virtual tour at

Unilock.com



UNILOCK.COM | 1-800-UNILOCK



BOSTON
(508) 278-4536

CHICAGO
(630) 892-9191

MILWAUKEE
(262) 742-3890

KANSAS
(913) 417-7985

MICHIGAN
(248) 437-7037

NEW YORK
(845) 278-6700

MID-ATLANTIC
(202) 798-2060

ONTARIO
(416) 646-9000

CINCINNATI / KY / TN
(513) 202-0219

**OHIO/WESTERN PA
/ WNY & CNY**
(330) 927-4000

