









Something for **EVERYONE**

Whether you're dreaming of an intimate patio, a practical driveway or a luxurious outdoor living space, Unilock^{*} has a variety of paver and wall options to choose from.

Let us help you bring your dream project to life!





DREAM

IMAGINE THE POSSIBILITIES

The following pages contain just a few of the infinite number of Unilock project possibilities. Visit our online project photo gallery at Unilock.com for hundreds more.

> DRIVEWAYS ENTRANCES & WALKWAYS OUTDOOR LIVING POOL DECKS



тор

PAVER: Richcliff" (Dawn Mist) with Brussels Block" (Sandstone) accent FIREPLACE: Moda Fireplace (Lineo" Dimensional Stone - Limestone with Series" - Black Granite accent) and Ledgestone" (Grey) coping SEAT WALL: Rivercrest" Wall (Coastal Slate) with Ledgestone" (Grey) coping


воттом

PAVER: Umbriano" (Midnight Sky) with Series"" (Black Granite) accent SEAT WALL AND FIREPIT: Rivercrest" Wall (Coastal Slate) with Series (Black Granite) accent and Ledgestone (Grey) and Brussels Fullnose"" (Limestone) coping


OPPOSITE

LOWER PAVER: Richcliff (Dawn Mist) with Courtstone® (Basalt) accent GRILL ISLAND, WALL AND WATER FEATURE: Brussels Dimensional System™ (Limestone) with Natural Stone (Black River) coping











Town Hall[®] (3 Color Blend and Heritage Red)

LEFT Natural Stone (Indian Coast)

RIGHT Brussels Block^{*} (Sandstone) with Copthorne^{*} (Basalt) accent



тор

PAVER: Umbriano[®] (Winter Marvel) with Umbriano (Midnight Sky) accent and Natural Stone (Black River) coping

GRILL ISLAND: Rivercrest^{*} Wall (Coastal Slate)

BOTTOM Natural Stone (Stone Cliff Grey) with Natural Stone (Black River) coping


OPPOSITE


PAVER: Artline[™] (Steel Mountain)

STEPS AND PILLARS: Brussels Dimensional System[™](Limestone) with Natural Stone (Black River) treads and Ledgestone[™] (Grey) pillar cap











PAVER: Umbriano" (French Grey) with Town Hall" (Basalt) accent

SEAT WALL AND FIRE FEATURE: U-Cara[™] (Steel Mountain) Pitched Face with U-Cara (Opal) Smooth Face accent and Universal (Light Grey) coping

PLANTERS AND STEPS: U-Cara^{**} (Steel Mountain) Pitched Face with U-Cara (Opal) Smooth Face accent and Universal (Grey) coping

PILLARS: U-Cara (Opal) Smooth Face with U-Cara (Steel Mountain) Pitched Face accent and Ledgestone[™] (Light Grey) pillar caps

тор

PAVER: Umbriano (Winter Marvel) with Umbriano (Midnight Sky) accent WALL: Lineo* Dimensional Stone (Limestone) with Lineo Dimensional Stone with Ledgestone (Grey) coping and pillar caps

воттом

PAVER: Thornbury" (Almond Grove) FIRE FEATURE: Rivercrest" Wall (Coastal Slate) with Natural Stone (Black River) coping







Tribeca Cobble[™] (Crystalline Basalt) with Courtstone[®] (Pebble Taupe) accent

тор


PAVER: Beacon Hill" Flagstone (Sierra) with Umbriano" (Midnight Sky) accent and Beacon Hill" Flagstone (Bavarian) pergola and fireplace areas with Umbriano (Midnight Sky) accent

WALL, PILLARS, GRILL ISLAND AND FIREPLACE: Rivercrest" Wall (Coastal Slate) with Umbriano (Midnight Sky) accent and Ledgestone" (Grey) coping and pillar caps

воттом

PAVER: Umbriano (Summer Wheat) with Series[®] (Black Granite) accent and Artline[®] (Steel Mountain) circle inset with Series (Black Granite) accent

SEAT WALL, PILLARS AND FIREPIT: Brussels Dimensional System[™] (Sierra) with Series (Black Granite) accent and Ledgestone (Buff) coping and pillar caps





PAVER: Beacon Hill[®] Flagstone (Sierra) with Town Hall[®] (Basalt) accent WALL AND GRILL ISLAND: Estate Wall[®] (Sierra) with Town Hall[®] (Basalt) accent

тор


PAVER: Beacon Hill[™] Flagstone (Almond Grove) with Copthorne[®] (Basalt) accent

PILLARS: Brussels Dimensional System™ (Sierra) with Ledgestone™ (Grey) coping

воттом

Umbriano" (Summer Wheat) and Courtstone" (Basalt) accent





тор

Artline (Umbriano" Finish - 2 Color Blend of French Grey and Winter Marvel) with Series" (Black Granite) accent

воттом

PAVER: Artline[™] (Steel Mountain)
with Series (Black Granite) accent
WALL: Lineo^{*} Dimensional Stone
(Limestone) with Series (Black Granite)
accent and Ledgestone[™] (Grey) coping

OPPOSITE

PAVER: Natural Stone (Stone Cliff Grey) GRILL ISLAND AND FIREPIT: Rivercrest* Wall (Buff) and Rivercrest Firepit Kit (Buff)











PAVER: Umbriano* (Summer Wheat) with Town Hall* (Burgundy Red) accent and walkway with Ledgestone[™] (Buff) treads

WALL, GRILL ISLAND, PILLARS AND FIREPLACE: Brussels Dimensional System[™] (Sierra) with Town Hall (Burgundy Red) accent and Ledgestone (Buff) coping

and pillar caps

Umbriano (Summer Wheat)

BOTTOM

Town Hall (3 Color Blend)







Tribeca Cobble" (Crystalline Basalt) with Tribeca Cobble (Peppered Granite) accent and Copthorne" (3 Color Blend) insert

ТОР

Brussels Block^{*} (Sandstone) with Town Hall^{*} (Burgundy Red) accent and Courtstone^{*} (Basalt) walkway and circle inset

воттом

PAVER: Richcliff" (Dawn Mist and Pebble Taupe) with Courtstone" (Basalt) accent

WALL: Lineo* Dimensional Stone (Limestone) with Lineo Dimensional Stone (Midnight Charcoal) accent and Natural Stone (Stone Cliff Grey) coping

AWARDS OF EXCELLENCE BEST IN SHOW

AND STREET

UNILOCK BEST IN SHOW

At Unilock^{*}, we believe the beauty of our products can only be fully realized through the outstanding design and installation skills of professional contractors. Because of this, we recognize and celebrate the best in design and installation with our annual Unilock Awards of Excellence competition. In place since 1994, the AOE is held at each Unilock location and showcases the best projects amongst hundreds of entries across various categories. For the past two years we have awarded a Best in Show prize to the most outstanding overall project, selected from all our regional winners across the U.S. and Canada.

This year's Best in Show winner is Extreme Exteriors Landscape and Construction from Big Bend, Wisconsin. They designed and installed this incredible Bristol Valley* pool surround, outdoor kitchen and entertainment space featuring Bristol Valley and Copthorne* pavers and Brussels Dimensional System[®] wall.





PAVER: Bristol Valley" (Steel Mountain) with Copthorne" (Basalt) and Brussels Block" (Sandstone) accents and paver rugs POOL PAVER:

Bristol Valley (Steel Mountain) with Copthorne (Basalt) and Brussels Block (Sandstone) accents and Brussels Fullnose™ (Sierra) coping


GRILL ISLAND, PIZZA OVEN, FIREPIT, SEAT WALL, FIRE FEATURE, PILLAR AND WATER FEATURES:

Brussels Dimensional System (Sierra) with Copthorne (Basalt) accent and Brussels Fullnose (Sandstone) coping and Ledgestone™ (Buff) pillar caps

RETAINING WALL AND STEPS:

Brussels Dimensional System (Sierra) with Ledgestone (Buff) coping and Brussels Fullnose (Sandstone) treads





Many products will look great when they're first installed, but in time, the difference in quality shows. **All products are NOT created equal!**

24





LEARN

LOOK BEYOND THE SURFACE

There's more to a successful project than simply what you see on the finished surface. The construction of the base, the technology that goes into the products you choose and the steps you take to care for your new outdoor space, all influence whether or not a project will continue to look great for years to come.

> UNILOCK[®] QUALITY AND TECHNOLOGIES CONSTRUCTION 101 PERMEABLE PAVERS AND PROJECT CARE WORLD CLASS COMMERCIAL PROJECTS

UNILOCK QUALITY -- GUARANTEED


Unilock is the **only company** in North America with memberships in Eurobeton and Stein + Design, two **prestigious European** concrete product innovation groups, which give us exclusive access to leading edge product designs and manufacturing processes.

CONCRETE AT ITS BEST

Transformed under the supervision of our Unilock[®] experts, natural and mineral elements are combined with concrete and synthetic iron oxide pigments to create **remarkably durable** paving stones and walls. *There are three collections of Unilock pavers to choose from.*

GOOD CLASSIC

This is how the first pavers were manufactured. The product mix of large and small aggregates is consistent, from top to bottom, with color mixed throughout. The Unilock **Classic** pavers we manufacture exceed all ASTM standards for quality and strength.



BETTER ENDURACOLOR[®]

EnduraColor products are manufactured in a two-step process which combines a base of coarser aggregates for a stronger foundation, with concentrated color and wear-resistant finer aggregates on top. EnduraColor products are highly resistant to fading because the top layer prevents large, lighter color aggregates from showing through.



ONLY UNILOCK OFFERS ENDURACOLOR PLUS

ARCHITECTURAL FINISHES. These products set a new standard for everlasting beauty thanks to proprietary blends of some of nature's highest performing minerals such as granite and quartz, combined with manufacturing technologies that are exclusive to Unilock.

EXCAVATION, BASE PREPARATION, MATERIALS & LABOR



Upgrading to **EnduraColor** or **EnduraColor Plus** could have less impact on the overall project price than you may think.

The cost of pavers is only a small portion of the overall project budget.

EXCLUSIVE UNILOCK® TECHNOLOGIES

$\mathsf{REALA}^{\mathsf{M}}$

Ultra-realistic textures cast from Natural Stone, brick and historic cobblestones.

Look for **REALA TECHNOLOGY** in the following Unilock products:

COPTHORNE', COURTSTONE', RICHCLIFF' RIVERCREST' WALL AND TOWN HALL'






This proprietary manufacturing process creates pavers with up to four times the strength of poured concrete.

Look for ULTIMA CONCRETE TECHNOLOGY in the following Unilock products:

COPTHORNE, COURTSTONE, RICHCLIFF AND TOWN HALL

Deteriorating brick pavers exposed to deicing salt




Unilock Town Hall pavers are built to last

COLORFUSION

A proprietary technology that disperses color randomly for a natural granite-like appearance.

> Look for COLORFUSION TECHNOLOGY in the following Unilock products:

> > **UMBRIANO**^{*}




EASYCLEAN[™]

Factory sealed to provide integral surface protection from stains.

Look for EASYCLEAN STAIN RESISTANCE in the following Unilock products:

BRISTOL VALLEY", SENZO" AND UMBRIANO



There are two Clean Factors (CF®) to choose from:

CLEAN FACTORS (CF)	CF 90	CF 100
Pavers are pre-sealed at the factory	*	*
Enhanced resistance to weathering	*	*
Reduced dirt absorption	*	**
Stains from leaves, coffee, ketchup, mustard, wine and BBQ oils are easier to remove	*	**

CONSTRUCTION 101

The long-term performance of your project is determined by the **quality of the work** that's done to prepare the base **below** your pavers and walls.



1 | EXCAVATION

The first step in any project is excavation of grass and topsoil.

The depth will depend on two factors:

- Soil Type Clay soil requires deeper excavation; sandy soil requires less.
- **Use** Heavy loads like driveways and retaining walls require deeper excavation; lighter loads like patios and walkways require less.

2 | GRAVEL BASE

The excavated area will be filled with a **base gravel.**

This gravel base needs to be:

- Strong enough to handle the load of whatever is placed on the surface.
- Free draining so that water drains out of the base into the subsoil. Retaining walls may require a perforated drain pipe in the gravel base to direct water away from the base of the wall.
- **Extended** at least six inches beyond the edges of the finished paver surface.
- **Compacted** in several layers, using the proper equipment.

3 | BEDDING MATERIAL

For pavers, the right bedding material installed at the right depth is vital to provide a smooth surface on which to lay pavers and allow water to drain away from the surface. For walls, a concrete pad may be installed below grade.

4 | RESTRAINT SYSTEM

For pavers, an edge restraint will be secured with long metal spikes to prevent perimeter pavers from drifting out. For walls, glue may be used to secure rows of blocks and for larger retaining walls geogrid may be used every few layers to secure the wall into the soil that is being retained.

5 | JOINT MATERIAL

Joint material plays an important role between pavers, in keeping weeds and other debris out. Your contractor can help you decide which joint material is right for your project.





BLACK SAND TAN SAND

ND GREY SAND

There are three types of joint material to choose from:

Basic Jointing Sand - Years ago, this was the only joint material available. As it wore away, issues with weeds could arise. If you choose a basic sand, we recommend that you use a joint stabilizing sealer and be prepared to replenish the sand when needed.

Polymeric Sand – This special sand stays in place longer because it is combined with a binding agent. However, it's not right for every project and needs to be installed with care to prevent hazing.

Unilock^{*} **EasyPro**[™] – The ultimate joint compound for paving stones. It's a no-haze, epoxy resin product that is puncture resistant and eco-friendly. It's perfect for wide joints but not recommended for all applications.




6 | SEALING

叡


Unilock pavers will be durable with, or without, a sealer. Some homeowners choose to apply a sealer to their project surface to enhance the color of the pavers, while others choose to appreciate the color of the pavers as they are. Some Unilock pavers are sold pre-sealed. If you choose to seal, you should plan to re-seal every 3-5 years.

> **REMEMBER** A quality project relies on a quality foundation. We recommend hiring a professional contractor.

PAVER CONSTRUCTION



WALL CONSTRUCTION







More and more homeowners are installing **permeable** paver projects to help direct rainfall away from storm sewer systems and back into the **natural ecosystem.**

We take pride in offering the widest selection of permeable pavers in North America. From traditional finishes such as Town Hall^{*}, the only rustic style permeable paver in North America, to the contemporary styling of Eco-line^{*}, there is a permeable Unilock product to suit any project.

Look for these Unilock Permeable Products:

Thornbury[™] Town Hall[®] Tribeca Cobble[™] Eco-Priora[™]




The pavers used in a permeable installation look very similar to traditional pavers, but are made with extra space between them so rainwater can flow back into the earth below, instead of running off the surface into storm sewers.

Special materials are used in the permeable base and joints to encourage water to flow through. Unilock^{*} permeable paver choices can be found on pages 61, 69, 93 and 95.



Some homeowners install rainwater collection systems underneath their paver projects to supply water to in-ground sprinkler systems!



INTERESTING FACT A permeable paver will accumulate less ice because water will drain from the paver surface before it has time to freeze.

-Ď

PROJECT MAINTENANCE

WEEDS CAN BE PREVENTED

When a proper base is installed, there is no soil directly beneath your pavers from which weeds can grow. However, if the joints are not kept full with jointing material, it is possible for dirt and weed seeds to blow in from the surrounding area and germinate in the joints.

In the past - a basic sand was the only jointing material available. Unless this sand was replenished regularly, rain would erode the sand, leaving joints vulnerable to weeds.

Today - new varieties of sand stabilizer compounds and polymeric jointing material are available which **relieve homeowners from this maintenance burden.** See page 31 for more information on jointing material choices.

A SOLID FOUNDATION PREVENTS SETTLING

When the base of your project is properly constructed, water will not accumulate underneath and settling will not occur. See page 30 for more information on proper construction. **Need help finding a qualified contractor?** Call us at **1-800-UNILOCK** or register online at **Unilock.com** and we'll match you with a Unilock^{*} Authorized Contractor in your area.

TO SEAL OR NOT TO SEAL

Some homeowners choose to apply a sealer to their project surface when it's finished, to enhance the color of their pavers. Others choose to appreciate the color of the pavers as they are. Unilock pavers will be durable with or without a sealer. If you choose to seal your project after its installed, you should plan to re-seal every three to five years.

THE CHOICE OF DESIGN PROFESSIONALS

The same Unilock^{*} products available to homeowners are relied on by architects, landscape architects and engineers, to create world class commercial spaces across North America.











THE CHOICE OF THE BEST CONTRACTORS & CRAFTSMEN

Like a good artist needs the right paint, the best contractors use the Unilock palette of exclusive colors, textures and styles to showcase their creativity and workmanship. These artisans trust Unilock to continue to provide them with the tools they need for cutting edge design and installation standards that set them apart.



PLAN

TURNING YOUR DREAM INTO REALITY

If you've never undertaken an outdoor landscaping project before, it can feel overwhelming. We're here to help. The pages in this section are designed to help you plan for a successful project:

> CHOOSING A CONTRACTOR PROJECT MANAGEMENT TIPS DESIGN CONSIDERATIONS OUTDOOR IDEA CENTER

CHOOSING A CONTRACTOR

Choosing the right contractor for your project is the most **important decision** of all because even the best materials can be spoiled by poor installation and workmanship.

WORKMANSHIP

- Ask to see projects the contractor completed more than two years ago so you can see **how the work holds up** over time.
- □ Are the pavers laid in a way that minimizes awkward cuts? Are the curves of the project cut in a way that minimizes large gaps?
- \Box Has edge restraint been used and is it still in place?
- □ How long does the contractor **guarantee** the work? How many warranty claims has the company had in the past two years?

SUB-CONTRACTING

Some contractors will hire other companies to perform parts of the work, like lighting and irrigation. Be sure to ask the contractor about these sub-contractors and how they will be managed.

RELEVANT EXPERIENCE

- □ How long has the contractor been installing pavers and walls?
- □ Has the contractor installed projects in the past with the features you're considering (e.g. a raised patio, retaining wall or water feature)?

BASE PREPARATION

- □ What are the contractor's base preparation methods? What materials are used and why?
- □ Is there a standard procedure for base preparation or will the contractor assess **your site's unique needs?**





HAVING TROUBLE FINDING A CONTRACTOR?

Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock^{*} Authorized Contractor referral program. We'll match you with a local contractor who is guaranteed to do the job right.

TIMING

- □ Ask the contractor how far in advance they are booking projects and **how long your project might take**.
- \Box What is the contractor's payment terms?
- □ Is an upfront deposit required to **secure the timing** of the project?

DOCUMENTATION

- Does the contractor have the **proper licensing** for their work?
- □ Does the contractor have **liability insurance** and are employees covered by Workers Compensation?
- □ Will there be permits required for the job and if so, who is responsible to secure them?

COMPATIBILITY

- □ Do you like this contractor? Can you **easily communicate** and understand each other? Is this someone you can trust?
- □ Ask if the person you're meeting will be on site throughout the project or if someone else in the company will be your day-to-day contact person.
- □ Contacting **references** can help you understand how the contractor operates throughout a project.



DESIGN

- Does the contractor offer a design service? Is there a cost for this? Is the design hand drawn or rendered in 3D?
- Are the contractor's designs something you would like for your project?

PROJECT MANAGEMENT TIPS

1 | BUDGET

Ask your contractor to provide **good/better/best versions** of the project, or perhaps a budget that phases your project into several stages. Some contractors can even offer **payment plans** so you don't have to pay for your project right away.

2 | TIMELINE

Be sure to tell your contractor if there is a **deadline** by which the project absolutely must be completed. Rainy weather sometimes impacts the timing of projects, so be sure to understand what happens in the event of a delay.

3 | GROUND RULES

Your contractor's crew will be on your property on a daily basis. Agree to **ground rules** before the project begins. What time will work begin and end each day? What is their daily clean up routine? Where will products and equipment be stored on the site? Will they require access to your home or garage?

4 | COMMUNICATION

Establish in advance **who to contact if you have concerns** and how often you'd like your contractor to provide you with updates. If you notice something that doesn't look right on your project, be sure to let your contractor know right away.

5 | CHANGES

Even the best managed projects occasionally run into unforeseen circumstances. Be sure to understand the contractor's procedure for handling changes.

6 | PROJECT WRAP UP

Once you've inspected your completed project, if you're happy with the work, be sure to **recommend your contractor** to friends and neighbors. And don't forget to register for your Unilock product warranty at Unilock.com!

DESIGN CONSIDERATIONS

OUTDOOR LIVING

EXPAND YOUR HOME

A new outdoor living space can **add functional square footage** to your existing home by providing a new space to relax and entertain. Consider first how you would like to use the space, and then design it as an extension of your interior decorating style. Even a small space can appear bigger by using different paver colors, paver borders, elevation changes and seat walls to define distinct areas for cooking, eating and relaxing.

OUTDOOR ROOMS

Fire features are growing in popularity because they add visual interest and warmth that makes the space more enjoyable to use in cooler weather. Lighting installed in gardens, low walls, steps and pillars will also help draw people outside in the evening and adds visual appeal that you can enjoy from inside your home. Snow-covered pillars and walls can make beautiful accents to your property in the winter months.





POOL DECKS

SIZE MATTERS

When planning your pool deck, **four feet is the minimum perimeter** around the pool for basic access. However, if you intend to use the pool deck as a patio for entertaining or sunbathing, you'll need to increase this significantly. Be sure to keep in mind the size of your outdoor furniture; it's typically much bigger than indoor furniture!

SAFETY CONSIDERATIONS

The paver you choose for your pool deck deserves special consideration because you'll be **walking on it in your bare feet!** Be sure to choose a color that **won't absorb too much heat** from the summer sun. A smoother surface is pleasing to walk on, but make sure it's sufficiently **non-slip.** Umbriano^{*} is our most popular choice for pool decks. For the coping around the edge of the pool, avoid products with abrasive edges. A contrasting coping color or inset border is also something to consider, as it helps define the pool edge.


DRIVEWAYS

CURB APPEAL

A paver driveway is **an investment that adds instant curb appeal** and value to your home. When choosing a paver product it's generally a good idea to complement the main color of your home rather than to try to match it. Then, consider borders and accents to draw out specific colors from your home and create continuity. Consider adding vertical features like pillars, planters and decorative walls to further enhance the beauty of your driveway.

THINK GREEN

Permeable pavers **allow rainwater to flow between the joints,** through special base materials and into the subsoil below. This reduces puddling on the driveway surface when it rains, and reduces ice build-up in winter. It also provides a dual "green" benefit; not only does it reduce the amount of water that flows into storm sewers but it also provides moisture to surrounding plant material.








ENTRANCES

WELCOME GUESTS

A great looking front entrance gives guests a warm welcome. Attractive steps that are wide enough to easily navigate, **low garden walls and planter boxes,** and smartly placed lighting all contribute to a cozy feeling that smooths the transition from the street to your home. As a general rule, the minimum width for any walkway is four feet.

A PLACE TO SIT

Even a modest front yard can usually accommodate a small courtyard seating space, where a morning coffee can be enjoyed or parents can observe their children playing with neighborhood friends.



NEED MORE DESIGN IDEAS? VISIT A UNILOCK OUTDOOR IDEA CENTER


SEE

An expansive display of Unilock* products in a life-size outdoor setting.


TALK

To our knowledgeable staff and we'll help you create a plan to achieve the outdoor space you're dreaming about.

TAKE FREE samples of Unilock paver and wall products home with you.



Please feel free to walk around and browse our Outdoor Idea Center at any time. Call 1-800-UNILOCK or visit Unilock.com for more details.



35 Commerce Dr. Uxbridge, MA 01569 51 International Blvd. Brewster, NY 10509

VISUALIZING YOUR PROJECT DESIGN

A detailed design requires a great deal of time and effort, so you can understand why many contractors charge for this service in advance.

TRADITIONALLY, LANDSCAPE DESIGNS WERE HAND DRAWN TO SCALE ON GRAPH PAPER.

While there are many contractors and designers who still prefer to draw by hand, more and more plans today are being created digitally and in 3D.

If you're having trouble imagining what your project will look like when it's complete, a 3D design can really help.




Contact us at **1-800-UNILOCK** or register online at **Unilock.com** to take advantage of our Unilock[®] Authorized Contractor referral program. We'll take the time to understand your project, and will match you with a local contractor who offers a 3D design service and is guaranteed to do the job right.



3D Rendering



Completed Job



SELECT

CHOOSING THE PERFECT PRODUCT

Choose from our vast array of styles - everything from pavers cast from actual cobblestones found in historic European village streets, to the sleek modern lines and random color dispersion of granite-like slabs.

> ENDURACOLOR[™] PLUS ARCHITECTURAL FINISHES

> > **ENDURACOLOR**[™]

CLASSIC

PERMEABLE

VERTICAL DIMENSIONS

Pebble Taupe and Dawn Mist Blend with Courtstone (Basalt) accent


6/25/2

RICHCLIFF®





Pebble Taupe and Dawn Mist Blend with Copthorne (3 Color Blend) accent







DAWN MIST



PEBBLE TAUPE / DAWN MIST BLENDED ON SITE



RANDOM BUNDLE



12 x 9 x 2³/₈" 30 x 22.6 x 6cm



SQUARE 9 x 9 x 23/8" 22.6 x 22.6 x 6cm

SMOKE SHALE NEW FOR 2018

PEBBLE TAUPE



SMALL RECTANGLE 6 x 9 x 2³/₈" 15 x 22.6 x 6cm

RICHCLIFF[®] **TECHNICAL ADVANTAGES**

ENDURACCLOR PLUS ARCHITECTURAL FINISHES Refined surface and long-lasting color

REALA™ TECHNOLOGY Cast natural stone

ULTIMA[™] CONCRETE TECHNOLOGY Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY Can handle vehicular loads



LARGE RECTANGLE 21 x 12 x 23/8" 52.8 x 30.2 x 6cm SOLD SEPARATELY COMING SOON IN 2018

Laying patterns can be found on page 134.



UMBRIANO[®]





TOP Summer Wheat

BOTTOM French Grey



SEE VIDEO FOOTAGE AT UNILOCK.COM





FRENCH GREY



HARVEST BROWN NEW FOR 2018



MIDNIGHT SKY



SUMMER WHEAT

WINTER MARVEL

UMBRIANO[®] TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

EASYCLEAN™ STAIN RESISTANCE - CF 90


Factory sealed to provide integral surface protection from stains

COLORFUSION™ TECHNOLOGY

Subtly mottled color finish

DRIVE FRIENDLY

16 x 16", 8 x 16" and 8 x 8" sizes of 7cm can handle vehicular loads



NOTE: 24" and 6cm Rdm not suitable for vehicular applications.

SPECIAL ORDER: 12 x 36", 18 x 36" and 36 x 36" (10cm) are also available by special order (minimum quantities apply). Laying patterns of



COURTSTONE®





Basalt, Belgian Blue and Dawn Mist with Copthorne (Burgundy Red) accent



COLORS*



BASALT



DAWN MIST







RECTANGLE 51/8 x 61/2 x 23/8" 13 x 16.5 x 6cm



SMALL RECTANGLE 51/8 x 53/4 x 23/8" 13 x 14.5 x 6cm

DRIVE FRIENDLY



COURTSTONE[®]

Refined surface and long-lasting color

TECHNICAL ADVANTAGES

REALA™ TECHNOLOGY

cobble stones

Cast from historic European

ULTIMA[™] CONCRETE TECHNOLOGY Up to 4x stronger than poured-in-place concrete

Can handle vehicular loads

51/8 x 51/8 x 23/8" 13 x 13 x 6cm



BELGIAN BLUE



PEBBLE TAUPE



BASALT / BELGIAN BLUE BLENDED ON SITE



DAWN MIST / PEBBLE TAUPE BLENDED ON SITE





TOWN HALL[®]





Basalt with Umbriano (Winter Marvel) accent



COLORS*



BURGUNDY RED



HERITAGE RED



STANDARD 4 x 9¾ x 2¾" 10 x 25 x 7cm



BURNT CLAY



HERITAGE CLAY





HERITAGE 2 COLOR BLEND **BLENDED ON SITE**



3 COLOR BLEND BLENDED ON SITE



BASALT

TOWN HALL[®] **TECHNICAL ADVANTAGES**

ENDURACOLOR PLUS ARCHITECTURAL FINISHES Refined surface and long-lasting color

REALA™ TECHNOLOGY Cast from historic brick

ULTIMA[™] CONCRETE TECHNOLOGY Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY Can handle vehicular loads



Can be installed to allow water to flow through

Laying patterns can be found on page 134.

3 Color Blend (Burgundy Red, Burnt Clay and Old Oak)

E

100


15

and the

COPTHORNE®











BURGUNDY RED



STANDARD 2½ x 7½ x 2¾" 6.5 x 20 x 6cm

3 COLOR BLEND BLENDED ON SITE

BASALT



BURNT CLAY



ALT



OLD OAK



STEEL BLUE NEW FOR 2018

COPTHORNE[®] TECHNICAL ADVANTAGES

ENDURACELOR PLUS ARCHITECTURAL FINISHES Refined surface and long-lasting color

REALA[™] TECHNOLOGY Cast from historic brick

ULTIMA[™] CONCRETE TECHNOLOGY Up to 4x stronger than poured-in-place concrete

DRIVE FRIENDLY Can handle vehicular loads

Crystalline Basalt with Peppered Granite accent

KORO)

m

AST

TRIBECA COBBLE[™]













PEPPERED GRANITE



CRYSTALLINE BASALT







LE "

TRIBECA COBBLE™ TECHNICAL ADVANTAGES

Refined surface and long-lasting color Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

Can handle vehicular loads

PERMEABLE

Can be installed to allow water to flow through

CURB UNIT

11.5 x 9 x 4 x 7" 29 x 23 x 10 x 18cm


RANDOM BUNDLE













CASTANO SPECIAL ORDER



CREMO SPECIAL ORDER



NUVOLA SPECIAL ORDER

SENZO[™] TECHNICAL ADVANTAGES

ENDURACELOR PLUS ARCHITECTURAL FINISHES Refined surface and long-lasting color

EASYCLEAN™ STAIN RESISTANCE - CF 100 Factory sealed to provide integral surface protection from stains

DRIVE FRIENDLY Can handle vehicular loads





8 x 8 x 2¾" 20 x 20 x 7cm SPECIAL ORDER













LEFT

SERIES BANDING IDEA FOR WALL

Rivercrest[®] Wall (Coastal) with Black Granite accent and Ledgestone[™] (Grey) coping


RIGHT

SERIES BANDING IDEA FOR PAVER Richcliff" (Dawn Mist) with

Black Granite accent

воттом

SERIES BANDING IDEA FOR PAVER Artline (Steel Mountain) with Black Granite accent








MOCHA BROWN



PEPPERED GRANITE



BLACK GRANITE AVAILABLE IN 6 x 6" AND 4 x 8" ONLY

SERIES[™] **TECHNICAL ADVANTAGES**

ENDURACOLOR PLUS ARCHITECTURAL FINISHES


Refined surface and long-lasting color Granite, Quartz and Marble surface materials

DRIVE FRIENDLY

7 cm can handle vehicular loads



RANDOM BUNDLE





12 x 12 x 2¾"

SPECIAL ORDER

30 x 30 x 7cm

14 x 14 x 2³/₈" 36 x 36 x 6cm



6 x 12 x 2¾"

SPECIAL ORDER

15 x 30 x 7cm

SMALL RECTANGLE 7 x 14 x 23/8" 18 x 36 x 6cm




6 x 6 x 2¾″ 15 x 15 x 7cm SPECIAL ORDER

 $4 \times 8 \times 234''$

10 x 20 x 7cm

AVAILABLE IN BLACK GRANITE ONLY



COLORS*




TUSCANY

STEEL MOUNTAIN



COPPER RIDGE NEW FOR 2018






WINTER MARVEL - UMBRIANO FINISH



2 COLOR BLEND BLENDED ON SITE



FRENCH GREY - UMBRIANO FINISH

ARTLINE[™]

TECHNICAL ADVANTAGES

ENDURACOLOR[®]

Refined surface and long-lasting color

DRIVE FRIENDLY Can handle vehicular loads

UMBRIANO[®] FINISH


EASYCLEAN[™] STAIN RESISTANCE - CF 90

Factory sealed to provide integral surface protection from stains

COLORFUSION[™] TECHNOLOGY Subtly mottled color finish

79

SELECT



ARTLINE[™]

тор

Umbriano Finish (2 Color Blend -Winter Marvel and French Grey)

воттом Steel Mountain with Series[™] (Black Granite) accent

OPPOSITE Steel Mountain with Series (Black Granite) accent







Sierra with Umbriano' (Midnight Sky) accent

9388

and the party

BEACON HILL[™] FLAGSTONE







COFFEE CREEK



NEW YORK BLEND



TUSCANY



BAVARIAN



FOSSIL NEW FOR 2018








STEEL MOUNTAIN













XL UNIT NEW FOR 2018 21 x 35 x 23/8" 54 x 90 x 6cm SOLD SEPARATELY

8CM THICKNESS IS AVAILABLE AS SPECIAL ORDER. MINIMUM QUANTITIES APPLY.

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY

8cm pavers can handle vehicular loads

SELEC.



BEACON HILL[™] FLAGSTONE

тор

Almond Grove with Copthorne^{*} (3 Color Blend) accent

BOTTOM Coffee Creek

OPPOSITE

PAVER: Steel Mountain with Copthorne* (Burgundy Red) accent ISLAND: Brussels Dimensional System[™] (Sierra) WALLS AND FIREPIT: Concord Wall* (Sierra)







Paver - Steel Mountain Wall - Lineo Dimensional Stone (Limestone)

THEF AND THE ART A SHE WAS A SHE AND A SHE AND A SHE A S

BEACON HILL[™] SMOOTH







COPPER RIDGE NEW FOR 2018



STEEL MOUNTAIN



TUSCANY



SIERRA



TECHNICAL ADVANTAGES

ENDURACOLOR[®] Refined surface and long-lasting color

DRIVE FRIENDLY 8cm pavers can handle vehicular loads











XL UNIT NEW FOR 2018 21 x 35 x 23/8" 54 x 90 x 6cm SOLD SEPARATELY

RANDOM BUNDLE

8CM THICKNESS IS AVAILABLE AS SPECIAL ORDER. MINIMUM QUANTITIES APPLY.

Laying patterns can be found on page 134.

SELECT



TREO[®] ENDURACOLOR





ALMOND GROVE

BAVARIAN



SIERRA



COPPER RIDGE NEW FOR 2018



STEEL MOUNTAIN NEW FOR 2018

TECHNICAL ADVANTAGES

ENDURACOLOR

Refined surface and long-lasting color

DRIVE FRIENDLY Can handle vehicular loads



TUSCANY



CHARCOAL AVAILABLE IN SMALL RECTANGLE ONLY







BROWN NEW FOR 2018

AVAILABLE IN SMALL RECTANGLE ONLY

8% x 8% x 2%" 22.5 x 22.5 x 6cm



SMALL RECTANGLE 4½ x 8½ x 2¾" 11.25 x 22.5 x 6cm



 $\begin{array}{l} \text{SMALL RECTANGLE} \\ 4^{\prime\prime_2} \times 8^{\prime\prime_8} \times 2^{\prime\prime_7} \\ 11.25 \times 22.5 \times 6 \text{cm} \\ \text{SOLD SEPARATELY} \end{array}$

RANDOM BUNDLE

BRISTOL VALLEY[®]







STEEL MOUNTAIN





BAVARIAN

SQUARE 14½ x 14½ x 2¾" 36 x 36 x 6cm



SMALL RECTANGLE 7½ x 14½ x 2¾" 18 x 36 x 6cm **TECHNICAL ADVANTAGES**

ENDURACOLOR[®]

Refined surface and long-lasting color

EASYCLEAN^{*} **STAIN RESISTANCE - CF90** Factory sealed to provide integral surface protection from stains

RANDOM BUNDLE

LARGE RECTANGLE

211/4 X 141/8 x 23/8"

54 x 36 x 6cm

NEW FOR 2018 MATTONI®







COCOA BROWN



DARK CHARCOAL



SABLE BLEND

TECHNICAL ADVANTAGES

ENDURACOLOR Refined surface and long-lasting color

ANTIQUED FINISH Distressed, timeworn finish

DRIVE FRIENDLY Can handle vehicular loads



2¼ x 9½ x 2¾" 6 x 24 x 7cm

Laying patterns can be found on page 134.

91

WESTPORT ENDURACOLOR







ALMOND GROVE



NEW YORK BLEND



SIERRA

10 x 10 x 2³/₄"

25.4 x 25.4 x 7cm



STEEL MOUNTAIN NEW FOR 2018

TECHNICAL ADVANTAGES

ENDURACOLOR[®] Refined surface and long-lasting color

DRIVE FRIENDLY Can handle vehicular loads



RANDOM BUNDLE



25.4 x 38 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm SOLD SEPARATELY

10 x 15 x 2¾"

THORNBURY[™]







ALMOND GROVE



BAVARIAN





NEW YORK BLEND



SIERRA

TECHNICAL ADVANTAGES

ENDURACOLOR Refined surface and long-lasting color

DRIVE FRIENDLY Can handle vehicular loads

PERMEABLE

Can be installed to allow water to flow through

NEW FOR 2018 THORNBURY SMOOTH AVAILABLE IN STEEL MOUNTAIN AND ALMOND GROVE



RANDOM BUNDLE

LARGE RECTANGLE 13¾ x 16½ x 2¾" 35 x 42 x 7cm



MEDIUM RECTANGLE 13¾ x 8¼ x 2¾" 35 x 21 x 7cm



SMALL RECTANGLE 61% x 81/4 x 23/4" 17.3 x 21 x 7cm

TRANSITION[™]





ALMOND GROVE









BAVARIAN



STEEL MOUNTAIN

6x 6 x 2³⁄₅" 15 x 15 x 6cm



NEW YORK BLEND

TECHNICAL ADVANTAGES

ENDURACOLOR[®] Refined surface and long-lasting color

DRIVE FRIENDLY Can handle vehicular loads

6 x 9 x 2³/₈"

15 x 23 x 6cm

ECO-PRIORA[™]



COLORS*




LARGE SQUARE

SPECIAL ORDER

GRANITE







SIERRA



Also Available in Il Campo', Umbriano', Series", EnduraColor" or Tumbled finish as Special Order.

Laying patterns can be found on page 134.

TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY

Can handle vehicular loads

PERMEABLE

Can be installed to allow water to flow through

95

TREO[®] CLASSIC







ALMOND GROVE



GRANITE BLEND



SIERRA

TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY Can handle vehicular loads









RANDOM BUNDLE

BRUSSELS BLOCK[®]







ALMOND GROVE



XL STONE

8¼ x 13¾ x 2¾"

20.8 x 34.8 x 7cm

NEW YORK BLEND







STANDARD STONE

67/8 x 81/4 x 23/4"

17.3 x 20.8 x 7cm



LIMESTONE



SIERRA



FULLNOSE COPING $6 \times 12 \times 234''$ $15 \times 30 \times 7cm$

TECHNICAL ADVANTAGES

CLASSIC

ANTIQUED FINISH Distressed, timeworn finish

DRIVE FRIENDLY Can handle vehicular loads

Laying patterns can be found on page 134.

WESTPORT^T CLASSIC







ALMOND GROVE



GRANITE





SIERRA

TECHNICAL ADVANTAGES

CLASSIC

DRIVE FRIENDLY Can handle vehicular loads



RANDOM BUNDLE



25.4 x 38 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm



RECTANGLE 5 x 10 x 2¾" 12.7 x 25.4 x 7cm SOLD SEPARATELY



ANTARA[®]









ALMOND GROVE



GRANITE



SIERRA

COLORS




ALMOND GROVE





SIERRA





CLASSIC





LARGE RECTANGLE 6 x 9 x 2³/₈" 15 x 22.5 x 6cm




SQUARE 6 x 6 x 2³/₈" 15 x 15 x 6cm



DRIVE FRIENDLY Can handle vehicular loads

Visit Unilock.com for laying patterns.

CAMELOT[™]







ALMOND GROVE



RUSTIC RED





SIERRA

TERRA COTTA



GRANITE

TECHNICAL ADVANTAGES



DRIVE FRIENDLY Can handle vehicular loads



RECTANGLE 6 x 9 x 2³/₈" 15 x 22.5 x 6cm



SQUARE 6 x 6 x 23/8" 15 x 15 x 6cm

HOLLANDSTONE







ALMOND GROVE



CHARCOAL



GRANITE



RED



TECHNICAL ADVANTAGES

CLASSIC


DRIVE FRIENDLY Can handle vehicular loads

SIERRA

TERRA COTTA



NATURAL STONE







AUTUMN HARVEST SANDSTONE



BLACK RIVER LIMESTONE



STONE CLIFF GREY SANDSTONE



INDIAN COAST SANDSTONE



HEARTHSTONE LIMESTONE

WINTER MIST LIMESTONE

SPEAK TO YOUR CONTRACTOR OR A LOCAL UNILOCK AUTHORIZED DEALER FOR MORE INFORMATION AND AVAILABILITY. LOOKING FOR MORE INFORMATION? Contact us at 1-800-UNILOCK to receive your free Natural Stone catalog today!

PORCELAIN TILE



Suitable for wood deck and concrete overlays.



 $\bullet C \overset{\text{densities}}{F} S \overset{\text{densities}}{S} R \bullet$

GOTHAM NERO







TRAVSTONE BEIGE

GOTHAM GREY



EIKON TITANIO NEW





TRAVSTONE NOCE

SELEC



NEW FOR 2018 U-CARA

The U-Cara Multi-Face Wall System represents a revolution in wall design.

This patented system, exclusive to Unilock[®], is comprised of two basic components:

Sure Track[™] backer blocks provide dimensionally accurate structure

U-Cara fascia panels provide unlimited design options





SURE TRACK STANDARD BACKER $6 \times 8 \times 6''$ $15 \times 20 \times 15 cm$



 $\begin{array}{l} \textbf{STANDARD FASCIA HALF PANEL} \\ \textbf{(Umbriano, Pitched & Smooth)} \\ 6 \times 9\% \times 2\%'' \\ 15 \times 23.3 \times 6 cm \end{array}$



SURE TRACK LARGE BACKER 6 × 7 × 12" 15 × 17.5 × 30cm



 $\begin{array}{l} \textbf{(LOSED-END FASCIA PANEL} \\ \textbf{(Umbriano, Pitched & Smooth)} \\ 6 \times 21 \times 2^{3} \&'' \\ 15 \times 53 \times 6 cm \end{array}$



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm



 $\begin{array}{l} \textbf{STANDARD FASCIA PANEL} \\ \textbf{(Umbriano, Pitched & Smooth)} \\ 6 \times 18^{1/_2} \times 2^{3/_6} '' \\ 15 \times 46.6 \times 6 \text{cm} \end{array}$



SURE TRACK CORNER INSERT L = 2''5cm



UNIVERSAL COPING 19 x 14 x 2³⁄4" 48.2 x 35.5 x 7cm

U-CARA Exclusively from Unilock US Pat. 9,453,341 (International Patents Pending)

CORNER BUNDLE







U-Cara[™] Fascia panels can be placed anywhere along the Sure Track Backer Block, allowing for a variety of patterns, color and texture combinations not possible with other systems.


1/2 Running Bond

1/2 Running Bond with Paver Accents

///////////////////////////////////////		

1/2 Running Bond with Linear Accents

Mixed Bond



1/2 Running Bond with Random Accents

_

1/3 Running Bond

Stacked Bond with Accents







PLANTER WALL AND STEPS

Steel Mountain (Pitched Face) with Opal (Smooth Face) accent and Universal Coping (Light Grey) **PAVERS:** Umbriano^{*} (French Grey) with Town Hall^{*} (Basalt) accent

FIRE FEATURE

Steel Mountain (Pitched Face) with Universal Coping (Light Grey)

GRILL ISLAND

Opal (Smooth Face) with Steel Mountain (Pitched Face) accent and Universal coping (Light Grey)

build Retainin

Pillars, Planters, Fire Features, Grill Island<u>s and more!</u>

NEW FOR 2018 U-CARA

U-Cara fascia panels are available in a **variety of colors and textures**, including, for the first time, exclusive Unilock **EnduraColor** finishes.

UMBRIANO[®] FINISH

š
R
ž
8







SUMMER WHEAT

TECHNICAL ADVANTAGES

ENDURACOLOR PLUS ARCHITECTURAL FINISHES

Refined surface and long-lasting color

EASYCLEAN™ STAIN RESISTANCE - CF 90

Factory sealed to provide integral surface protection from stains

COLORFUSION™ TECHNOLOGY Subtly mottled color finish



Refined surface and long-lasting color Granite, Quartz and Marble surface materials

ENDURACOLOR

Refined surface and long-lasting color





BLACK GRANITE

FRENCH GREY

PEPPERED GRANITE

STEEL MOUNTAIN

WINTER MARVEL

PITCHED FACE

SERIES[™] FINISH



BAVARIAN

SMOOTH FACE





Contraction of the second			Stand and
	and a		Ser Cont
A L			

ENDURACOLOR

Refined surface and long-lasting color

SIERRA

SELEC.





LEFT

PILLAR AND WALL: Limestone with Series[™] (Black Granite) accent and Ledgestone[™] (Grey) coping and pillar cap PAVER: Artline[™] (Steel Mountain) with Series (Black Granite) accent

RIGHT

WATER FEATURE: Midnight Charcoal with Limestone accent

BOTTOM

GRILL ISLAND, SEAT WALL AND FIREPIT: Sierra PAVER: Artline (Steel Mountain) with Town Hall' (Basalt) accent and Ledgestone (Buff) coping and pillar cap





LINEO[®] DIMENSIONAL STONE

COLORS*





ALMOND GROVE



LIMESTONE



SIERRA

MIDNIGHT CHARCOAL AVAILABLE IN PILLAR/CORNER UNIT ONLY

24 x 4 x 8" 60 x 10 x 20cm



16 x 4 x 8" m 40 x 10 x 20cm



PILLAR UNIT / CORNER UNIT 16 x 4 x 8" 40 x 10 x 20cm

RANDOM BUNDLE

LINEO FIREPIT KIT Available in Almond Grove, Limestone and Sierra. See page 125 for more information.





LINEO PILLAR CAP 29 x 29 x 4" 74 x 74 x 10cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

COPING

For Lineo Dimensional Stone pillar we recommend using Lineo 29" x 29" pillar cap. For coping options we recommend using Natural Stone (page 102) or Ledgestone (page 120).

111





LEFT

PILLARS AND STEPS: Rapid Pillar System (Buff) with Ledgestone[™] (Buff) treads

RIGHT

FIRE FEATURE: Coastal Slate with Natural Stone (Black River) coping

воттом

RETAINING WALL: Buff and Coastal Slate Mix with Ledgestone (Buff) coping



RIVERCREST[®] WALL







TECHNICAL ADVANTAGES

REALA™ TECHNOLOGY

Cast from natural stone



In 2013. Rivercrest Wall received the "red dot" award for high design quality and innovation.

reddot www.registration.pd.red-dot.de

BUFF

COASTAL SLATE







8 x 9-10 x 2¼" 20 x 23-25 x 6cm



STANDARD UNIT 3 12 x 9-10 x 2¼" 31 x 23-25 x 6cm



STANDARD UNIT 4 17 x 9-10 x 2¼" 42.5 x 23-25 x 6cm



JUMPER BUNDLE

RANDOM BUNDLE



JUMPER UNIT 1 8 x 9-10 x 4¹/₂" 20 x 23-25 x 11.4cm



31 x 23-25 x 11.4cm



JUMPER UNIT 4 17 x 9-10 x 4½" 42.5 x 23-25 x 11.4cm



RAPID PILLAR SYSTEM

PILLAR UNIT 20 x 20 x 41/2" 50 x 50 x 11.4cm Pillar cap sold separately.

LONG CORNER UNIT 17 ½ x 9-10 x 2 ¼″ 45 x 23-25 x 5.7cm

CORNER BUNDLE



SHORT CORNER UNIT 14 ½ x 9-10 x 2 ¼" 37.5 x 23-25 x 5.7cm



12 x 9-10 x 4¹/₂"

31 x 23-25 x 11.4cm

JUMPER CORNER UNIT 12 x 9-10 x 4½" 31 x 23-25 x 11.4cm



RIVERCREST FIREPIT KIT See page 124 for more information.



For Rivercrest Wall we recommend using Ledgestone 24" x 12" coping. See page 120 for color options.





UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

113

SELEC.







GRILL ISLAND: Sierra with Richcliff" (Dawn Mist) accent panel PAVER: Richcliff (Dawn Mist) with Courtstone" (Basalt) accent

RIGHT

FIREPIT AND TV UNIT: Sandstone with and Brussels Fullnose[™] (Sandstone) coping PAVER: Beacon Hill Flagstone[™] (Sierra) with Copthorne^{*} (3 Color Blend) accent

воттом

GRILL ISLAND: Sandstone with Series" (Black Granite) accent and Brussels Fullnose (Sandstone) ledge PAVER: Brussels Block* (Sandstone)



BRUSSELS DIMENSIONAL SYSTEM^{**}





COFFEE CREEK









SANDSTONE

SIERRA





NEW YORK BLEND



15" UNIT 15 {12} x 4 x 8" 38.1 {30.5} x 10 x 20cm



12" UNIT 12 {9} x 4 x 8" 30.5 {22.9} x 10 x 20cm



9" UNIT 9 {6} x 4 x 8" 22.9 {15.2} x 10 x 20cm

WALL BUNDLE





Square



TAPERED COPING 12 {9} x 3 x 12" 30.5 {22.9} x 7.6 x 30.5cm



UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

SUNSET FIREPIT KITS

AVAILABLE COLORS: Almond Grove, Limestone and Sierra.

Round



See page 125 for more information.

COPING

For Brussels Dimensional System we recommend using Ledgestone 24" x 12" coping. See page 120 for color options.



SELEC





LEFT GRILL ISLAND: Sierra with Series[™] (Black Granite) accent

RIGHT

RETAINING WALL: Sierra with Ledgestone[™] (Buff) coping

воттом

FIREPIT AND SEAT WALL: Sierra with Series (Black Granite) accent and Ledgestone (Buff) pillar caps and Brussels Fullnose[™] (Sierra) coping. PAVERS: Thornbury (Sierra) with Series (Black Granite) accent



ESTATE WALL[®]



ALMOND GROVE





GRANITE

MEDIUM WEDGE

30 x 7.5 x 22.8cm

12 x 3 x 9"



SIERRA



MEDIUM WEDGE

LARGE WEDGE 16 x 6 x 9" 40 x 15 x 22.8cm



SMALL WEDGE 8 x 6 x 9" 20 x 15 x 22.8cm



LARGE WEDGE 14¾ x 3 x 9″ 37.5 x 7.5 x 22.8cm

3" RANDOM BUNDLE

SMALL WEDGE 8 x 3 x 9"

23 x 7.5 x 22.8cm



7.5 x 30 x 22.8 x 30cm

3 x 12 x 9 x 12"

COPING BUNDLE



COPING UNIT 3 x 12 x 11 x 12" 7.5 x 30 x 28 x 30cm

6" RANDOM BUNDLE



LARGE WEDGE 4 x 16 x 13³/₄ x 9" 10 x 40 x 35 x 22.8cm

4" RANDOM BUNDLE

MEDIUM WEDGE SMALL WEDGE 4 x 8 x 6 x 9" 4 x 12 x 10 x 9" 10 x 30 x 25 x 22.8cm 10 x 20 x 15 x 22.8cm



6" CORNER 12½ x 6 x 9″ 31.7 x 15 x 22.8cm



4" CORNER UNIT 4 x 12 x 9" 10 x 30 x 22.8cm




3" CORNER 12½ x 3 x 9″ 31.7 x 7.5 x 22.8cm



We recommend using Unilock's Ledgestone™ coping and pillar caps (page 120) to complement this great wall system.





UNIVERSAL BASE UNIT 19 x 14 x 2" 48.2 x 35.5 x 5.5cm

ROMAN WALL[®]







ALMOND GROVE





SIERRA



TAPERED 8 x 6 x 12" 20 x 15 x 30cm








(ORNER 12 × 6 × 8" 30 × 15 × 20cm



CONCORD WALL[™]





GRANITE



ALMOND GROVE



XL UNIT 16 x 6 x 12"

40 x 15 x 30cm

TAPERED

8 x 6 x 12"

11/2 UNIT 12 x 6 x 10"





CORNER 12 x 6 x 8" 30 x 15 x 20cm



COPING / STEP TREAD 24 x 3 x 12" 60 x 7.5 x 30cm

20 x 15 x 30cm 30 x 15 x 25cm

1/2 UNIT 4 x 6 x 12" 10 x 15 x 30cm

WEDGE CAP UNIT 31/3 x 93/4 {85/8} x 13" 8.6 x 24.8 x 33cm

119

LEDGESTONE[®] STEPS & COPING









TECHNICAL ADVANTAGES

REALA™ TECHNOLOGY Cast from natural stone

BUFF



COPING UNIT 12 x 24 x 2¾" 30.5 x 61 x 7cm



30.5 x 61 x 7cm

PILLAR CAP

24 x 24 x 3½"

61 x 61 x 9cm

FULLNOSE COPING

GREY

12 x 24 x 1¾" 30.5 x 61 x 4.5cm



48" STEP

36" STEP 36 x 18 x 6" 91.4 x 45.7 x 15.2cm



48 x 24 x 6" 122 x 61 x 15.2cm



72" STEP 72 x 24 x 6" 122 x 61 x 15.2cm

BRUSSELS FULLNOSE TUMBLED & CLASSIC









ALMOND GROVE

NEW YORK



BAVARIAN



CHARCOAL



COFFEE CREEK



TUSCANY



LIMESTONE



STANDARD 6 x 12 x 2¾" 15 x 30 x 7cm

SANDSTONE



SIERRA







VERTICAL FEATURES

Fireplaces Pillars Grill Islands Water Features Fire Features







FIREPLACES

Unilock^{*} pre-built fireplaces are available to ship immediately and can be installed in a day, so you're able to enjoy a warm fire right away. The units come complete with a stainless steel firebox, pipe and metal termination cap, and are factory made so the look is consistent with the photos shown. Your satisfaction is guaranteed by Unilock.

LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom fireplace that's just right for your project.





TUSCANY

The Tuscany pre-built fireplace is constructed from Brussels Dimensional System[™] (page 114) and Copthorne[∗] (page 62) accents.



BARCELONA

The Barcelona pre-built fireplace is constructed from Brussels Dimensional System (page 114) available in Sierra with Umbriano[®] (page 50) accents.



BELLA

The Bella pre-built fireplace is constructed from Rivercrest^{*} Wall (page 112).



MODA

The Moda pre-built fireplace is constructed from Lineo^{*} Dimensional Stone (page 110) and Series[®] (page 74) accent.

SELE

FIREPIT KITS RIVERCREST FIREPIT KIT This firepit kit is built with the Rivercrest Wall. See page 112.





FIREPIT GRILL Firepit grill is included and fits securely into



BUFF

the firepit.



COASTAL SLATE

ROMANSTACK® FIREPIT KIT This firepit kit uses RomanStack. Accessories available, see page 127.





ALMOND GROVE



GRANITE



SIERRA

FIREPIT LID Firepit lid is available and fits securely into firepit.



FIREPIT KITS

SUNSET FIREPIT KIT This firepit kit uses Brussels Dimensional System[™] and is available in both round and square styles. See page 114.









LIMESTONE



ALMOND GROVE

SIERRA



LINEO[®] FIREPIT KIT This firepit kit uses Lineo Dimensional Stone. See page 110.





FIREPIT LID

Firepit lid is available and fits securely into the firepit.

ALMOND GROVE



LIMESTONE



SIERRA

125

FIRE FEATURES



BRUSSELS DIMENSIONAL SYSTEM™

This unique fire table and water feature combination is built using Brussels Dimensional System (page 114) with Natural Stone coping (page 102).



LINEO' DIMENSIONAL STONE

This contemporary firepit feature is built with Lineo Dimensional Stone (page 110) and Ledgestone[™] coping (page 120).



RIVERCREST WALL

The fire table above is built using Rivercrest Wall (page 112) and Ledgestone coping (page 120).



U-CARA[™]

This custom fire feature is built using our new U-Cara Multi-Face Wall System (page 104) and Universal coping (page 127).

REMEMBER To ensure a long lasting fire feature, direct exposure to extreme heat from an open flame should be avoided. Always construct fire features with a protective heat barrier such as a metal insert, refractory blocks or approved firebrick to prevent potential heat damage.

FIREPIT KIT ACCESSORIES

The following accessories are available for any firepit kit. CONTACT YOUR LOCAL TERRITORY MANAGER FOR DETAILS.





24" SWING AWAY GRILL

KETTLE WINCH



ACCESSORY POST WITH COLLAR

UNILOCK REDUCED SMOKE INSERT

UTILIZING ZENTRO TECHNOLOGY


There's nothing like relaxing around a fire to bring family and friends closer together. But with ordinary fires, smoke always blows in someone's face - usually yours. With Unilock Reduced Smoke Inserts, stinging eyes are a thing of the past. Zentro's patent-pending technology reburns smoke before it gets anywhere near your eyes. Say hello to good time and good-bye to smoke.



ZENTRO TECHNOLOGY FIREPIT INSERT



UNIVERSAL COPING





TAN




LIGHT GREY

MIDNIGHT CHARCOAL



UNIVERSAL COPING 19 x 14 x $2\frac{3}{4}''$ 48.2 x 35.5 x 7cm

PILLARS & WATER FEATURES





The unique pillar above is built using our new U-Cara Multi-Face Wall System (page 104) and Ledgestone[™] coping (page 120).



BRUSSELS DIMENSIONAL SYSTEM[™]

This contemporary pillar is built using Brussels Dimensional System (page 114) with Ledgestone pillar cap (page 120) and Natural Stone (page 102) accent.



RIVERCREST[®] PILLAR UNIT

The pillar above is built using the Rivercrest^{*} Wall Rapid Pillar System (page 112) with Umbriano^{*} (page 50) accent and Ledgestone (page 120) pillar cap.



This contemporary water feature is built using Lineo Dimensional Stone (page 110) and Natural Stone (page 102).



RIVERCREST[®] WALL

This poolside water feature is built using Rivercrest^{*} Wall (page 112) and Natural Stone (page 102) coping.



BRUSSELS DIMENSIONAL SYSTEM

The unique water feature above is built with Brussels Dimensional System and Brussels Fullnose[™] (page 121) with Ledgestone pillar cap (page 120) and Copthorne^{*} accent (page 62).

COKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom water feature or pillar that's just right for your project.

GRILL ISLANDS



U-CARA[™]

This unique grill is built using our new U-Cara Multi-Face Wall System (page 104) with Universal coping (page 127) and porcelain tile (page 103) counter-top.



BRUSSELS DIMENSIONAL SYSTEM™

The grill island shown above is built with Brussels Dimensional System (page 114) with Series[™] (page 74) accent and Ledgestone[™] (page 120) counter-top and coping.



LINEO^{*} DIMENSIONAL STONE This modern grill island is built using Lineo Dimensional Stone (page 110).




RIVERCREST' WALL This exceptional grill island is built using Rivercrest Wall (page 112) with Umbriano'' (page 50) accent.

LOOKING FOR SOMETHING DIFFERENT? Speak to your contractor about using Unilock products to build a custom grill island that's just right for your project.

SELEC.

Borders & Banding **PAVERS**

Like crown molding is the finishing touch to a room in your home, smartly planned borders and banding in your driveway, walkway or patio can elevate your project from good to great.













PAVERArtline™ (French Grey & Winter Marvel)ACCENTSeries™ (Black Granite)



PAVERMattoni (Sable Blend)ACCENTMattoni (Dark Charcoal)



PAVERUmbriano* (Harvest Brown)ACCENTBrussels Block* (Sandstone)







PAVERBristol Valley* (Bavarian)ACCENTTown Hall (Basalt)

PAVER Series (Golden Tan) ACCENT Copthorne[®] (Burnt Clay)

PAVERArtline (Copper Ridge)ACCENTSenzo[™] (Cremo)



PAVERRichcliff® (Pebble Taupe & Dawn Mist)ACCENTCourtstone® (Basalt)



PAVERNatural Stone (Hearthstone)ACCENTCopthorne (3 Color blend)



PAVERUmbriano (Summer Wheat)ACCENTSenzo (Nuvola)

Borders & Banding WALLS

Using contrasting colors and textures to band landscape walls and other vertical features is a popular design touch and can be used to coordinate these features with borders and banding in the flat portion of your paving project.













WALL Estate Wall[®] (Walnut) ACCENT Town Hall* (Old Oak)



WALL Brussels Dimensional System[™] (Sierra) ACCENT Copthorne® (3 Color Blend)



WALL Lineo[®] Dimensional Stone (Limestone) ACCENT Lineo Dimensional Stone (Midnight Charcoal)



WALL Estate Wall (Sierra) ACCENT Copthorne (3 Color Blend)



WALL Brussels Dimensional System[™] (Limestone) ACCENT Copthorne (Basalt)



WALL Rivercrest[®] Wall (Coastal Slate) **ACCENT** Series[™] (Black Granite)



WALL Rivercrest Wall (Buff) ACCENT Senzo[™] (Castano)




WALL U-Cara (Midnight Sky) Umbriano® ACCENT Town Hall (Burnt Clay)




WALL U-Cara (Bavarian) Pitched Face ACCENT U-Cara (Tuscany) Smooth Face


POPULAR LAYING PATTERNS




ARTLINE[™] RANDOM - 100% Random



BRISTOL VALLEY B - 100% Random



COPTHORNE[®] A - 100% Standard




MATTONI[®] A - 100% Standard


MATTONI B - 100% Standard




BEACON HILL[™] RANDOM A - 100% Random



BRUSSELS BLOCK Y - 57% XL, 29% Standard, 14% Half





COPTHORNE[®] A - 100% Standard




BEACON HILL RANDOM B - 100% Random


BRISTOL VALLEY" A - 100% Random








BRUSSELS BLOCK AC - 50% XL, 50% Standard




COURTSTONE - 100% Random




RICHCLIFF" A - 100% Random

ECO-PRIORA[™] D - 33% 5 x 5″, 67% 5 x 10″




RICHCLIFF B - 100% Random

POPULAR LAYING PATTERNS




SENZO[™] A - 67% Rectangle, 33% Square





SERIES[™] 6 cm RANDOM A - 100% Random


SERIES 6 cm RANDOM B - 100% Random




SENZO B - 67% Rectangle, 33% Square








TOWN HALL' A - 100% Standard




TOWN HALL B - 100% Standard




 TRANSITION[™] L - 75% Large Rectangle,
 TREO^{*}

25% Square




UMBRIANO[®] 6 cm RANDOM A - 100% Random

TREO[®] RANDOM A - 100% Random




TREO RANDOM B - 100% Random



UMBRIANO A - 57% 16 x 16, 29% 8 x 16, 14% 8 x 8

TRIBECA COBBLE[™] - 100% Random



WESTPORT[™] A - 100% Random

INDEX

Antara®

Artline™

PRODUCT PHOTOS

99 78...2, 9, 13, 16 Beacon Hill[™] Flagstone 82...13-15 Beacon Hill[™] Smooth 86 Bristol Valley[®] 90...22-23 Brussels Block® 97...7, 21 Brussels Dimensional System[™] 114...5, 13, 18, 22-23 Brussels Fullnose[™] 121...4, 22-23 Camelot™ 100 Cassova® 99 Concord Wall[™] 119 Copthorne® 62...20, 22-23 Courtstone[®] 54...12, 15 Eco-Priora[™] 95 Estate Wall* 116 Hollandstone™ 101 Ledgestone™ 120...4, 10, 13, 18 Lineo[®] Dimensional Stone 110...2, 4, 16, 21 Mattoni 91 Natural Stone 102...7, 8, 17 Porcelain Tile 103 **Richcliff** 46...4, 5, 21 Rivercrest[®] Wall 112...4, 8, 11, 13, 17 Roman Wall[®] 118 70 74...4, 13, 16 Town Hall[®] 58...6, 10, 18-19 Transition 94 Treo[®] Classic 96 Treo[®] EnduraColor 88 Thornbury[™] 93 Tribeca Cobble™ 66...12, 20 U-Cara[™] 104...10 Umbriano[®] 50...4, 8, 10-11, 13, 15, 18-19 Universal Coping 127 Westport[™] Classic 98 Westport[™] EnduraColor 92

TOPICS OF INTEREST

Borders and Banding, Pavers	130-131
Borders and Banding, Walls	132-133
Classic	26
ColorFusion [™]	29 53, 79, 109
Construction 101	30
Coping Pairings	128
Design	4039
EnduraColor™	26
EnduraColor [™] Plus	27
EasyClean™	2953, 73, 79, 90
Firepits	124-126 2, 4, 10, 13, 17, 22
Fireplaces	1234, 11, 13, 18
Grill Islands	1292, 5, 8, 14, 18, 22
Joint Material	31
Laying Patterns	134
Maintenance	33
Outdoor Idea Center	42
Permeable Pavers	3261, 69, 93, 95
Pillars	1285, 10, 13, 16, 18
Reala™	2849, 57, 61, 65, 113, 120
Retaining Walls	104-119 10, 13, 23
Sealing	33
Step Tread Pairings	129
Ultima [™]	2849, 57, 61, 65
Water Features	1282, 5, 21-22



ON THE COVER

PAVER: Artline (Steel Mountain) with Town Hall (Basalt) accent and Ledgestone (Buff) coping WALL: Lineo Dimensional Stone (Sierra) with Ledgestone coping, treads and pillar caps

SEE VIDEO FOOTAGE AT UNILOCK.COM

Unilock Ltd. and Hengestone Holdings, Inc. are the owners or authorized users of all trademarks used in this publication unless otherwise specified.

Senzo[™] and Umbriano[®] are trademarks of Metten Stein + Design GmbH & Co KG used under license by Unilock[®]. Measurements throughout this portfolio are nominal.

Not all products shown are available at all Unilock locations. Log on to Unilock.com for availability. *Colors shown in this catalog should be used only as a guide. Colors should always be chosen from actual samples. Contact your local Unilock representative for color availability in your area. ©2018 Hengestone Holdings, Inc.

Senzo™

Series™

Quality FOR US, IT'S PERSONAL

ver 40 years ago, our founder stumbled upon a unique little European product called the Uni-Stone. Intrigued by the benefits of this revolutionary paving method, he decided to license the product and bring the concept to North America. He purchased a basic paver machine from Europe and hired a small staff to produce the stones.

In those days, most sales of Unilock^{*} were to large-scale commercial properties and streetscapes. Any lapse in quality would be costly and would jeopardize our owner's personal reputation. So quality was of paramount importance.

From these humble beginnings, through to the multinational company we are today, Unilock has remained a




Founder Ed Bryant - circa 1972

family-owned company that puts quality first. For us, it's not just a matter of dollars and cents, it's our personal reputation that's on the line. Our customers - Homeowners, Contractors, Landscape Designers and Architects, across North America - can rely on us to supply them with **quality product every time.**



We provide a Transferable Lifetime Guarantee on the structural integrity of our paving stones, slabs and retaining wall units for residential use. Any materials installed and maintained to our guidelines, and subject to normal wear, that prove defective, will be replaced without cost. Color matching cannot be guaranteed and replacement labour is not included.



BOSTON (508) 278-4536

BUFFALO (716) 822-6074

CHICAGO (630) 892-9191 OHIO (330) 927-4000

MICHIGAN (248) 437-7037

MILWAUKEE (262) 742-3890 NEW YORK (845) 278-6700

ONTARIO (416) 646-9000

UNILOCK.COM | 1-800-UNILOCK

